Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62,57

F. & F. Nurseries

SINGE THIS CATALOGUE WAS PRINTED, MANY OF THE TELES HAVE BEEN SOLD OUT AND IN SOME CASLS PRICES CHANGED.





CONDITIONS OF SALE

- CONTRACTS—Due to conditions beyond our control all orders and contracts accepted, are subject to government regulations and availability of labor and supplies.
- ORDERS ARE ACCEPTED SUBJECT to prior sale, and to condition of stock at delivery date, under the following terms:
- GOODS IN TRANSIT—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipts for the shipment in good condition.
- CLAIMS must be made within FIVE DAYS after receipt of goods.
- PRICES in this catalogue cancel all previous lists and quotations, are subject to change without notice and they are F.O.B. our nurseries, packing extra. The quantity rates apply only to orders calling for the same size and variety.
- TERMS CASH—For customers of established credit accounts will be open due in 30 days from date of invoice. Interest at six per cent (6%) per year will be charged on all accounts from due date. Orders for C.O.D. shipment must be accompanied by one-third of the amount.
- SPECIAL SELECTION—Plant material specially selected at the nursery will be sold at prices commensurate with the value of the specimens chosen, irrespective of the listed prices.
- GUARANTEE—Should any plant die within one year from the date of invoice we will re-supply such material at one-half your cost—providing the invoice is paid and proper care has been given to planting and maintenance. All packing or delivery charges are additional. This guarantee does not apply to materials purchased for resale.

CONTENTS

	Page
Conditions of SaleInside	Front Cover
Evergreens, Trees, Shrubs, Vines	2-51
Ferns	68
Fertilizers	69
Grass Seed	70
Herbaceous Perennials	52-65
Herbs	66-67
Map	Back Cover
Index	71-74

CONVENIENCE and usefulness have been our guiding stars in compiling this catalog. It presents in a simple ready-reference form the material now growing in our nurseries, briefly described in a manner that we believe will help you visualize the plant itself. The high quality of our stock is self-evident, but we do emphasize the fact that every cultural operation has been religiously carried out irrespective of all conditions so as to maintain this quality—a trip through our nurseries will convince you.



EVERGREENS TREES, SHRUBS, VINES

		5 to 24 2	-
ABELIA, grandiflora. 5'-6'	Lach	Each Glossy	
HALF-EVERGREEN. Dainty bell-shaped shell-r	sink flo	_	
throughout summer. The glossy privet-like for			
winter in a protected spot. Neat.		will poli	
5 in. pots	1.65	1.50	1.35
ACANTHOPANAX pentaphyllum. 7'-8' (sieboldianus)	Fiv	ve Leaf	Āralia
Particularly useful for covering rocky slopes shining foliage, graceful arching habit.	s. Good	l bright	green
2 to 3 ft	.75		
3 to 4 ft	1.00	••••••	•••••
4 to 5 ft	1.25	******	********
ACER			
palmatum atropurpureum. 8'-10'	Purple	Japan	Maple
—nigrum	Purple	Japan	Maple
novum		Japan	_
The characteristic wine-red coloring is reasonal	_	_	_
out summer in this improved form. Makes a bush, and improves with age.			
1 to 1½ ft. B. & B.	3.00	******	******
1½ to 2 ft. B. & B	4.00	******	******
2 to 21/2 ft. B. & B	7.50	******	•••••
2½ to 3 ft. B. & B		•••••	•••••
3 to 4 ft. B. & B	12.00	•••••	******
-dissectum purpureum. 5'-6'	Purple	Cutleaf	Maple
Differs from the green, only in having wine-s	tained i	foliage.	
$1\frac{1}{2}$ to 2 ft. spread. B. & B			*******
2 to 21/2 ft. spread. B. & B		•••••	*******
2½ to 3 ft. spread. B. & B		•••••	•••••
3 to 4 ft. spread. B. & B		******	*******
4 to 5 ft. spredd. B. & B	10.00	******	*******
platanoides. 60'-80'		Norway	_
Probably the easiest tree to transplant success			
shade, so must be trimmed high if grass is to its green foliage until late.	grow t	inder it.	Holds
9 to 10 ft. 11/4 to 11/2 in	5.00	4.75	4.50
9 to 10 ft. 1½ to 1¾ in.	7.50	7.25	7.00
10 to 12 ft. 13/4 to 2 in	9.00	8.50	
12 to 14 ft. 2 to 21/4 in	10.00	9.00	******
12 to 14 ft. 21/4 to 21/2 in		•••••	•••••
14 to 16 ft. 2½ to 3 in		•••••	•••••
14 to 16 ft. 3 to 3½ in		*******	*******
10 10 10 11. 07½ 10 4 III	41.00	••••••	******
		Norway !	_
Dark rich green foliage borne on a narrow co			crown.
8 to 10 ft. 1¼ to 1½ in	7.50	7.00	******
9 to 10 ft. 1½ to 2 in	8.50	7.50	*******
10 to 12 ft. 13/4 to 2 in	10.00	9.50	*******

ACER platanoides schwedleri. 60'-80'

Schwedler Maple

The young leaves are bright red, but as summer approaches turn to a rich dark green with a suggestion of purple in them. This brightens up again in autumn.

9	to	10	ft.	1 1/4	to	$1\frac{1}{2}$	in.	 6.75	6.25	•••••
9	to	10	ft.	11/2	to	13/4	in.	 7.75	7.25	******
10	to	12	ft.	13/4	to	2	in.	 9.00	8.00	******
12	to	14	fŧ	2	to	21/4	in	12.00		

rubrum. 80'-100'

Red Maple

A well-loved native so noticeable in spring, when the fiery red blossoms cover the branches, and again in autumn, when the vivid scarlet dress is a high spot. Ordinarily found in low places but succeeds well in high land too.

9	to	10	ft.	$1\frac{1}{4}$	to	1 1/2	in.	•••••	5.00	4.75	******
10	to	12	ft.	$1\frac{1}{2}$	to	13/4	in.		6.00		• • • • • • • • • • • • • • • • • • • •
10	to	12	ft.	$1\frac{3}{4}$	to	2	in.		7.50	******	•••••
12	to	14	ft.	2	to	$2\frac{1}{4}$	in.	***************************************	10.00	•••••	•••••
12	to	14	ft.	21/4	to	$2\frac{1}{2}$	in.	***************************************	12.00	******	******
14	to	16	ft.	$2\frac{1}{2}$	to	3	in.	***************************************	15.00	******	******
14	to	16	ft.	3	to	31/2	in.		18.00		*******
15	to	17	ft.	31/2	to	4	in.		21.00	******	******
16	to	18	ft.	4	to	5	in.	***************************************	25.00	• • • • • • • • • • • • • • • • • • • •	******

saccharum, 100'

Sugar Maple

Quite a princely tree dissatisfied with city life, but assumes noble proportions in clear atmosphere. The autumn colors ranging through all the fiery tones make this, for spectacularly beautiful foliage effects, the most glorious of all trees.

9	to	10	ft.	1 1/4	to	1 1/2	in.		6.00	5.75	
10	to	12	ft.	11/2	to	13/4	in.		7.00	6.50	•••••
10	to	12	ft.	13/4	to	2	in.	***************************************	9.00	8.00	******
12	to	14	ft.	2	to	21/4	in.		10.00		•••••
12	to	14	1 ft.	21/4	to	$2\frac{1}{2}$	in.	***************************************	12.00		•••••
14	to	16	ft.	21/2	to	3	in.		15.00		******
14	to	16	ft.	3	to	31/2	in.		18.00	16.00	
16	to	18	fŧ	31/2	to	4	in		21.00		

AESCULUS. 40'-50'

hippocastanum rubicunda

Pink Horsechestnut

Great trusses of deep pink flowers are held aloft each spring decorating the formal roundish pyramid like a Christmas tree.

8	to	10	ft.	***************************************	9.00		******
0		10		•••••••		*****	

parviflora. 9'-10'

Bottlebush Buckeye

Truly a handsome shrub. It gradually spreads into a large mound much broader than high over which the refined horsechestnut leaves are mantled, serving as an excellent foil for the erect spikes of creamy-white flowers. Slow.

11/2	to	2	ft.	•••••	2.00	******	

3	to	4	ft		3.50		

1 to 4 5 to 24 25 & up Each Each Each AMELANCHIER canadensis. 25' Downy Shadblow The flurry of pure white flowers is the forerunner of spring-most noticeable in our native woods where this dainty denizen is sparsely scattered. Birds relish the dark purple fruits. The young leaves are hairy on both sides. 2 to 3 ft. 1.20 1.00 3 to 4 ft. 1.50 1.20 **AMPELOPSIS** heterophylla. 30'-40' Vine. Porcelain Ampelopsis (brevipedunclata maximowici) The irregularly shaped deeply lobed leaves are quite similar to Monkshood vine but has blue berries. 2 year 1.00 3 year80 tricuspidata (veitchi). 40'-50' Boston Ivy (parienocissus tricuspidata) Probably the most popular self-clinging vine. Handsome. 3 in. Pots50 -lowi. 6'-8' Vine. Geranium Creeper A miniature edition of the Boston Ivy, clings closely and colors beautifully in fall. The thick-looking leaves are curiously twisted. Splendid on low walls for a tracery. 3 in. Pots85 .75 .60 AMYGDALUS persica, 12'-15' Double Flowering Peach (Prunus Persica) Pink and doube white. Really a glorious flowering form of our plain garden peach. to 5 ft. 2.25 ARONIA arbutifolia, 8'-10' Red Chokeberry The handsome foliage assumes rich red tones in autumn and the brilliant red berries persist until the birds get really hungry. Prefers a moist place and should be pruned to overcome legginess. A grand shrub. to 3 .75 ft.80 3 .90 ft. 1.00 ft. 1.20 melanocarpa. 3'-4' Black Chokeberry This black fruited form is more bushy and the foliage assumes brighter tints in autumn. White flowers practically cover the branches in May. Unfortunately the berries shrivel in dry seasons but birds love them. ft.55 to 2½ ft.80 .75 to 4 ft. 1.00 .90 AZALEA arborescens. 15'-18' Sweet Azalea The exquisitely fragrant white or blush flowers are among the latest of Azaleas to be seen in June. Succeeds in moist or well drained places. Eventually become gnarled. in. B. & B. 3.50

		5 to 24 Each	25 & up Each
AZALEA calendulacea. 10'-12'	2011	Flame	
Possibly the most brilliant of our native shru from orange to scarlet in late May. Drained o		e flower	
1½ to 2 ft. B. & B		*******	•••••
2 to 2½ ft. B. & B		•••••	******
2½ to 3 ft. B. & B		•••••	******
4 to 5 ft. B. & B.			******
ledifolia (indica alba).		Snow	Azalea
(Rosmarinifolia)		DIIOW	IIzaiea
EVERGREEN. And particularly useful in condegiri," as the large dazzling white flowers time. Give it a favored spot, it will pay well	appe		
12 to 15 in. B. & B		•••••	•••••
18 to 24 in. B. & B.		******	******
macrantha, 3'.4'	Rod	Salmon	Araloa
EVERGREEN. A low growing form with sin			
clean shiny leaves—continues to bloom un shelter for sure results. A neat compact shrub	til la		
10 to 12 in. B. & B.		•••••	•••••
12 to 15 in. B. & B		•••••	******
15 to 18 in. B. & B	5.50	•••••	******
—Jo Go Large single bloom light pink bell shaped Azain May—as does its parent macrantha.	-	g ht Pink hat bloom	
10 to 12 in. B. & B			******
mollis Hybrids		Chinese	Azalea
Large showy flowers in May and June ranging			
low to orange and red. Sunny location desire		naacs n	om joi
— —H. Koster—Salmon Orange			
— —J. C. Van Tol—Red			
— —Yellow			
PRICES FOR ABOVE VARIETIE			
12 to 15 in. B. & B			
nudiflora. 6'-7'		Pinxte	rbloom
The fragrance of this "wild honeysuckle"	auick		
home in light woods where the variable pink	flowe		
sought in May. Does well in the open sun t			
18 to 24 in. B. & B			*******
obtusa amoena. 4'-6'		Amoena	Araloa
EVERGREEN. Grows broader than tall with			
The small box like leaves take on a warm b			
but in spring a mantle of magenta flowers is			
Most hardy evergreen form.	0.50		
12 to 15 in. B. & B			******
18 to 24 in. B. & B		*******	

	1 to 4	5 to 24	25 &
		Each	
AZALEA obtusa coccinea. 4'-5'		Amoena	
EVERGREEN. Quite an improvement in col- and just as dependable as the type.	or (a	lmost ve	ermilion)
12 to 15 in. B. & B.	3.50	3.25	
15 to 18 in. B. & B	4.50	•••••	*******
			_
—hinodegiri. 4'-5'		nodegiri	
EVERGREEN, This is THE red Azalea which	in l	May is	actually
covered in a blanket of vivid carmine flowers. green and larger than that of "Amoena" and color in winter. A fine spot plant.	The has	foliage is a richer	bronzy
12 to 15 in. spread. B. & B	3.75		
15 to 18 in. spread. B. & B	4.50		
	5.60		6
2 to 21/2 ft. spread. B. & B	6.90		

—Shooting Star		Pink	Azalea
An evergreen form reputed to be very hardy		flowers	5.
12 to 15 in. B. & B	3.50	•••••	******
kaempferi. 4'-6'		Tanak	N-mlo-
			Azalea
From salmon-pink to orange-red, the flowers			
into a thing of beauty. In a slightly shaded			
almost evergreen, and the color of the flowe	rs is	preserve	ed. Has
successfully withstood our worst winters.			
18 to 24 in. B. & B		•••••	******
2 to 2½ ft. B. & B	5 00		
	3.00	•••••	•••••
	5.00		
pontica. 6'-8' A fine old kind with rich yellow trumpet-sho	nped	Pontic	Azalea
pontica. 6'-8'	nped	Pontic	Azalea
pontica. 6'-8' A fine old kind with rich yellow trumpet-sho	aped thes.	Pontic fragrant	Azalea
pontica. 6'-8' A fine old kind with rich yellow trumpet-sho borne in clusters at the tips of the bare brance 2½ to 3 ft. B. & B	nped hes. 7.00 10.00	Pontic fragrant	Azalea
pontica. 6'-8' A fine old kind with rich yellow trumpet-sho borne in clusters at the tips of the bare brance 2½ to 3 ft. B. & B.	nped hes. 7.00 10.00	Pontic fragrant	Azalea flowers
pontica. 6'-8' A fine old kind with rich yellow trumpet-sho borne in clusters at the tips of the bare brance 2½ to 3 ft. B. & B. 3 to 4 ft. B. & B. 4 to 5 ft. B. & B.	nped hes. 7.00 10.00	Pontic fragrant	Azalea flowers
A fine old kind with rich yellow trumpet-sho borne in clusters at the tips of the bare branc 2½ to 3 ft. B. & B. 3 to 4 ft. B. & B. 4 to 5 ft. B. & B.	nped thes. 7.00 10.00 13.50	Pontic fragrant	Azalea flowers
A fine old kind with rich yellow trumpet-sho borne in clusters at the tips of the bare brance 2½ to 3 ft. B. & B	nped thes. 7.00 10.00 13.50	Pontic fragrant	Azalea flowers
A fine old kind with rich yellow trumpet-sho borne in clusters at the tips of the bare brance 2½ to 3 ft. B. & B. 3 to 4 ft. B. & B. 4 to 5 ft. B. & B. —Ghent Hybrids These hardy deciduous hybrids are rich in flas fragrant.	rped hes. 7.00 10.00 13.50	Pontic fragrant	Azalea flowers
A fine old kind with rich yellow trumpet-sho borne in clusters at the tips of the bare brance 2½ to 3 ft. B. & B	rped hes. 7.00 10.00 13.50	Pontic fragrant	Azalea flowers
A fine old kind with rich yellow trumpet-sho borne in clusters at the tips of the bare brance 2½ to 3 ft. B. & B. 3 to 4 ft. B. & B. 4 to 5 ft. B. & B. —Ghent Hybrids These hardy deciduous hybrids are rich in finas fragrant. Yellow—orange—pink—red—white—yellow co	rped hes. 7.00 10.00 13.50	Pontic fragrant	Azalea flowers
A fine old kind with rich yellow trumpet-sho borne in clusters at the tips of the bare brance 2½ to 3 ft. B. & B. 3 to 4 ft. B. & B. 4 to 5 ft. B. & B. —Ghent Hybrids These hardy deciduous hybrids are rich in finas fragrant. Yellow—orange—pink—red—white—yellow co	7.00 10.00 13.50	Pontic fragrant	Azalea flowers
A fine old kind with rich yellow trumpet-sho borne in clusters at the tips of the bare brance 2½ to 3 ft. B. & B. 3 to 4 ft. B. & B. 4 to 5 ft. B. & B. —Ghent Hybrids These hardy deciduous hybrids are rich in finas fragrant. Yellow—orange—pink—red—white—yellow con 12 to 15 in., B. & B.	7.00 10.00 13.50 loral entre.	Pontic fragrant	Azalea flowers
A fine old kind with rich yellow trumpet-sho borne in clusters at the tips of the bare brance 2½ to 3 ft. B. & B. 3 to 4 ft. B. & B. 4 to 5 ft. B. & B. —Ghent Hybrids These hardy deciduous hybrids are rich in finas fragrant. Yellow—orange—pink—red—white—yellow control of the pinal of t	7.00 10.00 13.50 loral entre. 4.50 6.00	Pontic fragrant	Azalea flowers
A fine old kind with rich yellow trumpet-sho borne in clusters at the tips of the bare brance 2½ to 3 ft. B. & B. 3 to 4 ft. B. & B. 4 to 5 ft. B. & B. —Ghent Hybrids These hardy deciduous hybrids are rich in finas fragrant. Yellow—orange—pink—red—white—yellow of 12 to 15 in., B. & B. 15 to 18 in. B. & B. 18 to 24 in. B. & B.	7.00 10.00 13.50 loral entre. 4.50 6.00 7.50	Pontic fragrant	Azalea flowers as well Azalea
A fine old kind with rich yellow trumpet-sho borne in clusters at the tips of the bare brance 2½ to 3 ft. B. & B. 3 to 4 ft. B. & B. 4 to 5 ft. B. & B. —Ghent Hybrids These hardy deciduous hybrids are rich in finas fragrant. Yellow—orange—pink—red—white—yellow of 12 to 15 in., B. & B. 15 to 18 in. B. & B. 18 to 24 in. B. & B. vaseyi. 10'-12' A most exquisite thing when the pure pink for the pure	7.00 10.00 13.50 loral entre. 4.50 6.00 7.50	Pontic fragrant display display	Azalea flowers as well Azalea in early
A fine old kind with rich yellow trumpet-sho borne in clusters at the tips of the bare brance 2½ to 3 ft. B. & B. 3 to 4 ft. B. & B. 4 to 5 ft. B. & B. —Ghent Hybrids These hardy deciduous hybrids are rich in finas fragrant. Yellow—orange—pink—red—white—yellow of 12 to 15 in., B. & B. 15 to 18 in. B. & B. 18 to 24 in. B. & B. vaseyi. 10'-12' A most exquisite thing when the pure pink for May—apparently just lightly resting in the bare.	7.00 10.00 13.50 loral entre. 4.50 6.00 7.50 Flower tears to	Pontic fragrant display display Pinkshell s open wigs, its	Azalea flowers as well Azalea in early beauty
A fine old kind with rich yellow trumpet-sho borne in clusters at the tips of the bare brance 2½ to 3 ft. B. & B. 3 to 4 ft. B. & B. 4 to 5 ft. B. & B. —Ghent Hybrids These hardy deciduous hybrids are rich in finas fragrant. Yellow—orange—pink—red—white—yellow of 12 to 15 in., B. & B. 15 to 18 in. B. & B. 18 to 24 in. B. & B. vaseyi. 10'-12' A most exquisite thing when the pure pink for May—apparently just lightly resting in the bis breath-taking. Happiest on margin of woo	7.00 10.00 13.50 loral entre. 4.50 6.00 7.50 Flower tears to	Pontic fragrant display display Pinkshell s open wigs, its	Azalea flowers as well Azalea in early beauty
A fine old kind with rich yellow trumpet-sho borne in clusters at the tips of the bare brance 2½ to 3 ft. B. & B. 3 to 4 ft. B. & B. 4 to 5 ft. B. & B. —Ghent Hybrids These hardy deciduous hybrids are rich in finas fragrant. Yellow—orange—pink—red—white—yellow con 12 to 15 in., B. & B. 15 to 18 in. B. & B. 18 to 24 in. B. & B. vaseyi. 10'-12' A most exquisite thing when the pure pink for May—apparently just lightly resting in the basis breath-taking. Happiest on margin of woo rather moist and acid.	7.00 10.00 13.50 loral entre. 4.50 6.00 7.50 Flower tage to day, w	Pontic fragrant display display Pinkshell s open wigs, its there the	Azalea flowers as well Azalea in early beauty
A fine old kind with rich yellow trumpet-sho borne in clusters at the tips of the bare brance 2½ to 3 ft. B. & B. 3 to 4 ft. B. & B. 4 to 5 ft. B. & B. —Ghent Hybrids These hardy deciduous hybrids are rich in finas fragrant. Yellow—orange—pink—red—white—yellow of 12 to 15 in., B. & B. 15 to 18 in. B. & B. 18 to 24 in. B. & B. vaseyi. 10'-12' A most exquisite thing when the pure pink for May—apparently just lightly resting in the bin is breath-taking. Happiest on margin of woo rather moist and acid. 18 to 24 in. B. & B.	7.00 10.00 13.50 loral entre. 4.50 6.00 7.50 Flower tags, w	Pontic fragrant display display Pinkshell s open wigs, its	Azalea flowers as well Azalea in early beauty
A fine old kind with rich yellow trumpet-sho borne in clusters at the tips of the bare brance 2½ to 3 ft. B. & B. 3 to 4 ft. B. & B. 4 to 5 ft. B. & B. —Ghent Hybrids These hardy deciduous hybrids are rich in finas fragrant. Yellow—orange—pink—red—white—yellow of 12 to 15 in., B. & B. 15 to 18 in. B. & B. 18 to 24 in. B. & B. vaseyi. 10'-12' A most exquisite thing when the pure pink for May—apparently just lightly resting in the bis breath-taking. Happiest on margin of woo rather moist and acid. 18 to 24 in. B. & B. 2 to 2½ ft. B. & B.	7.00 10.00 13.50 loral entre. 4.50 6.00 7.50 Flower das, w 4.00 4.75	Pontic fragrant display Pinkshell s open wigs, its there the	Azalea flowers as well Azalea in early beauty
A fine old kind with rich yellow trumpet-sho borne in clusters at the tips of the bare brance 2½ to 3 ft. B. & B. 3 to 4 ft. B. & B. 4 to 5 ft. B. & B. —Ghent Hybrids These hardy deciduous hybrids are rich in finas fragrant. Yellow—orange—pink—red—white—yellow of 12 to 15 in., B. & B. 15 to 18 in. B. & B. 18 to 24 in. B. & B. vaseyi. 10'-12' A most exquisite thing when the pure pink findsy—apparently just lightly resting in the bis breath-taking. Happiest on margin of woo rather moist and acid. 18 to 24 in. B. & B. 2 to 2½ ft. B. & B. 2½ to 3 ft. B. & B.	7.00 10.00 13.50 loral entre. 4.50 6.00 7.50 Flower das, w 4.00 4.75 6.50	Pontic fragrant display display Pinkshell s open wigs, its there the	Azalea flowers as well Azalea in early beauty soil is
A fine old kind with rich yellow trumpet-sho borne in clusters at the tips of the bare brance 2½ to 3 ft. B. & B. 3 to 4 ft. B. & B. 4 to 5 ft. B. & B. —Ghent Hybrids These hardy deciduous hybrids are rich in fl. as fragrant. Yellow—orange—pink—red—white—yellow con 12 to 15 in., B. & B. 15 to 18 in. B. & B. 18 to 24 in. B. & B. vaseyi. 10'-12' A most exquisite thing when the pure pink fl. May—apparently just lightly resting in the bl. is breath-taking. Happiest on margin of woo rather moist and acid. 18 to 24 in. B. & B. 2 to 2½ ft. B. & B. 2 to 2½ ft. B. & B. 3 to 4 ft. B. & B.	7.00 10.00 13.50 loral entre. 4.50 6.00 7.50 Flower das, w 4.00 4.75 6.50 9.00	Pontic fragrant display display its open wigs, its there the	Azalea flowers as well Azalea in early beauty soil is
A fine old kind with rich yellow trumpet-sho borne in clusters at the tips of the bare brance 2½ to 3 ft. B. & B. 3 to 4 ft. B. & B. 4 to 5 ft. B. & B. —Ghent Hybrids These hardy deciduous hybrids are rich in finas fragrant. Yellow—orange—pink—red—white—yellow of 12 to 15 in., B. & B. 15 to 18 in. B. & B. 18 to 24 in. B. & B. vaseyi. 10'-12' A most exquisite thing when the pure pink finas breath-taking. Happiest on margin of woo rather moist and acid. 18 to 24 in. B. & B. 2 to 2½ ft. B. & B. 2½ to 3 ft. B. & B. 3 to 4 ft. B. & B.	7.00 10.00 13.50 loral entre. 4.50 6.00 7.50 Flower das, w 4.00 4.75 6.50 9.00	Pontic fragrant display Pinkshell s open swigs, its here the	Azalea flowers as well Azalea in early beauty soil is Azalea
A fine old kind with rich yellow trumpet-shaborne in clusters at the tips of the bare brance 2½ to 3 ft. B. & B. 3 to 4 ft. B. & B. 4 to 5 ft. B. & B. —Ghent Hybrids These hardy deciduous hybrids are rich in finas fragrant. Yellow—orange—pink—red—white—yellow concentrated in B. & B. 15 to 18 in. B. & B. 18 to 24 in. B. & B. vaseyi. 10'-12' A most exquisite thing when the pure pink for May—apparently just lightly resting in the bound is breath-taking. Happiest on margin of woo rather moist and acid. 18 to 24 in. B. & B. 2 to 2½ ft. B. & B. 2 to 2½ ft. B. & B. 3 to 4 ft. B. & B.	7.00 10.00 13.50 loral entre. 4.50 6.00 7.50 Flower das, w 4.00 4.75 6.50 9.00	Pontic fragrant display Pinkshell s open swigs, its here the	Azalea flowers as well Azalea in early beauty soil is Azalea
A fine old kind with rich yellow trumpet-sho borne in clusters at the tips of the bare brance 2½ to 3 ft. B. & B. 3 to 4 ft. B. & B. 4 to 5 ft. B. & B. —Ghent Hybrids These hardy deciduous hybrids are rich in finas fragrant. Yellow—orange—pink—red—white—yellow of 12 to 15 in., B. & B. 15 to 18 in. B. & B. 18 to 24 in. B. & B. vaseyi. 10'-12' A most exquisite thing when the pure pink finas breath-taking. Happiest on margin of woo rather moist and acid. 18 to 24 in. B. & B. 2 to 2½ ft. B. & B. 2½ to 3 ft. B. & B. 3 to 4 ft. B. & B.	7.00 10.00 13.50 loral entre. 4.50 6.00 7.50 Flower das, w 4.00 4.75 6.50 9.00	Pontic fragrant display Pinkshell s open swigs, its here the	Azalea flowers as well Azalea in early beauty soil is Azalea
A fine old kind with rich yellow trumpet-shaborne in clusters at the tips of the bare brance 2½ to 3 ft. B. & B. 3 to 4 ft. B. & B. 4 to 5 ft. B. & B. —Ghent Hybrids These hardy deciduous hybrids are rich in finas fragrant. Yellow—orange—pink—red—white—yellow concentrated in B. & B. 15 to 18 in. B. & B. 18 to 24 in. B. & B. vaseyi. 10'-12' A most exquisite thing when the pure pink for May—apparently just lightly resting in the bound is breath-taking. Happiest on margin of woo rather moist and acid. 18 to 24 in. B. & B. 2 to 2½ ft. B. & B. 2 to 2½ ft. B. & B. 3 to 4 ft. B. & B.	7.00 10.00 13.50 loral entre. 4.50 6.00 7.50 Flower das, w 4.00 4.75 6.50 9.00	Pontic fragrant display display here the dagawa double le	Azalea flowers as well Azalea in early beauty soil is Azalea
A fine old kind with rich yellow trumpet-shaborne in clusters at the tips of the bare brand 2½ to 3 ft. B. & B. 3 to 4 ft. B. & B. 4 to 5 ft. B. & B. —Ghent Hybrids These hardy deciduous hybrids are rich in finas fragrant. Yellow—orange—pink—red—white—yellow of 12 to 15 in., B. & B. 15 to 18 in. B. & B. 18 to 24 in. B. & B. vaseyi. 10'-12' A most exquisite thing when the pure pink finds breath-taking. Happiest on margin of woo rather moist and acid. 18 to 24 in. B. & B. 2 to 2½ ft. B. & B. 2 to 2½ ft. B. & B. 3 to 4 ft. B. & B. yodagawa In May this bush is actually a dense bouque pink flowers with no foliage visible at all. 12 to 15 in. B. & B.	7.00 10.00 13.50 loral entre. 4.50 6.00 7.50 Flower ds, w 4.00 4.75 6.50 9.00 Your of of	Pontic fragrant display display here the dagawa double le	Azalea flowers as well Azalea in early beauty soil is Azalea

AZAIFA vodogowa	Each	Each	Each
AZALEA yodogawa		77	
—poukhanensis. 4'-5'		Korean	
Almost a blue Azalea. Fine large blooms sweet over the spreading bush—effective with For within bounds. A lovely thing!			
12 to 15 in. B. & B		******	******
BENZOIN aestivale. 12'-15'		Spic	e Bush
(Lindera Benzoin)			
The yellow mist seen along the streams in A welcome to spring and later on you will fine scarlet berries, which like the rich foliage when crushed. Very informal. 2 to 3 ft.	d load	ds of gli	stening
3 to 4 ft		******	*******
BERBERIS chenaulti. 5-4'	Che	enault B	arberry
EVERGREEN. In general appearance similar the Warty Barberry. Glossy green foliage is and its compact neat habit is sufficient reconfine addition to this family.	to, k whit	out large tish unde	er than erneath
12 to 15 in. B. & B	2.25	•••••	******
15 to 18 in. B. & B		******	•••••
1½ to 2 ft. B. & B	4.50	******	******
EVERGREEN. A vigorous fellow, rich in coloral leaves turning vivid scarlet before they fall. I purplish fruits, and in spring the wine stain the bush. Good for hedge. 15 to 18 in. B. & B	Tearty	yellow	flowers
1½ to 2 ft. B. & B.		2.35	******
2 to 2½ ft. B. & B	3.75 5.00	•••••	******
272 to 3 It. B. & B	3.00	******	******
thunbergi. 5'-7'		canese B	_
Keep the old wood cut out and you will have			display
of berries every year. Good for hedge or k	.55	. busny	
		.00	plants.
1 ½ to 2 tt		.60	plants. .45
1 ½ to 2 ft	.65 .70	.60 .65	plants.
2 to 2½ ft	.65 .70	.65	.45 .55
2 to 2½ ft	.65 .70 af Jap	.65	.45 .55
2 to 2½ ft	.65 .70 af Jap	.65	.45 .55
2 to 2½ ft	.65 .70	.65 anese B	.45 .55
2 to 2½ ft	.65 .70 af Jap the fo .75 .90 1.00	.65 canese B	.45 .55
2 to 2½ ft. —atropurpurea. 5'-6' Needs sun to bring out the purple coloring of 12 to 15 in. 15 to 18 in.	.65 .70 af Jap the fo .75 .90	.65 canese B	.45 .55
2 to 2½ ft. —atropurpurea. 5'-6' Needs sun to bring out the purple coloring of 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. minor. 2'-3'	.65 .70 af Jap the fo .75 .90 1.00	.65 canese B coliage.	arberry
2 to 2½ ft. —atropurpurea. 5'-6' Needs sun to bring out the purple coloring of 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft.	.65 .70 af Jap the fo .75 .90 1.00 1.35	.65 canese B coliage.	arberry
2 to 2½ ft. —atropurpurea. 5'-6' Needs sun to bring out the purple coloring of 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. minor. 2'-3' When used as a close-clipped formal hedge	.65 .70 af Jap the fo .75 .90 1.00 1.35	.65 canese B coliage.	arberry
2 to 2½ ft. —atropurpurea. 5'-6' Needs sun to bring out the purple coloring of 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. minor. 2'-3' When used as a close-clipped formal hedge seen to advantage. Similar except size to type	.65 .70 of Jap the fo .75 .90 1.00 1.35	.65 canese B coliage.	arberry

BERBERIS triacanthophora. 4'-5' Threespine Barberry EVERGREEN. Really a handsome evergreen shrub. The narrow two-inch leaves are surprisingly white underneath and the graceful branching arrangement displays the unusual whitish flowers and black fruits nicely. This has done well with us in hot sun as well as in half-shade. 15 to 18 in. B. & B. 1.70 1½ to 2 ft. B. & B. 2.25 2.00 to 31/2 ft. B. & B. 5.50 verruculosa, 3' Warty Barberry EVERGREEN. The aristocrat of Barberries, this evergreen develops into a compact mound densely covered with rich lustrous green foliage that reminds one of miniature English Holly leaves with a whitish underside. In spring the branches are strung with little golden cups nodding on half inch threads. These fragrant flowers are followed by bloomy black fruits. A splendid low hedge plant. in. B. & B. 2.25 2.00 in. B. &. B. to 18 3.00 2.75 ft. B. & B. 1½ to 2 3.50 3.25 to 2½ ft. B. & B. 4.25 BETULA alba fastigiator. 20'-25' Columnar White Birch (Betula pendula) Grows amazingly like a Lombardy Poplar and in time forms a dense rugged column of dark green leaves. White bark. -laciniata. 30'-40' Weeping Cutleaf Birch Deeply cut leaves and fountain-like arrangement of the drooping branches make this a justly popular lawn subject. ft. B. & B. 6.00 8 to 9 ft. B. & B. 7.50 -youngi. 8'-15' Young's Weeping Birch The slender branches assume surprising positions, curving-inverted, yet graceful and most interesting eventually forming a broad picturesque mass, for large rock garden. to 4 ft. B. & B. 6.00 papyrifera. 40'-50' Canoe or Paper Birch White papery bark, lacy foliage, graceful stems all help to make this the popular tree of the Adirondack Mountains—indeed a grand American. 6 to - 8 3.50 to 10 ft. 5.00 populifolia. 35'-40' Gray Birch This "Queen of the Woods" is generally seen in clumps, two or three white trunks rising gracefully from the ground and swaying in the breeze. Small foliage quivers at the slightest breeze. Particularly effective with dark evergreens.

ft. B. & B. clumps 9.00

ft. B. & B. clumps 12.00

ft. B. & B. clumps 15.00

ft. B. & B. clumps 18.00

8

10

12

to 10

to 12

to 15

	Each Each Each
BIGNONIA	Eddi Eddi Eddi
grandiflora Mad. Gallen. 25'-30' Vine. (campsis grandiflora)	Gallen Trumpet Vine
Gorgeous big trumpet flowers of red and or all over the vigorous growth in summer. 2 year	• •
-	
BUDDLEIA Charming. 8'-10' A very desirable break in color which is of a shade. Flowers freely throughout summer. I very useful cut flower. 4 in. Pots	Easily grown, and a
Royal Purple. 6'-8'	Purple Butterfly Bush
Another decided acquisition. Rich velvety pur tacular during summer. A splendid variety. 4 in. Pots	rple spikes most spec-
White Bouquet	White Butterfly Bush
Spikes of showy white flowers June to Sep sunny location desired.	-
4 in. Pots	.75
BUXUS sempervirens angustifolia. 2'-3'	Willowleaf Box
EVERGREEN. Quite distinct and hardy. Form composed of many slender branches rather survived very low temperatures here.	than main stem. Has
6 to 9 in. spread, B. & B	
—suffruticosa. 5'-6'	Dwarf Bush Boxwood
EVERGREEN. Like wine this beloved plant gradually becoming part of the family, and is heirloom. In youth it makes good headway, by year until it reaches three or four feet, aft imperceptibly. Everyone knows the delicious apparent in this dwarf kind. The small roun withstand city conditions. A dwarf boxwood hat three inches is practically a permanent ins 4 to 6 in.	s passed down as an but slows down year er which it increases boxwood smell most d deep green leaves ledge which can start
CALLICARPA purpurea. 4'-5'	Chinese Beautyberry
(Dichtotoma)	
Little bunches of shiny deep mauve berries of	are studded along the
willowy branches, an attractive thing for cut	ting.
2 to 3 ft	.65 .60 .55
3 to 4 ft	.75 .65 .60 1.00 .90 .75
CALYCANTHUS floridus. 8'-9'	Common Sweetshrub
Red-brown flowers, foliage and even the peoff a spicy fragrance. A neat old-fashioned s	hrub.
2 to 3 ft	.75 1.00
Ŭ lU ⁴ ll	AAUU

1 to 4 5 to 24 25 & up Each Each Each CARPINUS betulus. 50'-60' European Hornbeam Even a single tree with its blue-gray smooth bark, muscular wood and clean foliage is worth while, but as a hedge plant with brown leaves persisting it excels. to ft., B. & B. 9.00 ft., B. & B. 12.50 5 6 11.50 6 13.50 ft., B. & B. 21.00 8 to 10 19.00 10 to 12 caroliniana American Hornbeam Often called iron wood. Sure resembles a small Beech, does well in shade and moist locations. ft., B. & B. 9.00 5 to 6 11.50 6 13.50 8 to 10 ft., B. & B. 21.00 19.00 10 to 12 ft., B. & B. 30.00 CEDRUS altantica. 60'-70' Atlas Cedar Brush-like tufts of short gray-green needles are scattered along the stiff branches. Really worth the little protection needed in exposed location. ft. **27.00** 8 to 10 ft. 33.00 CELASTRUS scandens. 20'-25' American Bittersweet Not quite so vigorous or prolific but the long terminal bunches of typical fruits are just as effective as the Oriental. 2 year40 _30 3 year75 .65 .55 CERCIS canadensis. 20'-25' American Redbud Small rosy pink pea shaped flowers almost cover the bare branches in April. Beautiful with cedars and dogwood. ft. chinensis, 8'-10' Chinese Redbud A more shrubby relative with larger flowers of a slightly darker rosy purple shade. Good foliage too. Early April. in. 1.25 18 to 24 in. 1.50 CHAMAECYPARIS obtusa-nana. 2'-3' Dwarf Hinoki Cypress Because it is slow growing the Japanese use this variety most effectively in pots. It soon assumes the character of age, preserving the rich green coloring. Dwarfest and most compact of all Cypress,

therefore useful in rock gardens, evergreen groups or where small

ft., B. & B. 12.00

scale is desired.

		5 to 24	-
CHAMAECYPARIS pisifera. 40'-50'		Each	
Quickly develops into loose pyramid; hardiest		awara C	_
be allowed space to develop as a tree.	or the	idininy.	Should
15 to 18 in., B. & B.	2.25	2.00	1.75
11/2 to 2 ft., B. & B	3.00	2.75	2.50
2 to 2½ ft., B. & B	3.50	3.00	2.75
2½ to 3 ft., B. & B	4.25 6.00	4.00 5.75	3.75 5.50
4 to 5 ft., B. & B.	7.50	3.73	3.30
5 to 6 ft., B. & B	9.00	******	*******
		awara C	-
Foliage is shining yellow. A better specimen Particularly effective in winter.	than t	he greer	ı type.
15 to 18 in., B. & B	2.25	2.00	1.75
1½ to 2 ft., B. & B	3.00	2.75	2.50
2 to 2½ ft., B. & B	3.50 4.25	3.00 4.00	2.75 3.75
3 to 4 ft., B. & B.	6.00	5.75	5.50
4 to 5 ft., B. & B	7.50		
—filifera. 20'-25'	נ	Thread C	ypress
Has long stringy drooping branches, but form			
pact broad pyramid of a good green shade remains in good condition indefinitely.	. Ever	i withou	t care
-	3.00	2.75	2.50
1½ to 2 ft., B. & B	3.25	3.00	2.75
2½ to 3 ft., B. & B.	4.25	4.00	3.75
3 to 3½ ft., B. & B	6.50	•••••	******
		hread C	
This form grows more loosely, but the golden than any other evergreen. Stays low until a		as are b	rignier
12 to 15 in., B. & B.		2.00	
15 to 18 in., B. & B.		2.00	•••••
18 to 24 in., B. & B		*****	******
		hread C	_
The half green, half yellow coloring is not s billowy outline gives it rugged age-old indiv			but its
12 to 15 in. spread, B. & B	1.80	1.65	1.40
15 to 18 in. spread, B. & B	2.25	2.00	1.80
1½ to 2 ft. spread, B. & B	3.75 4.50	3.30 4.00	******
2½ to 3 ft. spread, B. & B	6.00	5.40	
3 to 3½ ft. spread, B. & B	7.20	******	******
plumosa. 35'-40'	•	Plume C	ypress
A feather pyramid that can be sheared into f		shapes. 1	Makes
a good hedge where a fine texture is called f			
15 to 18 in., B. & B	2.25	2.00	1.75
1½ to 2 ft., B. & B	3.00 3.50	2.75 3.00	2.50 2.75
2½ to 3 ft., B. & B.	4.25	4.00	3.75
3 to 4 ft., B. & B	6.00	*****	******
4 to 5 ft., B. & B	7.50		

			25 & up Each
CHAMAECYPARIS plumosa aurea. 25'-30'			Cypress
Quite a favorite for high lights in a mixed foliage is particularly bright in spring.	planti	ng. The	yellow
15 to 18 in., B. & B. 1½ to 2 ft., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	3.00 3.50 4.25 6.00	2.00 2.75 3.00 4.00 5.75	1.75 2.50 2.75 3.75
lutescens. 3'-4' Dwarf	Yellow	Plume	Cypress
A low broad round topped bush, sulphur ti	pped b	ranches	
10 to 12 in. spread, B. & B	3.00 3.50 4.50 5.75	1.35 2.75 3.25 4.25 5.50	1.20 2.50 3.00
CHIONANTHUS virginica. 20'-25'		White	Fringe
Loose tassels of fragrant white flowers are bold dark green foliage; really handsome Dark purple plum-like fruits are quickly ea our "forgotten" good natives.	for "do	ominant'	'spots.
2 to 3 ft	1.20	.75 1.00 1.30	.60 .90
CLEMATIS paniculata, 25'-30' Vine.	weet A	utumn (Clematis
The sweet September fragrance of this old presence long before the flower-laden vin feathery seeds are also decorative.	favori	te indic	ates its
2 year	.75	.60	.55
CLETHRA alnifolia. 7'-8'		Summ	ersweet
Useful for damp woodlands where the erec spice the air with a "peppery" odor all sur contentedly even in poor soil or sun.	t white nmer. V	flower Will als	spikes o grow
1½ to 2 ft	.80 .90 1.20 1.50	.70 .80	.65
CORNUS alba (sibirica). 8'-10'	(Coral D	ogwood
Grows vigorously in moist places, where the vingly evident throughout winter, particularly if twig form. Birds quickly eat the berries.	vivid re	d bark	is stri k -
2 to 3 ft	.75 .90 1.20	.70 .85	•••••

CORNUS florida. 25'-30'

White Flowering Dogwood

Surely everyone knows this splendid tree. Nothing is so spectacularly beautiful in spring as the banks of white flowers that border the woods. Then the profusion of glittering red berries and finally the brilliant autumn display of rich coloring, pink, crimson, scarlet, maroon And in winter the twiggy intricate branch system forms a lacy network full of interest and beauty. Very adaptable and transplants readily. A real American.

4	to 5	ft., B. & B	6.00	5.00	******
5	to 6	ft., B. & B	7.50	6.75	******
6	to 7	ft., B. & B	10.00	9.00	*****
7	to 8	ft., B. & B	15.00	13.00	******
8	to 10	ft., B. & B. special	18.00	15.00	******
10	to 12	ft., B. & B. special	24.00	21.00	******
12	to 14	ft., B. & B. special	30.00	******	•••••

---rubra. 25'-30'

Red Flowering Dogwood

Substitute pink flowers and you can imagine what a gargeous effect can be made by using this form either alone or with the white type. Splendid free flowring spcimens.

4	to 5	ft.	B.	δ	B.		7.50	******	*****
5	to 6	ft.	B.	&	B.	***************************************	9.00	******	******
6	to 7	ft.	B.	&	B.	***************************************	13.50	******	******

kousa chinensis. 15'-20'

Chinese Dogwood

Has still larger flowers; and don't the birds relish the fruits! ft. B. & B. 5.00 3 ft. B. & B. 4 to 6.50 7.50 5 to ft. B. & B. 6 ft. B. & B. 9.00 to 7 to 8 ft. B. & B. 10.00 ft. B. & B. 12.00 8 to 10 10 to 12

mas. 15'-20'

Cornelian Cherry

Generally the first shrub to show color in spring when the twiggy branches are covered in a yellow mist that gradually becomes brighter. Later the cherry-like fruits are attractive and palatable. Should be used extensively.

3	to 4	ft	1.50	1.10	1.00
4	to 5	ft	2.50	2.40	2.00
5	to 6	ft. B. & B	6.00	5.50	
		ft. B. & B		8.00	*****
		ft. B. & B		10.00	******
10	to 12	ft. B. & B	13.50		

stolonifera. 8'-10'

Red Osier Dogwood

Valued chiefly for its bright red twigs, a welcome note in the dull winter landscape. Severe annual pruning will bring out the color. Will form a thicket eventually.

2	to 3	ft	.75	.70	******
3	to 4	ft	.90	•••••	*****
4	to 5	<u></u>	1.20		******

—flaviramea (lutea). 6'-8'

Goldentwig Dogwood

Surprisingly bright yellow bark brightens any corner where this is planted. Smaller than, but good with red osier.

2	to 3	ft	.75	.70	******
			.90	.85	******
4	to 5	ft	1.20	******	******

	1 to 4 5 to 24 25 & u	p
COTONE & STED	Each Each Each	
COTONEASTER apiculata. 4'-5'	Tipped Cotoneaste	
Graceful spreading branches, shiny foliage, and large bright red fruits—a handsome fello	flowers tinged pinl	ς,
4 in. pots	2.00	
		••
· · · · · · · · · · · · · · · · · · ·	Spreading Cotoneaste	ì
When studded with scarlet fruits, this shr position. Vigorous and spreading with good	ub justities a choic	е
known gem, useful as a hedge or specimen.	cledii iolidge. A little	j-
18 to 24 in., B. & B	1.50 1.35	•••
2 to 3 ft., B. & B.		5
3 to 4 ft., B. & B	3.00 2.75	••
horizontalis. 2'-3'	Rock Cotoneaste	r
HALF EVERGREEN. The flat spray-like bran	nches make an idea	ıl
cover for rocks or bank, especially when the	e deep green box-lik	е
leaves are bejewelled with the scarlet berriplace is best. Plant small sizes.	ies. Full open sunn	Y
4 in. pots	2.00	
		••
CRATAEGUS coccinea (Inticata), 10'-12'	Thicket Hawthor	
That is right, a real thicket shrub, for the intric forms a veritable barrier. The white May-flowe	cate maze of branche	S
place to rather dull brown-red berries. Shiny b	ers are large and give	9
almost oval, good till late fall.	origin groom romage i	3
4 to 5 ft	3.00 2.70	
5 to 6 ft.		••
6 to 8 ft., B. & B 8 to 10 ft., B. & B	12.00 11.00	••
8 to 10 ft., B. & B	15.00 14.00 18.00 16.00	••
cordata. 20'-25'		
(Phaenopyrum)	Washington Thorn	1
Beginning in May with white flowers follower	ad by brilliant samle	4
fruits which last nearly all winter, and throu	ahout its pageant o	f
autumn color most interesting and beautiful.		
10 to 12 ft., B. & B.		
12 to 14 ft., B. & B	21.00	•
oxyacantha. 20'-25'	English Hawthorn	1
In England this "May-Tree" is often used f clusters of large fragrant white flowers with th	for hedging, but the	•
and red berries make it worthy of wide u	ien elusive nagrance ise. Å areat favorite	,)
with birds for nesting and food.		
3 to 4 ft	2.25	
		•
—Pauls Scarlet	Scarlet Hawthorn	_
Double flowering form that has been perpetu freedom with which they produce flowers.	ated because of the)
4 to 5 ft., B. & B.	4.50	
5 to 6 ft., B. & B	7.00	
• • • • • • • • • • • • • • • • • • •		•
	uble Pink Hawthorn	
A most delightful break of the English May T double flowers—quite similar in other ways.	ree with lovely pink	
4 to 5 ft., B. & B.	4.50	
5 to 6 ft., B. & B.		
6 to 8 ft., B. & B	12.00	

	Each	Each	Each
CYDONIA japonica 3'-5'	Flo	wering	Quince
(chaenomeles lagenaria)			
Quite unnoticed until the dazzling scarlet page your attention in early spring. Seedling plant the fruits are spicily fragrant.	s vary		
18 to 24 in	1.00 1.50	******	******
2 10 272 11	1.50	******	*****
—grandiflora. 3'-4' Cream colored flowers variegated with pink. A 18 to 24 in. 2 to 2½ ft.		_	Quince
	1.00	******	
sanguinea plena. 4'-5'	Doub	le Red	Quince
Although not truly double the large red flow			- F
brilliant and do have additional petals. Strikir	ıg.	ie pari	icularry
18 to 24 in		•••••	*****
2 to 2½ ft	1.50	******	******
	771		0.
		_	Quince
If brilliancy is desired this low spiny bush ran red flowers are remarkable in April. Try tra varieties on a south wall—surprisingly good.			
18 to 24 in. spread		******	******
2 to 2½ ft. spread	1.50	• • • • • • •	******
		D 1	D b a
DAPHNE cneorum. 1' EVERGREEN. Gray-green foliage, rose-pink flowers and a clean, neat habit makes this grappealing subject to any plant lover. Seems to in acid or sweet soil, in half shade or full sun, at home in the rockery.	arden thrive nd it c	ously f gem th e equal	e most ly well
EVERGREEN. Gray-green foliage, rose-pink flowers and a clean, neat habit makes this gappealing subject to any plant lover. Seems to in acid or sweet soil, in half shade or full sun, a	arden thrive	ously f gem th e equal	ragrant e most ly well
EVERGREEN. Gray-green foliage, rose-pink flowers and a clean, neat habit makes this gappealing subject to any plant lover. Seems to in acid or sweet soil, in half shade or full sun, a at home in the rockery. 6 to 9 in.	arden thrive nd it c	ously f gem th e equal ertainly	ragrant e most ly well seems
EVERGREEN. Gray-green foliage, rose-pink flowers and a clean, neat habit makes this gappealing subject to any plant lover. Seems to in acid or sweet soil, in half shade or full sun, a at home in the rockery. 6 to 9 in. Somerset. 11/2'	arden thrive and it c	ously f gem the equal ertainly	ragrant e most ly well seems
EVERGREEN. Gray-green foliage, rose-pink flowers and a clean, neat habit makes this gappealing subject to any plant lover. Seems to in acid or sweet soil, in half shade or full sun, a at home in the rockery. 6 to 9 in. Somerset. 1½' This pinkish white flower occurs in May and	arden thrive and it c 1.75 June o	ously f gem the equal ertainly Lilac I	ragrant e most ly well seems
EVERGREEN. Gray-green foliage, rose-pink flowers and a clean, neat habit makes this gappealing subject to any plant lover. Seems to in acid or sweet soil, in half shade or full sun, a at home in the rockery. 6 to 9 in. Somerset. 11/2'	arden thrive and it c 1.75 June o	ously f gem the equal ertainly Lilac I	ragrant e most ly well seems
EVERGREEN. Gray-green foliage, rose-pink flowers and a clean, neat habit makes this gappealing subject to any plant lover. Seems to in acid or sweet soil, in half shade or full sun, at home in the rockery. 6 to 9 in. Somerset. 11/2' This pinkish white flower occurs in May and fragrant as Dahpne cineorum. The foliage is not some the state of the same transfer.	arden thrive and it a 1.75 June of the documents of the	ously f gem the equal ertainly Lilac I	ragrant e most ly well seems
EVERGREEN. Gray-green foliage, rose-pink flowers and a clean, neat habit makes this gappealing subject to any plant lover. Seems to in acid or sweet soil, in half shade or full sun, a at home in the rockery. 6 to 9 in. Somerset. 1½' This pinkish white flower occurs in May and fragrant as Dahpne cineorum. The foliage is n is an easy plant to grow.	arden thrive and it a 1.75 June of the documents of the	pusly f gem the equal ertainly Lilac I and is ark gree	ragrant e most ly well seems
EVERGREEN. Gray-green foliage, rose-pink flowers and a clean, neat habit makes this gappealing subject to any plant lover. Seems to in acid or sweet soil, in half shade or full sun, a at home in the rockery. 6 to 9 in. Somerset. 1½' This pinkish white flower occurs in May and fragrant as Dahpne cineorum. The foliage is n is an easy plant to grow.	arden thrive and it a 1.75 June of the document of the docum	pusly f gem the equal ertainly Lilac I and is ark gree	ragrant e most ly well seems Daphne just as en and
EVERGREEN. Gray-green foliage, rose-pink flowers and a clean, neat habit makes this gappealing subject to any plant lover. Seems to in acid or sweet soil, in half shade or full sun, at home in the rockery. 6 to 9 in. Somerset. 1½' This pinkish white flower occurs in May and fragrant as Dahpne cineorum. The foliage is not is an easy plant to grow. 12 to 15 in. 5 in. pots DEUTZIA gracilis. 3'-4' One of the most useful of all low shrubs. A process.	arden of thrive and it a 1.75 June of the day 2.50 State of the day fusion	pusly figem the equal ertainly Lilac I and is ark gree 2.25	Paphne just as en and Deutzia
EVERGREEN. Gray-green foliage, rose-pink flowers and a clean, neat habit makes this gappealing subject to any plant lover. Seems to in acid or sweet soil, in half shade or full sun, at home in the rockery. 6 to 9 in. Somerset. 1½' This pinkish white flower occurs in May and fragrant as Dahpne cineorum. The foliage is not is an easy plant to grow. 12 to 15 in. 5 in. pots DEUTZIA gracilis. 3'-4' One of the most useful of all low shrubs. A prowhite flowers cover the round topped bush in Note that the same and the sam	arden thrive and it co 1.75 June of the do 2.50 State of the do May.	Lilac I and is ark gree 2.25 lender I of snow	Paphne just as en and Deutzia
EVERGREEN. Gray-green foliage, rose-pink flowers and a clean, neat habit makes this gappealing subject to any plant lover. Seems to in acid or sweet soil, in half shade or full sun, at home in the rockery. 6 to 9 in. Somerset. 1½' This pinkish white flower occurs in May and fragrant as Dahpne cineorum. The foliage is not is an easy plant to grow. 12 to 15 in. 5 in. pots DEUTZIA gracilis. 3'-4' One of the most useful of all low shrubs. A process.	arden of thrive and it a 1.75 June of the day 2.50 State of the day fusion	pusly figem the equal ertainly Lilac I and is ark gree 2.25	Daphne just as en and Deutzia white
EVERGREEN. Gray-green foliage, rose-pink flowers and a clean, neat habit makes this gappealing subject to any plant lover. Seems to in acid or sweet soil, in half shade or full sun, at home in the rockery. 6 to 9 in. Somerset. 1½' This pinkish white flower occurs in May and fragrant as Dahpne cineorum. The foliage is not is an easy plant to grow. 12 to 15 in. 5 in. pots DEUTZIA gracilis. 3'-4' One of the most useful of all low shrubs. A proceeding the process of the most useful of all low shrubs. A proceeding to the process of the most useful of all low shrubs. The process of the most useful of all low shrubs of the process of the most useful of all low shrubs of the process of the	June of fusion May50 .75	Lilac I and is greated as a constant of snow	Daphne just as en and Deutzia white
EVERGREEN. Gray-green foliage, rose-pink flowers and a clean, neat habit makes this gappealing subject to any plant lover. Seems to in acid or sweet soil, in half shade or full sun, at home in the rockery. 6 to 9 in. Somerset. 1½' This pinkish white flower occurs in May and fragrant as Dahpne cineorum. The foliage is not is an easy plant to grow. 12 to 15 in. 5 in. pots DEUTZIA gracilis. 3'-4' One of the most useful of all low shrubs. A proceeding the process of the most useful of all low shrubs. A proceeding to the process of the most useful of all low shrubs. The process of the most useful of all low shrubs of the process of the most useful of all low shrubs of the process of the	unden of thrive and it of 1.75 June of the control	Lilac I and is greated as a constant of snow	Daphne just as en and Deutzia white
EVERGREEN. Gray-green foliage, rose-pink flowers and a clean, neat habit makes this gappealing subject to any plant lover. Seems to in acid or sweet soil, in half shade or full sun, at home in the rockery. 6 to 9 in. Somerset. 1½' This pinkish white flower occurs in May and fragrant as Dahpne cineorum. The foliage is not is an easy plant to grow. 12 to 15 in. 5 in. pots DEUTZIA gracilis. 3'-4' One of the most useful of all low shrubs. A proceeding the process of the potential of the process of the potential of the process of the proce	arden thrive and it co 1.75 June of the do 2.50 State of the do 2.50 State of the do 1.75 1.00 1.25	Lilac I and is ark gree 2.25 lender I of snow	Daphne just as en and Deutzia white
EVERGREEN. Gray-green foliage, rose-pink flowers and a clean, neat habit makes this grappealing subject to any plant lover. Seems to in acid or sweet soil, in half shade or full sun, at home in the rockery. 6 to 9 in. Somerset. 1½' This pinkish white flower occurs in May and fragrant as Dahpne cineorum. The foliage is not is an easy plant to grow. 12 to 15 in. 5 in. pots DEUTZIA gracilis. 3'-4' One of the most useful of all low shrubs. A proceed white flowers cover the round topped bush in 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft.	arden of thrive and it of 1.75 June of cich do 2.50 Sifusion May50 .75 1.00 1.25	Lilac I and is ark gree of snow	Daphne just as en and Deutzia white
EVERGREEN. Gray-green foliage, rose-pink flowers and a clean, neat habit makes this grappealing subject to any plant lover. Seems to in acid or sweet soil, in half shade or full sun, at home in the rockery. 6 to 9 in. Somerset. 1½' This pinkish white flower occurs in May and fragrant as Dahpne cineorum. The foliage is not is an easy plant to grow. 12 to 15 in. 5 in. pots DEUTZIA gracilis. 3'-4' One of the most useful of all low shrubs. A proceed white flowers cover the round topped bush in 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —rosea. 3' The pinkish flowers are an added attraction. In 19 to 19	arden thrive and it co 1.75 June of the do 2.50 Sifusion May50 .75 1.00 1.25	Lilac I and is ark gree 2.25 lender I of snow	Daphne just as en and Deutzia white
EVERGREEN. Gray-green foliage, rose-pink flowers and a clean, neat habit makes this gappealing subject to any plant lover. Seems to in acid or sweet soil, in half shade or full sun, at home in the rockery. 6 to 9 in. Somerset. 1½' This pinkish white flower occurs in May and fragrant as Dahpne cineorum. The foliage is ris an easy plant to grow. 12 to 15 in. 5 in. pots DEUTZIA gracilis. 3'-4' One of the most useful of all low shrubs. A prowhite flowers cover the round topped bush in 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —rosea. 3' The pinkish flowers are an added attraction. In 1½ to 2 ft.	arden of thrive and it of 1.75 June of cich do 2.50 State of the control of t	Lilac I and is ark gree of snow	Daphne just as en and Deutzia white
EVERGREEN. Gray-green foliage, rose-pink flowers and a clean, neat habit makes this gappealing subject to any plant lover. Seems to in acid or sweet soil, in half shade or full sun, at home in the rockery. 6 to 9 in. Somerset. 1½' This pinkish white flower occurs in May and fragrant as Dahpne cineorum. The foliage is ris an easy plant to grow. 12 to 15 in. 5 in. pots DEUTZIA gracilis. 3'-4' One of the most useful of all low shrubs. A prowhite flowers cover the round topped bush in 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —rosea. 3' The pinkish flowers are an added attraction. In 1½ to 2 ft. 2 to 2½ ft.	arden thrive and it co 1.75 June of the do 2.50 Sifusion May50 .75 1.00 1.25	Lilac I and is ark gree 2.25 lender I of snow	Daphne just as en and Deutzia white

DEUTZIA lemoinei. 4'-5'

to 3

scabra Pride of Rochester. 8'-9'

2

2

1 to 4 5 to 24 25 & up Each Each Each Lemoine Deutzia Large dazzling white flowers in short sprays are produced in amazing abundance making a "high spot" in June. 1.00 in. 1.25 to 2½ ft. 2½ to 3 ft. 1.50 Pink Deutzia Deservedly popular, this husky fellow produces clouds of tassellike flowers in May which last for some weeks. The usual blush coloring sometimes deepens to a real pink. ft.50 .60 .75 .90 1.20 1.10 1.00 Redvein Enkianthus 2.50 3.50 5.00 7.50 9.00 Spring Heath .75 .70 Winged Euonymus .65 1.20 1.00 1.50 1.35

3 to 4 ft. 4 to 5 ENKIANTHUS campanulatus. 12'-15' Something to enthuse over! Without artificial shaping will develop into a handsome large shrub well clothed with clean foliage which turns brilliant red in fall. Bunches of nodding flowers are borne on the whorled branches, and these red-veined white cups are quite unique. 1½ to 2 ft., B. & B. ft., B. & B. to 3 ft., B. & B. 3 to 4 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 ERICA carnea. 10"-12" EVERGREEN. Opening in early spring, the bright rosy-pink flowers persist for months, surely a most striking thing. 5 in. Pots EUONYMUS alatus, 8'-9' Pink and crimson in autumn, interesting corky branches in winter, this handsome outstandig shrub is too little used. 1½ to 2 ft. to 3 ft. 3 to 4 ft. -compactus. 5'-6' Compact Winged Euonymus Just as beautiful and even neater than its big brother. Useful for a specimen, mass, or hedge planting. 1½ to 2 ft. 1.00 .90 2 to 3 ft. 1.50 1.30 ft. 1.75 patens. 8'-10' Spreading Euonymus (Kiatschovicus)

HALF-EVERGREEN. If in doubt plant this shrub—it seems contented in all places and conditions. The glossy 3-inch wavy leaves become stained with purple as autumn progresses and the orange fruits hang on almost until spring. Makes a broad round specimen, perfect for hedges.

15	to	18	in.,	B.	δι	B.	************************	1.50	*****	
18	to	24	in.,	В.	δ	В.		1.75		*****
2	to	$2\frac{1}{2}$	in.,	В.	δι	В.	***************************************	2.25		*****

	1 to 4	5 to 24	25 & up
		Each	
EUONYMUS radicans. 15'-20' Vine.			creeper
EVERGREEN. Makes good cover for wall or	_		
2 year		.50 .70	*******
7 2 32	., •		*****
coloratus. 4'-6' Vine.	Purple	Winter	creeper
EVERGREEN. For a ground cover in shade the			
equal this. The long narrow leaves are rosy-rethe veins pencilled in gray.			
2 year. 12 to 15 in		.40 .70	.30 .60
3 year	./3	.70	.60
-vegetus. 12'-15' Vine.	Bialeal	Winter	creeper
EVERGREEN. Generally conceded to be the	_		-
clinging evergreen vine in the north. From the	ne shru	bb y bus	sh long
basal shoots climb on almost any support. round leaves and orange fruits.	Has th	ick dull	green
2 year	.90	.80	
3 year			******
•			
EXOCHORDA wilsoni. 10'-12'	Wils	on Pear	l Bush
Decidedly the most handsome of the family			
flower buds are arranged in loose bunches, be open the glistening snowy flowers seem like l			
the bush. Has upright habit.	.argo a		
18 to 24 in	1.00		******
FAGUS sylvatica asplenifolia. 60'-70'		Fernleaf	
Well named for the deeply cut long narrow 8 to 10 ft., B. & B.	_	ıl leave	
10 to 12 ft., B. & B.		•••••	
12 to 15 ft., B. & B		••••	******
—fastigiata, 40'-50'		Upright	
Not considering time this would be an excel Lombardy Poplar. Inspiring when mature. So	carce.	bstitute	for the
8 to 10 ft., B. & B		******	•••••
10 to 12 ft., B. & B		•••••	•••••
—pendula. 50'-60'	7	Veeping	Beech
Of all "weeping" trees this is the noblest, the	brancl	nes desc	end to
the ground in broad tortuous curves making	a char	acter sp	ecimen
even in winter. Effective on rolling contours, or on the lawn.	as a s	ingie sp	ecunen
10 to 12 ft., B. & B	30.00		
12 to 15 ft., B. & B	45.00	•••••	*****
14 to 16 ft., B. & B	60.00	******	******
	D:	Daggala	Rocch
—riversi. 70'-80'			реесп
The best purple leaf tree, grafted. Handsome 10 to 12 ft., B. & B		gninea.	
10 to 12 ft., B. & B	50.00	*******	
12 to 15 ft., B. & B	45.00	******	*******

1 to 4	5 to 24	25 & up
Each	Each	Each

900	_	-	-	-	-	
- 1	r٦	ж	ч.	м.	1 1	тπ
	$\overline{}$	28				10

intermedia	spectabilis.	8'-9'		Showy	Border	Goldenbell
IJana :-	13.		,			

Here is the most spectacular member of the family; with larger deeper yellow flowers in profusion. Indispensable.

2	to 3	ft.	***************************************	.75	.60	******
3	to 4	it.		1.00	.80	.75
4	to 5	ft.	*******************	1.25	1.10	1.00

suspensa. 6'

Weeping Goldenbell

Much more graceful, particularly if allowed to hang over a retaining wall. The willowy branches root at the tips and form an immense mass in a few years. Effective on walls.

2	to 3	ft.	***************************************	.60	.50	.40
3	to 4	ft.	***************************************	1.00	.75	.50
4	to 5	ft.	******************************	1.20	.90	.60

GINKGO biloba. 100'

Maidenhair Tree

Chinese name meaning silver fruit. A nut tree used in the Orient as a food.

_								
	to 10	,	to 13/4	in.	*****************	6.75	6.00	*******
	to 12	ft., 13/4	to 2	in.	*****************	9.00	8.00	7.50
	to 12	ft., 2	to 21/4	in.	*******************	11.00	10.25	9.75
	to 12	ft., 21/4	to 2½	in.	********	12.50	11.00	10.50
12	to 14	ft., 21/2	to 3	in.	***************************************	14.25	13.50	13.00
12	to 14	ft., 3	to 31/2	in.	*******	18.00	16.00	
14	to 16	ft., 31/4	to 4	in.	******************	21.00		*******
15	to 17	ft. 4	to 5	in	******************	25.00		
		, -		444.	****************	49.UU		

GLEDITSIA triacanthos inermis

Thornless Locust

A large growing locust tree nearly free of thorne. Foliage gives a tropical effect.

8	to 10	ft., 11/4 to 11/2 in.	***************************************	4.50	******	*******
9	to II	ft., 1½ to 1¾ in.	******************	5.50		*******
11	to 12	ft., 13/4 to 2 in.	******************	6.00		

HAMAMELIS mollis. 15'-25'

Chinese Witchhazel

Every February this glorious shrub surprises us with its fragrant ribbon-like flowers of spun gold draped throughout the branches. Always a cheerful spot in a drab winterscape, even in zero weather. In summer the handsome velvety gray-green foliage clothes this well-shaped bush, which seems happiest in slightly moist place. Indispensable for the border, or near the doorway.

2.0					_		
18	to	24	in.	***************************************	3.00	******	
2	to	3	f+	000000000000000000000000000000000000000	F 00	********	*******
-	i.O	0	11.	**********************************	5.00	******	******
3	to	4	ft.	***************************************	6.00		
A		_	6.	***************************************	0.00	******	******
4	0.7	5	It.		7 00	******	
E-	1				7.00	******	*******
Ö	IO	b	It.	******	8 00		

virginiana. 15'-25'

Witchhazel

The fringy light yellow flowers are conspicuous in November brightening our native woods. Splendid in mass when the rich yellow autumn color is effective bordering swamps.

2	to 3	ft.		.85	******	*******
3	to 4		***************************************		******	******
4	to 5	It.		1.25	******	******

	1 4- 4	E += 04 0	
		5 to 24 2 Each	
HEDERA helix. 60'-75'			sh Ivy
EVERGREEN. Where hardy the finest groun	d or w		_
rich green foliage is beautifully veined with			
4 in. Pots	.55	.50	.45
—baltica. 30'-40'		Balt	ic Ivy
EVERGREEN. Quite similar to the English leaves veined white, purplish in winter.	Ivy, bu		_
4 in. Pots	.65	.60	.55
—hibernica.		Iris	h Ivy
EVERGREEN. Large leaves rapid growth. Bes	st in sho		
4 in. Pots		.60	.55
—pedata.		Birdsfo	-
EVERGREEN. A hardy form that clings tig		t not a	quick
grower. The star like leaves are distinctly v 4 in. Pots		co	cc
4 m. rols	.03	.60	.55
—Pittsburg.		Branchin	g Ivy
EVERGREEN. Without any cutting or pinchin	ng this		_
into a well furnished little bush with occa			
Small foliage is light green and closely arran Needs protection where exposed.	nged on	the bra	nches.
4 in Pots	65	60	55
4 in. Pots	.65	.60	.55
4 in. Pots		.60 Rose of S	
HIBISCUS syriacus. 10'-12' Has a characteristic upright habit useful in] formal	Rose of S	Sharon
HIBISCUS syriacus. 10'-12'] formal	Rose of S	Sharon
HIBISCUS syriacus. 10'-12' Has a characteristic upright habit useful in spring as it grows until late autumn. Augus] formal	Rose of S	Sharon
HIBISCUS syriacus. 10'-12' Has a characteristic upright habit useful in spring as it grows until late autumn. Augus —Jeanne D'Arc—Double White	formal st.	Rose of S	Sharon
HIBISCUS syriacus. 10'-12' Has a characteristic upright habit useful in spring as it grows until late autumn. Augus	formal st.	Rose of S	Sharon
HIBISCUS syriacus. 10'-12' Has a characteristic upright habit useful in spring as it grows until late autumn. Augus —Jeanne D'Arc—Double White 2 to 3 ft.	formal st.	Rose of S work. Pl	Sharon ant in
HIBISCUS syriacus. 10'-12' Has a characteristic upright habit useful in spring as it grows until late autumn. Augus —Jeanne D'Arc—Double White 2 to 3 ft. 3 to 4 ft. —Rubis—Single Red	formal st75	Rose of S work. Pl	Sharon ant in
HIBISCUS syriacus. 10'-12' Has a characteristic upright habit useful in spring as it grows until late autumn. Augus —Jeanne D'Arc—Double White 2 to 3 ft. 3 to 4 ft. —Rubis—Single Red 2 to 3 ft.	formal st75	Rose of S work. Pl	Sharon ant in
HIBISCUS syriacus. 10'-12' Has a characteristic upright habit useful in spring as it grows until late autumn. Augus —Jeanne D'Arc—Double White 2 to 3 ft. 3 to 4 ft. —Rubis—Single Red	formal st75	Rose of S work. Pl	Sharon ant in
HIBISCUS syriacus. 10'-12' Has a characteristic upright habit useful in spring as it grows until late autumn. Augus —Jeanne D'Arc—Double White 2 to 3 ft. 3 to 4 ft. —Rubis—Single Red 2 to 3 ft. 3 to 4 ft.	formal st75	Rose of S work. Pl	Sharon ant in
HIBISCUS syriacus. 10'-12' Has a characteristic upright habit useful in spring as it grows until late autumn. Augus —Jeanne D'Arc—Double White 2 to 3 ft. 3 to 4 ft. —Rubis—Single Red 2 to 3 ft. 3 to 4 ft. —Coelestis—Single Blue	formal st75 1.00	Rose of S work. Pl	Sharon ant in
HIBISCUS syriacus. 10'-12' Has a characteristic upright habit useful in spring as it grows until late autumn. Augus —Jeanne D'Arc—Double White 2 to 3 ft. 3 to 4 ft. —Rubis—Single Red 2 to 3 ft. 3 to 4 ft. —Coelestis—Single Blue	.75 1.00	Rose of S work. Pl	Sharon ant in
HIBISCUS syriacus. 10'-12' Has a characteristic upright habit useful in spring as it grows until late autumn. Augus —Jeanne D'Arc—Double White 2 to 3 ft. 3 to 4 ft. —Rubis—Single Red 2 to 3 ft. 3 to 4 ft. —Coelestis—Single Blue 1½ to 2 ft. 2 to 3 ft.	.75 1.00	Rose of S work. Pl	Sharon ant in
HIBISCUS syriacus. 10'-12' Has a characteristic upright habit useful in spring as it grows until late autumn. Augus —Jeanne D'Arc—Double White 2 to 3 ft. 3 to 4 ft. —Rubis—Single Red 2 to 3 ft. 3 to 4 ft. —Coelestis—Single Blue 1½ to 2 ft. 2 to 3 ft. —wm. R. Smith—Single White	formal st75 1.00 .75 1.00	Rose of S work. Pl	Sharon ant in
HIBISCUS syriacus. 10'-12' Has a characteristic upright habit useful in spring as it grows until late autumn. Augus —Jeanne D'Arc—Double White 2 to 3 ft. 3 to 4 ft. —Rubis—Single Red 2 to 3 ft. 3 to 4 ft. —Coelestis—Single Blue 1½ to 2 ft. 2 to 3 ft. —wm. R. Smith—Single White 1½ to 2 ft.	.75 1.00 .75 1.00	Rose of S work. Pl	Sharon ant in
HIBISCUS syriacus. 10'-12' Has a characteristic upright habit useful in spring as it grows until late autumn. Augus —Jeanne D'Arc—Double White 2 to 3 ft. 3 to 4 ft. —Rubis—Single Red 2 to 3 ft. 3 to 4 ft. —Coelestis—Single Blue 1½ to 2 ft. 2 to 3 ft. —wm. R. Smith—Single White	.75 1.00 .75 1.00	Rose of S	Sharon ant in
HIBISCUS syriacus. 10'-12' Has a characteristic upright habit useful in spring as it grows until late autumn. Augus —Jeanne D'Arc—Double White 2 to 3 ft. 3 to 4 ft. —Rubis—Single Red 2 to 3 ft. 3 to 4 ft. —Coelestis—Single Blue 1½ to 2 ft. 2 to 3 ft. —wm. R. Smith—Single White 1½ to 2 ft.	.75 1.00 .75 1.00	Rose of S	Sharon ant in
HIBISCUS syriacus. 10'-12' Has a characteristic upright habit useful in spring as it grows until late autumn. Augus —Jeanne D'Arc—Double White 2 to 3 ft. 3 to 4 ft. —Rubis—Single Red 2 to 3 ft. 3 to 4 ft. —Coelestis—Single Blue 1½ to 2 ft. 2 to 3 ft. —Wm. R. Smith—Single White 1½ to 2 ft. 2 to 3 ft. HYDRANGEA arborescens grandiflora. 4'-5'	.75 1.00 .75 1.00 .75 1.00 .75 1.00	Rose of S work. Pl	Sharon ant in
HIBISCUS syriacus. 10'-12' Has a characteristic upright habit useful in spring as it grows until late autumn. Augus —Jeanne D'Arc—Double White 2 to 3 ft. 3 to 4 ft. —Rubis—Single Red 2 to 3 ft. 3 to 4 ft. —Coelestis—Single Blue 1½ to 2 ft. 2 to 3 ft. —Wm. R. Smith—Single White 1½ to 2 ft. 2 to 3 ft. HYDRANGEA arborescens grandiflora. 4'-5' The rather straggling habit is more than offs.	.75 1.00 .75 1.00 .75 1.00 .75 1.00 Snowh	Rose of S work. Pl	Sharon ant in an
HIBISCUS syriacus. 10'-12' Has a characteristic upright habit useful in spring as it grows until late autumn. Augus —Jeanne D'Arc—Double White 2 to 3 ft. 3 to 4 ft. —Rubis—Single Red 2 to 3 ft. 3 to 4 ft. —Coelestis—Single Blue 1½ to 2 ft. 2 to 3 ft. —Wm. R. Smith—Single White 1½ to 2 ft. 2 to 3 ft. HYDRANGEA arborescens grandiflora. 4'-5' The rather straggling habit is more than offst by the fine display of white flowers borne in	.75 1.00 .75 1.00 .75 1.00 .75 1.00 Snowh	Rose of S work. Pl	Sharon ant in an
HIBISCUS syriacus. 10'-12' Has a characteristic upright habit useful in spring as it grows until late autumn. August— —Jeanne D'Arc—Double White 2 to 3 ft. 3 to 4 ft. —Rubis—Single Red 2 to 3 ft. 3 to 4 ft. —Coelestis—Single Blue 1½ to 2 ft. 2 to 3 ft. —Wm. R. Smith—Single White 1½ to 2 ft. 2 to 3 ft. HYDRANGEA arborescens grandiflora. 4'-5' The rather straggling habit is more than offs by the fine display of white flowers borne in severely for best results. Useful in shade.	.75 1.00 .75 1.00 .75 1.00 Snowhet in Julia large l	work. Pl	Sharon ant in an
HIBISCUS syriacus. 10'-12' Has a characteristic upright habit useful in spring as it grows until late autumn. Augus —Jeanne D'Arc—Double White 2 to 3 ft. 3 to 4 ft. —Rubis—Single Red 2 to 3 ft. 3 to 4 ft. —Coelestis—Single Blue 1½ to 2 ft. 2 to 3 ft. —Wm. R. Smith—Single White 1½ to 2 ft. 2 to 3 ft. HYDRANGEA arborescens grandiflora. 4'-5' The rather straggling habit is more than offst by the fine display of white flowers borne in	.75 1.00 .75 1.00 .75 1.00 .75 1.00 .75 1.00 .75 1.00	Rose of S work. Pl	Sharon ant in an
HIBISCUS syriacus. 10'-12' Has a characteristic upright habit useful in spring as it grows until late autumn. Augus —Jeanne D'Arc—Double White 2 to 3 ft. 3 to 4 ft. —Rubis—Single Red 2 to 3 ft. 3 to 4 ft. —Coelestis—Single Blue 1½ to 2 ft. 2 to 3 ft. —Wm. R. Smith—Single White 1½ to 2 ft. 2 to 3 ft. HYDRANGEA arborescens grandiflora. 4'-5' The rather straggling habit is more than offs by the fine display of white flowers borne in severely for best results. Useful in shade. 2 to 3 ft.	formal st75 1.00 .75 1.00 .75 1.00 Snowhet in July large	Rose of S work. Pl	Sharon ant in an

1 to 4 5 to 24 25 & up Each Each Each HYDRANGEA arborescens paniculata. 10' Panicle Hydrangea The long loose trusses of white flowers are borne gracefully and make this a most desirable shrub for August bloom 3 .90 ft. to 5 4 ft. 1.30 1.20 -grandiflora. 8'-10' Peegee Almost everyone knows the great heads of white flowers that gradually turn pink when cut and dried for decoration. ft.80 .90 3 to 4 ft. 1.00 quercifolia, 3'-4' Oakleaf Hydrangea Glorious in its autumn dress when the large oak-like leaves assume brilliant colors. The white flowers gradually turn purplish when old; semi-shade or woods margin. to 2½ ft. 1.00 3 ft. 1.25 HYPERICUM gureum. 3'-4' Golden St. Johnswort (Frondosum) Most welcome in July and August when the brilliant yellow flowers with their centre brush of silky stamens are at their best. Even in a dry rocky place will maintain its neat cheerful habit and covering of blue green foliage. $1\frac{1}{2}$ to 2 ••••••• .75 2 to 3 ft. 1.00 3 ft. 1.25 ILEX crenata. 12'-15' Japanese Holly EVERGREEN. Has thick dark lustrous green leaves of variable size never larger than a privet, really quite unlike a holly. Forms a fine large bush for permanent planting and does not object to some shade. Black berries. to 21/2 ft., B. & B. 4.50 $2\frac{1}{2}$ to 3 ft., B. & B. to 3½ ft., B. & B. 3½ to 4 ft., B. & B. 10.00 to 5 ft., B. & B. 11.50 to 6 -convexa (bullata), 3'-4' Boxleaf Japan Holly EVERGREEN. Think of this as a dwarf boxwood which it resembles both in habit and foliage. Any plant lover cannot help but enthuse over an old specimen broader than high well clothed in roundish convex leaves that withstand the hardest winters. Eventually this will be the recognized hardy substitute for dwarf boxwood edging. in., B. & B. 2.25 in., B. & B. to 18 3.50 $1\frac{1}{2}$ to 2. ft., B. & B. 4.50 2½ ft., B. & B. 2 to 6.00 $2\frac{1}{2}$ to ft., B. & B. 7.50 3½ ft., B. & B. 9.00

ILEX crenata helleri. 1'-11/2'

Heller Holly

EVERGREEN. Just hugs the ground and forms a broad flat compact mass just packed with stiff twigs which in turn are well clothed with shiny dark green leaves half inch or less in length. Very neat and slow in growth—a gem for low permanent planting. Needs no pruning.

12	to 15	in. spread,	B. & B.	***************************************	3.00	*****	•••••
15	to 18	in. spread,	B. & B.		4.50	*****	•••••

-microphylla. 8'-10'

Littleleaf Japanese Holly

EVERGREEN. Even the smallest plant shows inherent character and sturdiness. Being more hardy than the type this form is recommended for general use, particularly as the twiggy branches make an ideal hedge or handsome specimen. Has smaller leaves and a much bushier habit.

18	to	24	in.,	В.	&	В.	***************************************	4.50	******	******
2	to	$2\frac{1}{2}$	ft.,	В.	&	В.	******************************	5.50	******	******
21/2	to	3	ft.,	B.	δ	B.	**********************	7.25	*****	******
3	to	31/2	ft.,	B.	&	В.	••••••••	9.00	******	******
31/2	to	4	ft.,	B.	&	B.		12.00	******	******
4	to	5	ft	B.	δ	B.		15.00		

—rotundifolia. 12'-15'

Roundleaf Japan Holly

EVERGREEN. In character rather more loose and irregular than "crenata," but quite distinct because of its leaves which are almost as large as Privet. The upright tendency can be used to good advantage in mass plantings.

15	to	18	in.,	В.	&	В.	*************	 3.50	3.30	•••••
11/2	to	2	ft.,	В.	&	В.	**************	 4.50	4.30	******
2	to	$2\frac{1}{2}$	ft.,	B.	હ	B.	**************	 6.00	•••••	******
21/2	to	3	ft.,	B.	&	B.	*************	 7.00	•••••	******
3	to	31/2	ft.,	B.	&	В.	Special	 11.00	******	******
31/2	to	4	ft.,	B.	&	В.	Special	 15.00	•••••	******
4	to	41/2	ft	B.	δ	B.	Special	 18.00		

glabra. 4'-6'

Inkberry

EVERGREEN. Rather loose but well clothed with deep green leaves that turn to a peculiar metallic deep purple color in winter. Most effective in masses when the glittering black berries are more evident. Grows in shade or sun.

12	to	15	in.,	В.	δ	В.	***************************************	2.00	1.75	******
15	to	18	in.,	В.	&	В.	***************************************	2.25	2.00	******
11/2	to	2	ft.,	B.	δ	В.	*******************	3.00	*****	******
2	to	21/2	ft	B.	&	B.	***************************************	4.00	******	******

opaca. 30'-40'

American Holly

EVERGREEN. Christmas is immediately suggested by the familiar typical holly leaves and red berries. Be sure to get both male and female trees if berries are wanted, and transplant in spring. Young plants seem to prefer light shade but later a moist but well-drained sunny spot will produce a more compact specimen. Acid soil preferred.

2	to 3	ft., B. & B.	***************************************	4.50	*****	•••••
3	to 4	ft., B. & B.	***************************************	6.00	•••••	******
4	to 5	ft., B. & B.		9.00	******	•••••
5	to 6	ft., B. & B.	***************************************	12.00	******	•••••
6	to 8	ft B. & B.		15.00	******	******

	1 to 4	5 to 24	25 & up
		Each	
ILEX verticillata, 8'-10'	Comm	on Wint	erberry
One of the few native shrubs that carries its	bright	red fruit	s prac-
tically throughout winter. While generally four			
it seems perfectly happy when high and dry	y. Plar	nt in gro	oups to
insure a crop of berries—it's a holly!			
1½ to 2 ft	.75	******	******
2 to 3 ft	1.00	.75	******
3 to 4 ft	1.25	1.00	1.50
4 to 5 ft	2.00	1.75	1.50
INDIGOFERA decora alba.		White	Indigo
Fragrant white flowers borne on trusses in M teria in appearance.	ay res	embli n g	a wis-
12 to 18 in	1.00	******	******
potanini. 5'-6'		Potanin	Indigo
More upright and compact than the former wit pink flowers. An occasional freeze back helps		itly large	er pale
3 to 4 ft		******	******
JASMINUM nudiflorum. 4'-5'	,	Winter J	acmina
Most effective when the long slender viny bro		-	
a sunny wall to display the bright starry y	rellow	bells in	April
and sometimes during a warm February. As a	a shrul	b the br	anches
will root as they spread, into a mass.			
1½ to 2 ft	.75	.65	******
2 to 3 ft	1.00	.90	*******
JUNIPERUS chinensis. 18'-20' ALL EVERGREEN			
JONIPEROS Chimensis. 18-20 ALL EVERGREEN	C	hinese]	uniper
		-	_
A formal narrow cone of gray-green foliage acter with age. Reliable and useful. Very hard	assumi iy.	-	_
A formal narrow cone of gray-green foliage actor with age. Reliable and useful. Very hard 2½ to 3 ft., B. & B.	assumi dy. 4.50	-	_
A formal narrow cone of gray-green foliage actor with age. Reliable and useful. Very hard 2½ to 3 ft., B. & B.	assumi dy. 4.50 5.50	-	_
A formal narrow cone of gray-green foliage actor with age. Reliable and useful. Very hard 2½ to 3 ft., B. & B	assumi dy. 4.50 5.50	-	_
A formal narrow cone of gray-green foliage of acter with age. Reliable and useful. Very hard 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. —columnaris. 20'-25' Columnaria	assumi dy. 4.50 5.50 7.00	ng more	char-
A formal narrow cone of gray-green foliage of acter with age. Reliable and useful. Very hard 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. —columnaris. 20'-25' Rapidly grows into a slender shaft of gray-green foliage of gray-gray-green foliage of gray-gray-gray-gray-gray-gray-gray-gray-	4.50 5.50 7.00 mm C	ng more	char-
A formal narrow cone of gray-green foliage of acter with age. Reliable and useful. Very hard 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. —columnaris. 20'-25' Rapidly grows into a slender shaft of gray-green plant. An annual trimming keeps column compared to the state of	4.50 5.50 7.00 mm C	ng more	char-
A formal narrow cone of gray-green foliage of acter with age. Reliable and useful. Very hard 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. —columnaris. 20'-25' Rapidly grows into a slender shaft of gray-green plant. An annual trimming keeps column community of the foliage of the state	4.50 5.50 7.00 mn C en. Sple pact. 5.50	ng more	char-
A formal narrow cone of gray-green foliage of acter with age. Reliable and useful. Very hard 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. —columnaris. 20'-25' Rapidly grows into a slender shaft of gray-green plant. An annual trimming keeps column comparate of the state o	assumi dy. 4.50 5.50 7.00 amn Ci en. Sple pact. 5.50 7.00	ng more	uniper
A formal narrow cone of gray-green foliage of acter with age. Reliable and useful. Very hard 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. —columnaris. 20'-25' Rapidly grows into a slender shaft of gray-green plant. An annual trimming keeps column comparts of the state of	assumi dy. 4.50 5.50 7.00 mn C en. Sple pact. 5.50 7.00 10.00 15.00	ng more	char-
A formal narrow cone of gray-green foliage of acter with age. Reliable and useful. Very hard 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. —columnaris. 20'-25' Rapidly grows into a slender shaft of gray-green plant. An annual trimming keeps column complaint. B. & B. 4 to 5 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B.	4.50 5.50 7.00 mm C en. Sple pact. 5.50 7.00 10.00 15.00 21.00	ng more	uniper
A formal narrow cone of gray-green foliage of acter with age. Reliable and useful. Very hard 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. —columnaris. 20'-25' Rapidly grows into a slender shaft of gray-green plant. An annual trimming keeps column comparts of the state of	4.50 5.50 7.00 mm C en. Sple pact. 5.50 7.00 10.00 15.00 21.00	ng more	uniper
A formal narrow cone of gray-green foliage of acter with age. Reliable and useful. Very hard 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. —columnaris. 20'-25' Rapidly grows into a slender shaft of gray-green plant. An annual trimming keeps column communistry of the state	4.50 5.50 7.00 5.50 7.00 cmn Ci en. Sple pact. 5.50 7.00 10.00 15.00 21.00 27.00	hinese J	uniper
A formal narrow cone of gray-green foliage of acter with age. Reliable and useful. Very hard 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. —columnaris. 20'-25' Rapidly grows into a slender shaft of gray-green plant. An annual trimming keeps column communisted at the second strain of	4.50 5.50 7.00 5.50 7.00 cmn Ci en. Sple pact. 5.50 7.00 10.00 15.00 21.00 27.00	hinese J	uniper
A formal narrow cone of gray-green foliage of acter with age. Reliable and useful. Very hard 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. —columnaris. 20'-25' Rapidly grows into a slender shaft of gray-green plant. An annual trimming keeps column complaint. B. & B. 4 to 5 ft., B. & B. 5 to 8 ft., B. & B. 7 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. — viridis. 20'-25' This green form is more pyramidal and grow 3 to 4 ft., B. & B.	4.50 5.50 7.00 5.50 7.00 6m. Sple pact. 5.50 7.00 10.00 15.00 21.00 27.00 reen C	hinese J	uniper
A formal narrow cone of gray-green foliage of acter with age. Reliable and useful. Very hard 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. —columnaris. 20'-25' Rapidly grows into a slender shaft of gray-green plant. An annual trimming keeps column complaint. B. & B. 4 to 5 ft., B. & B. 7 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. — viridis. 20'-25' This green form is more pyramidal and grow 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	4.50 5.50 7.00 mn Cien. Splanat. 5.50 7.00 10.00 15.00 21.00 27.00 reen C	hinese Jendid "a	uniper
A formal narrow cone of gray-green foliage of acter with age. Reliable and useful. Very hard 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. —columnaris. 20'-25' Rapidly grows into a slender shaft of gray-green plant. An annual trimming keeps column communication of the state of the sta	4.50 5.50 7.00 mn Cien. Spleen. Spleen. Spleen. Spleen. 5.50 7.00 10.00 15.00 27.00 reen C	hinese J endid "a	uniper
A formal narrow cone of gray-green foliage of acter with age. Reliable and useful. Very hard 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. —columnaris. 20'-25' Rapidly grows into a slender shaft of gray-green plant. An annual trimming keeps column complaint. B. & B. 4 to 5 ft., B. & B. 5 to 8 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 6 to 7 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 10 ft., B. & B.	4.50 5.50 7.00 mm Ci en. Sple pact. 5.50 7.00 10.00 27.00 vs mor 5.50 7.00 10.00 15.00	hinese J endid "a	uniper
A formal narrow cone of gray-green foliage of acter with age. Reliable and useful. Very hard 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. —columnaris. 20'-25' Rapidly grows into a slender shaft of gray-green plant. An annual trimming keeps column complaint. B. & B. 4 to 5 ft., B. & B. 5 to 8 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 6 to 7 ft., B. & B. 6 to 7 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B.	4.50 5.50 7.00 mm Ci en. Sple pact. 5.50 7.00 10.00 15.00 21.00 27.00 ws most 5.50 7.00 10.00 15.00 21.00 21.00	hinese J endid "a	uniper
A formal narrow cone of gray-green foliage of acter with age. Reliable and useful. Very hard 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. —columnaris. 20'-25' Rapidly grows into a slender shaft of gray-green plant. An annual trimming keeps column complaint. B. & B. 4 to 5 ft., B. & B. 5 to 8 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 6 to 7 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 10 ft., B. & B.	4.50 5.50 7.00 7.00 mn Cien. Splant. 5.50 7.00 10.00 15.00 21.00 7.00 10.00 15.00 21.00 27.00	hinese J endid "o	uniper
A formal narrow cone of gray-green foliage of acter with age. Reliable and useful. Very hard 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. —columnaris. 20'-25' Rapidly grows into a slender shaft of gray-green plant. An annual trimming keeps column communication of the state of the sta	4.50 5.50 7.00 mm C; en. Sple pact. 5.50 7.00 10.00 15.00 21.00 27.00 15.00 21.00 27.00 15.00 27.00	hinese J endid "a	uniper
A formal narrow cone of gray-green foliage acter with age. Reliable and useful. Very hard 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. —columnaris. 20'-25' Rapidly grows into a slender shaft of gray-green plant. An annual trimming keeps column command at 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 4 to 5 ft., B. & B. 10 to 12 ft., B. & B. 11 to 8 ft., B. & B. 12 This green form is more pyramidal and grow at 5 ft., B. & B. 13 to 4 ft., B. & B. 14 to 5 ft., B. & B. 15 to 8 ft., B. & B. 16 to 7 ft., B. & B. 17 to 8 ft., B. & B. 18 to 10 ft., B. & B. 19 to 12 ft., B. & B. 10 to 12 ft., B. & B. 10 to 12 ft., B. & B. 11 to 12 ft., B. & B. 12 Thandsome dark green leaves set off large slatters.	4.50 5.50 7.00 mm C; en. Sple pact. 5.50 7.00 10.00 15.00 27.00 reen C ws most 5.50 7.00 10.00 15.00 27.00 15.00 27.00 10.00 15.00 27.00	hinese J endid "a column J re slowl	uniper
A formal narrow cone of gray-green foliage acter with age. Reliable and useful. Very hard 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. —columnaris. 20'-25' Rapidly grows into a slender shaft of gray-gree plant. An annual trimming keeps column complant. An annual trimming keeps column complant. An annual trimming keeps column complant. B. & B. 4 to 5 ft., B. & B. 5 to 7 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 4 to 5 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 11 to 5 ft., B. & B. 12 This green form is more pyramidal and grow a to 4 ft., B. & B. 13 to 4 ft., B. & B. 14 to 5 ft., B. & B. 15 to 8 ft., B. & B. 16 to 7 ft., B. & B. 17 to 8 ft., B. & B. 18 to 10 ft., B. & B. 19 to 12 ft., B. & B. 10 to 12 ft., B. & B. 11 Thandsome dark green leaves set off large slattare unusually decorative in winter. Develops is compact right to its broad base.	4.50 5.50 7.00 mn Cien. Spleen. Spleen. Spleen. Spleen. Spleen. Co. Spleen.	hinese J endid "a column J re slowl	uniper
A formal narrow cone of gray-green foliage acter with age. Reliable and useful. Very hard 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. —columnaris. 20'-25' Columnaris. 20'-25' Rapidly grows into a slender shaft of gray-gree plant. An annual trimming keeps column commands at the state of the stat	4.50 5.50 7.00 mn Cien. Spleen. Spleen. Spleen. Spleen. Spleen. Co. Spleen.	hinese J endid "a column J re slowl	uniper

l to 4 5 to 24 25 & up

	Each	Each	Each
JUNIPERUS chinensis pfitzeriana. 5'-6		Pfitzer	Juniper
Naturally develops into a spreading vase-sho handsome plume-like branches. Being resistan	t to co	ld, dust	smoke
and drought it is widely used in city planting popularity. Indispensable.	ngs, ar	nd dese	rves its
1½ to 2 ft., B. & B	4.00	3.75	3.30
2 to 2½ ft., B. & B	4.50	4.25	4.00
2½ to 3 ft., B. & B	5.50	5.00	4.50
3 to 3½ ft., B. & B	6.00	5.75	******
3½ to 4 ft., B. & B	7.50	7.00	*******
—sargenti. 2'-2½'			Juniper
Prostrate in habit, this hardy ground cover que bright grass-green foliage in a sunny spot.	_	forms a	mat of
12 to 15 in., B. & B.	2.25	•••••	•••••
15 to 18 in., B. & B	3.00	******	•••••
excelsa stricta. 5'-6'			Juniper
These blue-gray "blobs" are so often seen in gardens and mixed foundation plantings.	windor	w boxes	, Iormai
10 to 12 in., B. & B.	1.20	1.00	
12 to 15 in., B. & B.	2.00	1.75	******
15 to 18 in., B. & B.	2.50	2.25	2.00
1½ to 2 ft., B. & B	3.00	2.75	2.50
2 to 2½ ft., B. & B.	3.50	3.25	3.00
2½ to 3 ft., B. & B	4.50	4.25	4.00
3 to 4 ft., B. & B	6.00	5.75	******
3½ to 4 ft., B. & B	7.50	******	******
4 to 5 ft., B. & B	9.00	******	*******
horizontalis. 1'-2'	(Creeping	Savin
Has long prostrate branches that crawl over to spread its green plumes. A sunny rocky			
room is ideal. Tinged lavender in winter.	Diopo	William Pa	
12 to 15 in. spread, B. & B	2.00	******	******
15 to 18 in. spread, B. & B		•••••	******
-Bar Harbor. 6"-12"	Bar	Harbor	Juniper
Of all ground Junipers we rate this first, it	actua	lly "hu	gs" the
ground and makes a velvety mat of gray-gr			
winter changes to a most attractive metallic	purple	and lo	ıvender
coloring. Splendid for the rock garden. 6 to 9 in. Pot grown	2.00		
		•••••	••••
—glauca. 1'		Creeping	
An improvement upon the green type, both ir ing. Blue gray in summer, purple in winter.	nean	tess and	i color-
12 to 15 in. spread, B. & B	2.00	*****	******
—plumosa. 1'-2' Ando	rra Cr	eeping	Juniper
Even a single plant will make a neat low den	se ma	t of soft	silver-
green which gradually takes on a rich deep l with colder weather. Handsome.			
12 to 15 in. spread, B. & B	1.80	1.70	1.50
15 to 18 in. spread, B. & B	2.25	2.00	
1½ to 2 ft. spread, B. & B		2.50	******
2 to 2½ ft. spread, B. & B	3.50	******	******

1 to 4 5 to 24 25 & up Each

.....

......

Each Each Savin JUNIPERUS sabina. 5'-6' A vase shape bush of dark green, dependable in exposures. to 2½ ft., B. & B. Singleseed Juniper squamata. 1'-2' Stays good indefinitely and is one of the finest winter evergreens. All the creeping branches are well clothed with scaly gray-green foliage equally resistant to heat or cold, presenting a neat flat surface at all times. to 15 in. spread, B. & B. 2.25 2.00 to 18 in. spread, B. & B. 3.00 2.75 1½ to 2 ft. spread, B. & B. 4.00 virginiana burki. 12'-15' Burk Blue Cedar Forms a well shaped dense column of silvery gray until frost, then becomes overlaid with a flush of purple. ft., B. & B. 4.35 to 4 ft., B. & B. 5.50 —cannarti. 20'-25' Cannart Cedar Like a true aristocrat this handsome Cedar is unobtrusively dignified and dislikes any fussy trimming that would interfere with its natural character. Columnar in outline, the surface is broken by short lateral branches making black shadow spots on a very deep green mantle of foliage. In autumn when the crop of steely blue berries are in evidence, it is almost gay enough to be saved for Christmas decoration. $2\frac{1}{2}$ to 3 ft., B. & B. 4.35 ft., B. & B. 5.50 ft., B. & B. to 5 7.00 ft., B. & B. 8.00 5 to 6 to 7 -glauca. 20'-25' Silver Redcedar One might call this the blue counterpart of the Cannart Cedar. The whole irregular column is richly clad in a blue-gray mantle effective among other evergreens. $2\frac{1}{2}$ to 3 ft., B. & B. 4.35 3 to 4 ft., B. & B. to 5 ft., B. & B. 7.00 ft., B. & B. 8.00 to 6 to 7 ft., B. & B. 11.00 -keteleeri. 18'-20' Keteleer Cedar Handsome dark green leaves set off large slaty blue berries which are unusually decorative in winter. Develops into a pyramid that is compact right to its broad base. $2\frac{1}{2}$ to 3 ft., B. & B. 4.00 to 4 ft., B. & B. 5.50 4 to 5 ft., B. & B. 7.00 ft., B. & B. to 6 8.00 —schotti. 20'-25' Schott Redcedar More formal and lighter green than Cannart's Cedar and with occasional trimming makes a handsome column. to 5 ft., B. & B. 7.00 5 to 6 ft., B. & B. 8.00 to 7 ft., B. & B. 11.00 to 8

1 to 4 5 to 24 25 & up Each Each Each JUNIPERUS virginiana smithi. 6'-8' Smith Juniper Is quite unusual in habit and color; really an open but well furnished bush richly clad in a mantle of light grass-green foliage that remains fresh and bright all year. ft., B. & B. 12.00 7 to 8 KALMIA latifolia. 6'-8'. (nursery grown only). Mountain Laurel EVERGREEN. Doubtless the most valuable and beautiful of our broadleaf evergreens. In July nothing can approach the glorious effect created by a mass of laurel with its great wealth of pink flowers. Even in zero weather the clean foliage retains its vigor and deep green color. While most adaptable to sun or shade the ideal location is slight shade. in., B. & B. 3.25 ft., B. & B. 4.50 1½ to 2 4.25 2½ ft., B. & B. 6.00 5.75 2½ to ft., B. & B. 8.00 3½ ft., B. & B. 10.00 ••••• 3½ to 4 • • • • • • • • to KERRIA japonica pleniflora. 4'-5 Double Japanese Kerria Green stems and rich golden flowers that in May resemble "button" chrysanthemums combine to make this a most popular "old fashioned" useful shrub. Nice for winter color. to 3 ft. 1.00 3 to 4 ft. 1.25 KOELREUTERIA paniculata, 25'-30' Goldraintree Most conspicuous when the large loose bunches of bright yellow flowers crown the trees in July. The compound foliage is pleasing and for dry city conditions is excellent. 1.20 to 3 ft. to 4 3 ft. 1.80 4 to 6 ft. 2.25 • • • • • • • • KOLKOWITZIA amabilis. 6'-9' Beautybush During late spring the common name is well deserved for the graceful slender branches are transformed to ropes of gay little pink bells. Improves with age, so don't expect many flowers on young shrubs. Very neat habit. 11/2 to 2 ft.80 .65 to 3 ft. 1.00 .90 3 to 4 ft. 1.25 to 5 ft. 1.50 LABURNUM alpinum, 18'-20' Scotch Laburnum

Hardiest of the Golden Chains, and also claims honors for the foot-long racemes of brilliant yellow flowers, appearing in late

ft., B. & B. 12.00

June. Light silky foliage adds to its grace and value.

LEUCOTHOE catesbaei. 4'-5'

Drooping Leucothoe

EVERGREEN. What a glorious welcome sight the rich purple foliage makes in winter, and even in summer the thick shiny green five inch leaves, so regularly arranged on the arching branches are striking. Then in May, graceful sprays of fragrant white flowers hang from the branches, giving the effect of a flowering fern. Handsome as Christmas decorations. Useful for shady ground cover work. Moist acid soil is ideal.

1	to	11/2	ft.,	B.	&	В.	*****************************	2.75	2.50	
							**************		3.50	******
2	to	$2\frac{1}{2}$	ft.,	B.	δ	В.	*******************************	4.50	******	******

LIGUSTRUM amurense. 10'-12'

Amur Privet

HALF EVERGREEN. Admittedly a splendid hedge plant, but don't overlook it as a specimen shrub where the graceful lines of the spreading branches are notable.

1 1/2	to 2	ft.	***************************************	.25	.20	*******
2	to 3	ft.	***************************************	.30	.25	******
3	to 4	ft.	***************************************	.40	.35	
4	to 5	ft.	***************************************	.60	.55	

ibota regelianum. 4'-5'

Regel Privet

(obtusifolium regelianum)

HALF EVERGREEN. Either as a hedge plant or for the shrubbery border this is a good subject with low branches.

	to 2	ft.	***************************************	.60	.55	.50
2	to 21/	2 ft.	***************************************	.75	.65	.55
$2\frac{1}{2}$	to 3	ft.	***************************************	.90	.80	.70
3	to 31/	2 ft.	************************************	1.00	.85	

ovalifolium, 10'-15'

California Privet

HALF EVERGREEN. In addition to being "the hedge plant supreme" this shrub is splendid for mass planting. Bushy plants.

11/2	to 2	ft	.20	.16	.15
2	to 3	ft. \$160 per M	.25	.20	18
3	to 4	ft. \$220 per M	.30	.27	.24

LONICERA fragrantissima. 6'-8'

Winter Honeysuckle

HALF EVERGREEN. So called because of persistent foliage and the early appearance of the deliciously fragrant flowers on bare branches in March. Red berries in summer.

1 1/2	to 2	ft.		.60	.55	.50
2	to 3	£L				
4	10 3	и.	***************************************	.75	.60	.55
9	4 ~ 4			• • • •	.00	.00
3	10 4	II.	***************************************	1.00	.75	.65
A	A			1.00	.,,	.03
4	to 5	It.	***************************************	1 25		

heckrotti. 15'-20' Vine.

Everblooming Honeysuckle

A twining vine-like shrub which in July until September is bedecked with attractive tubular flowers of purplish-rose outside and old gold within. Floriferous and handsome.

2	year	***************************************	.75	.65	******
3	Year	***************************************	1.00	.90	******

2.7.4.7.1.04.05.2
LONICERA 1 to 4 5 to 24 25 & up Each Each Each
japonica halliana. 20'-25' Vine. Hall's Japan Honeysuckle
HALF EVERGREEN. Wherever planted this old favorite takes pos-
session with its tropical luxuriant growth, whether as ground cover,
trellis vine or bank planting, but the sweetly fragrant creamy flowers are best on a support.
2 year
morrowi. 7'-8' Morrow Honeysuckle
Distinct useful shrub of wide spreading habit handsome in June
when the creamy flowers expand, and again when the bright red berries ripen. Clean gray-green foliage, vigorous.
2 to 3 ft
3 to 4 ft 1.00 .75
4 to 5 ft 1.20 1.10
tarearica rosea. 8'-10' Tatarian Honeysuckle
Most adaptable old favorite. This best form has pink flowers in early June followed by a crop of scarlet fruits.
2 to 3 ft
3 to 4 ft 1.00
MACNOTIA alaman 15'20' Sanaihan
MAGNOLIA glauca. 15'-20' Sweetbay HALF EVERGREEN. Although rather sparingly produced during
May and June, the creamy white three inch flowers are so fragrant
as to permeate the air for a good distance around with a delicious
gardenia-like scent. Naturally rather loose the shrub can be im-
proved by judiciously pruning while young. Handsome lustrous leaves, mealy white underneath and red seed-pods.
2 to 3 ft., B. & B 3.75
3 to 4 ft., B. & B
4 to 5 ft., B. & B 6.50 6.50
5 to 6 ft., B. & B
6 to 8 ft., B. & B
0 to 10 1tt, 2t to 2t minimum 2100 minimum
soulangeana. 18'-20' Saucer Magnolia
Here is the spectacular member of this glorious family. Every
branch plays its part in effective covering the whole shrub with great purplish pink cups in early spring. In small plants the white
innerside of the flowers give a bicolor effect. When trained in one
stem as a tree the large bold foliage is effective, especially in an
avenue.
2 to 3 ft., B. & B
4 to 5 ft., B. & B
10 to 12 ft., B. & B
12 to 14 ft., B. & B
—lennei, 15'-18' Lenne Magnolia
A handsome fellow satisfied with fewer flowers, but each one a
perfect rosy-purple pear sharped cup, firmly held erect, the broad
thick petals are surprisingly white on the inside and flowering late
are rarely damaged by frost. Even the big leathery leaves alone make this unique.
3 to 4 ft., B. & B 7.50
4 to 5 ft., B. & B 9.00

MAGNOLIA stellata. 10'-12'

Star Magnolia

Appropriately named for dazzling white semi-double flowers which on bare twiggy branches herald the parade of its larger brothers. Occasionally a flush of tender pink will emphasize the purity of the narrow wavy petals. Delightfully fragrant. Naturally forms a handsome bush.

11/2	to	2	ft.,	B.	&	B.	***************************************	5.25	******	
2	to	21/2	ft.,	B.	&	B.	***************************************	7.50	******	******
21/2	to	3	ft.,	В.	&	B.		10.00	•••••	******
3	to	4	ft.,	В.	&	В.		15.00	•••••	******
4	to	5	ft.,	B.	&	В.	•••••	18.00	******	******
5	to	6	ft	B.	δ	B.		21.00		******

pesor

Pink Star Magnolia

Attractive starry shaped pink fragrant flowers. Blooms before leaves appear.

11/2	to	2	ft.,	B.	&	В.		5.25	•••••	•••••
2	to	21/2	ft.,	В.	&	B.	***************************************	7.50	******	******
21/2	to	3	ft.,	B.	&	B.	•••••	10.00	******	******
3	to	4	ft.,	В.	&	В.	***************************************	15.00	******	******
5	to	6	ft	B.	&	B.		21.00		

MAHONIA aquifolium, 3'-4'

Oregongrape

EVERGREEN. Thin wavy holly-like leaves vary in color from deep green to rich purple-red, especially noteworthy in winter. When happily placed not too exposed, will perfect pretty yellow flowers followed by little grape-like bunches of black fruits. A rather loose, many stemmed bush for half shade.

11/2	to 2	ft., B. & B.	***************************************	3.00	******	******
2	to 3	ft., B. & B.	•••••	4.00	******	******
3	to 4	ft., B. & B.	***************************************	6.00	•••••	*******

MALUS arnoldiana, 12'-15'

Arnold Crab

Enthusiasm is difficult to restrain when crabapples are in season. The dainty pastel shading of the airy flowers, the brilliant coloring of the fruits, the intricate branching habits, all serve to set them apart as worthy of a place in almost every planting. Arnold's Crab has semi-double flowers deep pink in bud expanding to almost white. The waxy yellow little apples are most decorative before the birds find them.

4	to 5	ft., B. & B.	***************************************	7.50	7.25	******
5	to 6	ft., B. & B.	***************************************	9.00	8.50	******
6	to 8	ft., B. & B.	****************************	12.00	11.00	******
8	to 10	ft., B & B.	***************************************	15.00	******	******

atrosanguinea. 12'-15'

Carmine Crab

Dark pink shading to deep purplish crimson flowers just envelop the whole structure of branches in May. Shapely.

4	to 5	ft., B. & B.	*********	7.50	7.25	******
5	to 6	ft., B. & B.	************	9.00	8.50	******
			******************************		11.00	******
			***************************************		******	*******

brevipes. 6'-8'

Dwarf Flowering Crab

Very neat in growth forming a round headed dense bush aglow with red berries in fall. Splendid for a limited space.

3	to	4	ft., B.	& B.	****************************	3.75	3.50	******
4	to	5			*****************************		7.25	******
5	to	6			****************************		8.50	*******

	Each	Each	Each
MALUS coronaria. 15'-18'	W	ild Swee	t Crab
The fragrance of the blush pink apple blosson	ms jusi	penetra	tes the
air in spring; each tree is quite individual.			
3 to 4 ft., B. & B	3.75	3.50	******
4 to 5 ft., B. & B	7.50	7.25	******
5 to 6 ft., B. & B		8.50	******
6 to 8 ft., B. & B	12.00	11.00	******
8 to 10 ft., B & B		•••••	•••••
10 to 12 ft., B. & B	18.00	•••••	•••••
•		771	
eleyi.		_	i Crab
Single red flowers contrast with the light re			oliage.
4 to 5 ft., B. & B		7.25	•••••
5 to 6 ft., B. & B		8.50	******
6 to 8 ft., B. & B		11.00	•••••
8 to 10 ft., B & B	15.00	•••••	•••••
floribunda, 12'-15'		Flowering	- Ch
		•	
Bright pink buds and white open flowers mak			
The yellow fruits about pea size will turn re	d it th	e birds.c	re not
too voracious. Truly a handsome thing.			
3 to 4 ft., B. & B	3.75	3.50	******
4 to 5 ft., B. & B		7.25	******
5 to 6 ft., B. & B		8.50	******
6 to 8 ft., B. & B		11.00	******
8 to 10 ft., B & B	15.00	•••••	•••••
ioensis plena. 15'-18'		Bechte	l Crah
Each fragrant flower resembles a little pink	TOSA N		
on a two inch stalk. Quickly develops into a			
tree and is the last crab to flower.	. 1011110	i compac	or mino
3 to 4 ft., B. & B.	3.75	3.50	
4 to 5 ft., B. & B.		7.25	*******
5 to 6 ft., B. & B.		8.50	•••••
6 to 8 ft., B. & B.		11.00	•••••
	12.00		*******
micromalus. 10'-12'		Midge	t Crab
Lovely indeed when the little rosy buds are ex	xpandi:	ng to pal	e pink
flowers early in May and again when little y	rellow	pearls b	ejew e l
the whole pyramidal bush.			
3 to 4 ft., B. & B		3.50	•••••
4 to 5 ft., B. & B		7.25	*****
5 to 6 ft., B. & B		8.50	•••••
6 to 8 ft., B. & B	12.00	11.00	******
niedzwetzkyana. 12'-15'		Redvein	Camb
Leaves, flowers, fruit, bark and even the w	ood oi	101 21111	m are
reddish purple. Improves with age. Vigorous. 8 to 10 ft., B & B	15.00		
10 to 12 ft., B. & B.		*******	*****
10 12 10, D. C. D	10.00	******	******
prunifolia. 15'-18'		Pearleaf	Crab
Handsome red or yellow apples about an inc	h acro		
the strong branches and persist way into the			
flowers are so numerous as to resemble sno			
spectacular fruiting trees.			
3 to 4 ft., B. & B	3.75	3.50	*****
4 to 5 ft., B. & B	7.50	7.25	*****
5 to 6 ft., B. & B		8.50	******
6 to 8 ft., B. & B		11.00	
8 to 10 ft., B & B	15.00	*****	•••••

MALUS sargenti. 8'-9'

Sargent Crab

An interesting shrubby habit makes this a most useful shrub for the smaller place. Hard to decide whether it is most attractive when blanketed with sparkling white flowers or when the myriad glittering red berry like fruits are strung along the spreading branches defying zero weather.

3	to	4	ft., B. & B	• ••••	5.25	*******	******
4	to	5	ft., B. & B.	*****************************	8.25	******	******
5	to	6	ft., B. & B.	***************************************	10.50	******	******
6	to	8	ft., B. & B		15.00		

scheideckeri. 12'-15'

Scheidecker Crab

Has large semi-double pure pink flowers of lasting quality followed by a profusion of waxy yellow fruits over a half inch in diameter. Somewhat formal and upright in habit.

3	to	4	ft.,	B.	&	B.	***************************************	3.75	3.50	******
4							******		7.25	******

sieboldi calocarpa. 12'-15'

Thick Fruited Crab

Particularly handsome while the cherry like fruits abundantly decorate the branches. The bloomy covering at first hides the brilliant scarlet coloring of these little apples but they persist until mid-winter. The spring display of large pink and white flowers seems to become more beautiful each year.

3	to 4	ft., B. & B	3.75	3.50	*******
		ft., B. & B		7.25	******
		ft., B. & B.		8.50	*******
		ft., B. & B 1		11.00	*******
		ft., B & B 1		******	*******
		ft., B. & B		*******	

spectabilis. 12'-15'

Chinese Flowering Crab

Fragrant semi-double delicate pink flowers distinguish this beautiful upright form which for flower effect alone easily ranks among the best. Small yellow fruits are not showy.

3	to	4	ft.,	B.	&	В.	***************************************	3.75	3.50	******
							***************************************		77.05	******
							***************************************			*******

theifera. 15'-18' (hupehensis)

Tea Crab

Even for a crab apple this is amazingly floriferous for the whole stiffly branching structure is buried under a heavy cloud of red buds and blush white flowers. The "vase" outline and floral effect resembles that of a cherry tree.

3	to 4	ft., B. & B.	***************************************	3.75	3.50	*******
4	to 5	ft., B. & B.	*****************************	7.50	7.25	******
5	to 6	ft., B. & B.	************************	9.00	8.50	******
6	to 8	ft., B. & B.		12.00	11.00	******
8	to 10	ft., B & B.	***************************************	15.00	******	******
10	to 12	ft., B. & B.		18.00		*********

toringoides. 18'-20'

Cutleaf Crab

A cloud of white in spring but when in full fruit superlatives are in-adequate for description. The yellow fruits larger than a pea flushed with bright red are borne in profusion.

4	to	5	ft.,	В.	δ	B.	***************************************	7.50	7.25	******
8	to	10	ft.,	В	δŧ	В.	**************************	15.00		*******
10	to	12	ft.,	B.	&	B.	***************************************	18.00	••••••	*******

1 to 4 5 to 24 25 & up Each Each Each MYRICA carolinensis. 5'-6' Northern Bayberry Few things will grow in such poor dry soil as this bayberry. The gray wax berries crowded on stiff branches last just as well when cut and dried for inside decoration as they do outside. Quickly acquires a look of age. Aromatic foliage. 1.20 to 15 in. 1.10 to 18 15 1.40 in. 18 to 24 1.50 NEILLIA sinensis. 4'-5' Chinese Neillia It is difficult to understand why this charming shrub is so little known. The bronzy miniature maple leaves are prettily disposed on the zigzag branches, each of which in June terminates in a dainty tassel like cluster of pink flowers. In color and general appearance these flowers resemble the Trailing Arbutus. Easily grown, neat and not a bit particular as to soil. in.75 2 3 ft. 1.20 1.10 to 3 4 1.35 1.20 to ft. • • • • • • • NYSSA sylvatica. 60'-70' Tupelo—Sour Gum Wavy, knotted interlacing branches give this native peculiar interest in winter, but it is the brilliant scarlet autumn color that stands out. Moist location, spring planting best. ft., B. & B. 6.00 to 6 ft., B. & B. 7.50 OXYDENDRUM arboreum. 30'-35' Throughout the year a handsome tree with thick shiny leaves that turn vivid scarlet early in fall and remain colored until winter. he long erect bunches of white summer flowers are not to be overlooked and even the gray fruits are conspicuous. Indispensable in landscape work. ft., B. & B. 3 to 4 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 8.50 PACHYSANDRA terminalis. 6"-9" Japanese Spurge EVERGREEN. Probably the most notable of all ground covers preferring shade but succeeds even in dry soil. Strong plants. 2½ in. deep pots. \$160 per M25 .20 PHILADELPHUS coronarius. 8'-10' Mock Orange Vigorous and long lived this old fashioned "Sweet Syringa" is often found planted near the door or windows of farmhouses where the delicious fragrance of its white flowers can be enjoyed in May and June. to 3 2 .75 .60 ft. 3 to 4 .90 ft. 1.00 to 5 1.25 ft. • • • • • • • • •

lemoinei. 4'-5'

Lemoine Mock Orange

The sweet fragrance has been retained in this neat compact hybrid. Needs practically no pruning, but remains within bounds indefinitely, and blooms profusely.

$1\frac{1}{2}$	to 2	ft.	***************************************	.75	.60	
2	to 3	ft.	***************************************	1.00	.75	•••••
3	to 4	ft.		1.25		******

Virginal Mock Orange PHILADELPHUS virginalis. 7'-8' Few shrubs have caused a greater stir of admiration than this introduction. Each flower, mostly quite double, is almost two inches across and large clusters just weigh down each branch so as to create a "heavy snowfall." The sheer white blossoms just glisten in sun or moonlight and throughout the whole summer you can enjoy the delicious fragrance from the continually opening flowers. 1.00 1.25 3 4 1.50 to 5 *.... PHOTINIA villosa. 12'-15' Christmas Berry Unsung and little known but particularly handsome in autumn when the bold leathery foliage turns almost as red as the bright berries thickly strung over the bush all winter. to 3 1.50 3 to 4 2.00 PHYSOCARPUS opulifolia nana. 4'-5' Dwarf Ninebark One of the good small shrubs that will add interest to the border with flat-topped bunches of creamy flowers in June to 3 ft.75 .65 3 to 4 1.00 .90 ft.80 4 to 5 1.25 PICEA excelsa procumbens. 2' Prostrate Norway Spruce In youth this little fellow has the shape of a flat pumpkin but slowly covers a broader area slightly adding to its height, and all through its long life is neat, well defined and beautifully clothed with short rich green needles. to 2½ ft., B. & B. to 3½ ft, B. & B. 12.00 3 —pumila. 3'-4' Dwarf Norway Spruce More globular than most, but very dense. Needs a little protection from winter sun but able to withstand zero. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 12.00 glauca conica. 8'-10' **Dwarf Alberta Spruce** A perfect miniature reproduction of a tall forest tree, having branches crowded into a compact narrow cone with a rugged old look about it. Very thin slaty green foliage makes an exceedingly fine texture. Best where slightly shaded. Grows slowly and is extremely hardy. to 12 in., B. & B. 9 2.00 12 to 15 in., B. & B. 2.50 15 in., B. & B. to 18 3.25 18 in., B. & B. 4.00 2½ ft., B. & B. 5.00 hunnewelliana. Hunnewell Spruce A comparatively new hybrid that resembles a much glorified White Spruce. Each shoot is well clothed all around with a distinct blue gray foliage. Side branches ascend to form a neat narrow pyramid

—we consider this a "find."

3

4

5

to 4

to 5

to 6

ft., B. & B.

9.00

ft., B. & B.

PICEA omorika. 60'-80'

Serbian Spruce

We rate this as the King of Spruces, handsome from a foot high to its lofty maturity. On the under side the flat needles are lustrous green with white stripes above, giving a bicolor effect. Its narrow pyramidal outline is maintained and the severest climate does not influence its even growth.

4	to	5	ft.,]	B.	&	В.	***************************************	9.00	******	******
5	to	6	ft.,]	В.	&	В.	***************************************	12.00	*****	*****
6	to	8	ft.,]	B.	&	В.	•••••	15.00	*****	******
8	to	10	ft., 1	B.	$\delta_{\!\scriptscriptstyle{c}}$	В.	***********	20.00	*****	******
10	to	12	ft., 1	В.	&	В.	***************************************	30.00	*****	•••••

orientalis. 60'-70'

Oriental Spruce

Graceful widespreading branches sweep the ground merging into a central spire which rises with classic outline to pierce the sky. Glossy blackish green needles incrase its sombre dignity—a picture of aristocratic beauty. Useful in small plantings owing to its slow growth and rich color.

5	to 6	ft., B. & B.	***************************************	12.00	******	•••••
6	to 8	ft., B. & B.	***********	15.00	*****	•••••
8	to 10	ft., B. & B.		20.00	******	•••••
10	to 12	ft., B. & B.	****************************	30.00	*****	******

polita. 60'-75'

Tigertail Spruce

Is the most distinct of all Spruces by reason of the thick rigid spiny needles sparsely distributed around the stubby branches. An irregular interesting tree when older.

6	to 8	ft., B. & B.	*******************************	15.00	******	******
8	to 10	ft., B. & B.	***************************************	20.00	*****	******

pungens glauca. 70'-80'

Mountain Andromeda

From the variable seedlings has been selected this intensely "blue" form, so popular even in very small sizes.

18	to	24	in.,	В.	&	В.	***************************************	3.00	•••••	******
2	to	3	ft.,	В.	&	B.	••••••	4.00		******

PIERIS floribunda. 4'-5'

Mountain Andromeda

EVERGREEN. Both for foliage and floral effect this hardy native is well nigh indispensable. Dark green leathery privet-like leaves remain untouched in zero weather and and serve splendidly as background for the upright clusters of waxy white flowers in May. Acid soil, half shade.

18	to	24	in.,	В.	&	В.	***************************************	4.50	*****	******
2	to	$2\frac{1}{2}$	in.,	В.	&	В.	***************************************	6.50	******	•••••
$2\frac{1}{2}$	to	3	ft.,	В.	&	В.	•••••••	8.25	•••••	•••••
3	to	31/2	ft.,	B.	δ	В.	**************************	10.50	******	• • • • • • •
31/2	to	4	ft	B.	&	В.		12.50		*****

japonica. 6'-7'

Japanese Andromeda

EVERGREEN. Almost the ideal shrub without a flaw. In early spring graceful pendants of waxy white urnshaped flowers are prettily interspersed among the lustrous deep green foliage. Then comes the tender green young growths beautifully winestained until the waxy leaves mature into their leathery texture defying both extreme heat and cold. In mid-winter the rugged character of the bush is emphasized by the young unopened flower buds.

12	to	15	in.,	В.	δ	В.		2.25	*****	******
15	to	18	in.,	В.	δ	В.		3.75	*****	•••••
1 1/2	to	2	ft.,	В.	δ	В.	• • •	5.00	******	******
2	to	21/2	ft.,	B.	&	B.	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	6.00	•••••	******

PINUS cembra, 30'-40'

Swiss Stone Pine

ALL EVERGREEN. Slow growing so it may be safely used in low plantings. Generally seen as a blunt compact pyramid clothed in soft textured coat of bluish-green needles, but eventually becomes a picturesque round topped tree.

2	to 21/2	ft., B. &	B.	0.0000000000000000000000000000000000000	6.75	*******	
				***************************************		******	
				***************************************	10.00	*******	
				400************************************		******	

nigra. 50'-60

Austrian Pine

One of the most dignified of the family, with stiff dark green six inch needles covering the vigorous up curving branches tipped with silk white buds. Succeeds on poor land even down to the seashore. Handsome.

2	to 3	ft., B.	. &	B.	*****************************	5.25	
3	to 4	ft., B.	δ	B.	••••	7.50	

strobus. 80'-100'

White Pine

Truly a noble native, handsome in its formal youth and typically picturesque in its independent old age. Extremely hardy, most adaptable. Splendid soft textured hedges can be made by shearing annually in May or June.

2	to 3	ft., B.	& B.	*****************************	5.50	4.80	******
3	to 4	ft., B.	& B.	***************************************	7.50	•••••	******
4	to 5	ft., B.	& B.	*************************************	9.00	******	•••••
				************************		******	

thunbergi. 80'-100'

Japanese Black Pine

Bold in all parts—long rather stiff dark green needles—handsome wide spreading branches, free irregular growth and hardy even to break seaside exposure.

		-			
3	to 4	ft., B. & B.	 7.50	******	
4	to 5	ft., B. & B.	10.50	******	*******
5	to 6	ft., B. & B.	12.00	******	*******
6	to 8	ft., B. & B.	15.00	******	*******

PLATANUS acerifolia. 70'-80'

European Plane Tree

For general use a most adaptable tree with broad leaves that resist insects, dust and smoke. Notwithstanding rapid growth the "Sycamore" attains a fabulous age. The shapely head casts comfortable shade allowing grass to grow freely, so makes a splendid lawn tree, but whether at the seashore or on the city street it "carries on."

9	to 10	ft., 11/4	to 1	½ in.	***************************************	4.50	4.25	******
10	to 12	ft., $1\frac{1}{2}$	to 1	¾ in.	***************************************	6.00	5.75	******
10	to 12	ft., 13/4	to 2	in.	***************************************	7.50	7.20	******
12	to 14	ft., 2	to 2	$\frac{1}{4}$ in.	********	10.00	******	******
12	to 14	ft., $2\frac{1}{4}$	to 2	½ in.	***************************************	12.00	******	******
14	to 16	ft., 2½	to 3	in.	***************************************	15.00	*****	*****

POLYGONUM auberti. Vine. 40'-50'

Chinese Fleece Vine

Vigorous climber that grows amazingly fast. Will effectively cover or screen undesirable objects with a dense mantle of light green leaves, topped in July with an airy webbing of fleecy white flowers. Prefers open sunlight.

4	in.	Pots	0.0000000000000000000000000000000000000	1.00	.90	
---	-----	------	---	------	-----	--

to 3

to 4

1 to 4 5 to 24 25 & up

	Each	Each	Each
PRUNUS Thunder Cloud.		Purplele	
Cheerful purple foliage. In our estimation the		_	
foliage flowering plums. 5 to 6 ft	275		
5 10 0 11	3./3	******	******
glandulosa. 4'-5' Doul	ble Flo	wering	Almond
Every willowy branch becomes a fairy wand early spring. A time-tested domestic favorite.	_	re pink	in very
1½ to 2 ft		.80	******
2 to 3 ft		.90	******
3 to 4 ft	1.25	1.15	******
serrulata Amanogawa. 20'-25'		Upright	Cherry
A distinct form with a Lombardy Poplar s double pink flowers gracefully hang in dense			Semi-
4 to 5 ft., B. & B	7.50	•••••	*****
5 to 6 ft., B. & B		******	*****
6 to 8 ft., B. & B		******	•••••
8 to 10 ft., B. & B		******	******
10 to 12 it., b. & b	13.00	******	******
—Beni-Higan. 30'-40'		Higan	Cherry
Great clouds of pink flowers begin to expand ally envelope the whole tree. Vigorous grows	h.	arch and	gradu-
4 to 5 ft., B. & B.		******	******
5 to 6 ft., B. & B		******	•••••
6 10 0 tt D % D	1100		
6 to 8 ft., B. & B	11.00	******	******
6 to 8 ft., B. & B	11.00		le Pink
—Kwanzan. 30' Large very double deep pink flowers, alm bronze young growth coupled with its rap	ost re	Doub	le Pink d, and
-Kwanzan. 30' Large very double deep pink flowers, alm bronze young growth coupled with its rap highest rating to this good form. Well space	ost redid gro	Doub	le Pink d, and ify the
-Kwanzan. 30' Large very double deep pink flowers, alm bronze young growth coupled with its rap highest rating to this good form. Well space 4 to 5 ft., B. & B.	ost redid gro ced. 7.50	Doub d in bu wth just	de Pink d, and ify the
-Kwanzan. 30' Large very double deep pink flowers, alm bronze young growth coupled with its rap highest rating to this good form. Well space 4 to 5 ft., B. & B	ost redid gro ed. 7.50 8.75	Doubd in buwth just	de Pink d, and ify the
-Kwanzan. 30' Large very double deep pink flowers, alm bronze young growth coupled with its rap highest rating to this good form. Well space 4 to 5 ft., B. & B.	ost redid gro ed. 7.50 8.75	Doub d in bu wth just	de Pink d, and ify the
-Kwanzan. 30' Large very double deep pink flowers, alm bronze young growth coupled with its rap highest rating to this good form. Well space 4 to 5 ft., B. & B	ost redid gro ed. 7.50 8.75	Doubd in buwth just	d, and ify the
-Kwanzan. 30' Large very double deep pink flowers, almost bronze young growth coupled with its rapphighest rating to this good form. Well space 4 to 5 ft., B. & B	ost redid groced. 7.50 8.75 11.00	Doubd in bu with just	le Pink d, and ify the
-Kwanzan. 30' Large very double deep pink flowers, almost bronze young growth coupled with its raphighest rating to this good form. Well space 4 to 5 ft., B. & B	ost redid groced. 7.50 8.75 11.00 pale piss.	Doubd in bu with just	le Pink d, and ify the
-Kwanzan. 30' Large very double deep pink flowers, alm bronze young growth coupled with its raphighest rating to this good form. Well space 4 to 5 ft., B. & B	nost redid groced. 7.50 8.75 11.00 cale piss. 7.50 8.75	Doubd in bu with just	d, and ify the
-Kwanzan. 30' Large very double deep pink flowers, almost bronze young growth coupled with its raphighest rating to this good form. Well space 4 to 5 ft., B. & B	nost redid groced. 7.50 8.75 11.00 cale piss. 7.50 8.75	Doubd in bu with just	d, and ify the
Large very double deep pink flowers, alm bronze young growth coupled with its rap highest rating to this good form. Well space 4 to 5 ft., B. & B	nost redid groced. 7.50 8.75 11.00 pale piss. 7.50 8.75 11.00	Doubd in but with just seemi	d, and ify the
-Kwanzan. 30' Large very double deep pink flowers, almost bronze young growth coupled with its raphighest rating to this good form. Well space 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. -Naden (Takasago). 30'-40' Very showy when literally smothered in pholosoms arranged in short stemmed clusters 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 5 to 6 ft., B. & B. 5 to 8 ft., B. & B.	ost redid groced. 7.50 8.75 11.00 pale piss. 7.50 8.75 11.00	Doub d in bu wth just Siebold nk semi	le Pink d, and ify the Cherry Cherry
Large very double deep pink flowers, alm bronze young growth coupled with its rap highest rating to this good form. Well space 4 to 5 ft., B. & B	ost redid groced. 7.50 8.75 11.00 cale piss. 7.50 8.75 11.00 7eeping	Doub d in bu with just Siebold nk semi	cherry k foun-
Large very double deep pink flowers, alm bronze young growth coupled with its rap highest rating to this good form. Well space 4 to 5 ft., B. & B	ost redid groced. 7.50 8.75 11.00 cale piss. 7.50 8.75 11.00 Veeping	Doub d in bu with just Siebold nk semi Japan mer pin d yet th ll-drained	cherry k foun- ey are d place
Large very double deep pink flowers, alm bronze young growth coupled with its rap highest rating to this good form. Well space 4 to 5 ft., B. & B	ost redid groced. 7.50 8.75 11.00 cale piss. 7.50 8.75 11.00 Veeping	Doub d in bu with just Siebold nk semi Japan mer pin d yet th ll-drained	cherry k foun- ey are d place
Large very double deep pink flowers, almost bronze young growth coupled with its rapphighest rating to this good form. Well space 4 to 5 ft., B. & B	ost redid groced. 7.50 8.75 11.00 pale piss. 7.50 8.75 11.00 Geeping gossa And a wed kind,	Doub d in bu with just Siebold nk semi Japan mer pin d yet th ll-drained with per	cherry k foun- ey are d place adulous
Large very double deep pink flowers, almost bronze young growth coupled with its rapphighest rating to this good form. Well space 4 to 5 ft., B. & B	7.50 8.75 11.00 0ale pi s. 7.50 8.75 11.00 7eeping gossa ? And a we d kind,	Doubd in but with just seems s	cherry k foun- ey are d place
Large very double deep pink flowers, almost bronze young growth coupled with its rapphighest rating to this good form. Well space 4 to 5 ft., B. & B	7.50 8.75 11.00 0ale pi s. 7.50 8.75 11.00 7eeping gossa ? And a we d kind,	Doub d in bu with just Siebold nk semi Japan mer pin d yet th ll-drained with per	cherry k foun- ey are d place adulous
Large very double deep pink flowers, alm bronze young growth coupled with its rap highest rating to this good form. Well space 4 to 5 ft., B. & B	ost redid groced. 7.50 8.75 11.00 cale piss. 7.50 8.75 11.00 feeping gossa ? And a we d kind, 6.00 9.00	Doubd in but with just seems s	cherry k foun- ey are d place
Large very double deep pink flowers, alm bronze young growth coupled with its rap highest rating to this good form. Well space 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. —Naden (Takasago). 30'-40' Very showy when literally smothered in publossoms arranged in short stemmed clusters 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. subhirtella pendula. 12'-15' Is it possible to adequately describe those tains that come from fairyland each spring sturdy trees that need little attention beyond in the sun. These are the popular tall stemmed branches at top only. 2 year head, B. & B. 3 year head, B. & B.	ost redid groced. 7.50 8.75 11.00 cale piss. 7.50 8.75 11.00 feeping gossa 7 And a wed kind, 6.00 9.00 ouble l	Doubd in but with just seems s	cherry k found ey are d place adulous Plum

ft.

ft.

1.25

1.50

PYRACANTHA coccinea lalandi. 15'-18'

Laland Firethorn

EVERGREEN. But here we have quite a different character. Strong slender branches rising from the ground develop stubby side growths upon which are hung the numerous orange red berries. Although a handsome "specimen" shrub it is seen to best advantage when trained against a wall allowing the deep green foliage to act as a back ground for the berries. Southerly exposure is preferred.

18	to	24	in.,	pot	grown	*********	3.75	3.60	3.00
2	to	$2\frac{1}{2}$	ft.,	pot	grown	*************************	4.50	4.25	******
$2\frac{1}{2}$	to	3	ft.,	pot	grown	••••	6.00	•••••	******

QUERCUS palustris. 70'-80'

Pin Oak

Most adaptable of the family this handsome fellow is used extensively for avenues where the trim pyramidal head accentuates distance. Deeply cut shiny foliage turns rich crimson in autumn transforming its swamp homeland where the old patriarchs rear their rugged irregular heads on a tall straight trunk devoid of lower branches.

9	to 10	ft., 11/4	to 1½	in.	***************************************	5.00	4.75	*******
9	to 10	ft., 11/2	to 13/4	in.	***************************************	5.70	5.25	******
10	to 12	ft., 13/4	to 2	in.	*****************	7.50	6.75	. *******
10	to 12	ft., 2	to 21/4	in.	***************************************	10.00	9.00	******
					***************************************		11.25	*******
					*****************		******	******
12	to 14	ft., 3	to 3½	in.	*******************	18.00	******	•••••

rubra (borealis). 70'-80'

Red Oak

Typically oak-like this majestic tree soon acquires size and an ageless look. Beginning in spring on fuzzy tender pink clusters the glossy green leaves become stained and blotched with warm crimson red in autumn and hang on till spring. Wide spreading branches—irregular outline.

8	to 10	ft., 11/4 to	1½ in.	***************************************	6.00	******	******
9	to 10	ft., 1½ to	1¾ in.	*****************	7.50	******	******

RHAMNUS cathartica, 10'-12'

Common Buckthorn

Good background shrub with glittering black berries.

2	to 3	ft.	***************************************	.75	.60	.40
3	to 4	ft.	***************************************	1.00	.80	.60
4	to 5	f+		1.05	1.10	

frangula. 8'-10'

Glossy Buckthorn

For its shiny attractive foliage alone it is worth a place as background and the berries turn from red to black.

2	to 3	ft.	***************************************	.75	.60	.40
3	to 4	ft.	***************************************	1.00	.80	.60
4	to 5	ft.	***************************************	1.25	1.10	4

RHODODENDRON arbutifolia. 4'

Daphne Rhododendron

EVERGREEN. The lovely pure pink little fairy bells brighten the shapely compact bush in June. Leaves are dull green, thick and about one and one half to three inches long. Of all the dwarf varieties this has proved most reliable with us. Should be used much more freely.

12	to 15	in.	spread,	В.	&	B.	***************************************	7.50	******	******
15	to 18	in.	spread,	В.	&	B.	*****************	9.00		
18	to 24	in.	spread.	В.	δ	B.	***************************************	10.00		

1 to 4 5 to 24 25 & up RHODODENDRON Each Each Each Snowball Rhododendron Boule de Niege, 4'-5' Extremely hardy, this dwarf retains its irregular mounded outline, well furnished with light green leaves and liberally dotted with large clusters of white flowers. 12 to 15 in. spread, B. & B. 5.00 in. spread, B. & B. 15 to 18 6.00 in. spread, B. & B. 18 to 24 9.00 carolinianum. 5'-6' (Nursery Grown) Carolina Rhododendron EVERGREEN. In an open sunny place the charming pink May bells are more colorful and the whole plant is more bushy, although half shade is quite satisfactory on acid soil. 1½ to 2 ft., B. & B. 5.50 to 2½ ft., B. & B. 6.75 ft., B. & B. 8.50 2½ to 3 to 3½ ft., B. & B. 10.00 catawbiense. 8'-10' (Nursery Grown) Catawba Rhododendron EVERGREEN. It is natural to assume the parent of many hybrids should possess excellent qualities, and it does. Few native shrubs make such a gorgeous display as the great masses of rosy-purple flowers in May and June. Acid soil is of course necessary and broken shade ideal. 18 in., B. & B. 4.75 to 24 to 2½ ft., B. & B. 5.50 2 $2\frac{1}{2}$ to 3 ft., B. & B. **8.50** to to 5 maximum. 12'-15' (Nursery Grown) Rosebay Rhododendron EVERGREEN. Essentially a shade plant, the "Great Laurel" forms the backbone of most wood plantings, where the leathery six inch leaves are of even greater landscape value than the pale pink flowers. Late May and June is "laurel season" but if happily placed in acid soil, preferably in masses, the rich foliage effect is pleasing and dignified the year round. Keep roots cool-moist. ft., B. & B. 3.50 3.45 3.30 to 2½ ft., B. & B. 4.00 3.80 3.75 2½ to 3 ft., B. & B. 6.00 5.80 5.75 to 3½ ft., B. & B. 7.50 7.25 7.00 8.25 3½ to 4 ft., B. & B. **8.50** 8.00 to 5 5 to 6 RHODODENDRON NAMED HYBRIDS. (ALL EVERGREEN) The grafted named varieties flower much more freely than any others. Individual flowers are larger, more brilliantly colored than Catawba and are produced in enormous bunches held erect above the canopy of splendid foliage. Although acid soil is necessary these grafted hybrids do quite well in open sunlight but prefer light shade. album elegans. 10'-12' Grows quickly into tall narrow bush; white flushed pink. ft., B. & B. 9.00

RHODODENDRON NAMED HYBRIDS (Continued)		5 to 24 Each	25 & up Each
Caractacus. 6'-8'. Gorgeous rich crimson.			
12 to 15 in., B. & B.	5.00		******
15 to 18 in., B. & B.			******
18 to 24 in., B. & B.		******	*****
catawbiense album. 6'-8'. Pure white.			
15 to 18 in., B. & B		******	******
18 to 24 in. B. & B.		******	******
2 to 2½ ft., B. & B	11.00	******	******
Cunningham's White. 5'-6'. Early white.			
12 to 15 in. spread, B. & B	6.00	*******	
15 to 18 in. spread, B. & B		*******	******
18 to 24 in. spread, B. & B		******	******
2 to 2½ ft. spread, B. & B		******	******
•			
Dr. H. C. Dresselhuis. 6'-8'. Good lively red.			
12 to 15 in., B. & B.	5.00	******	******
15 to 18 in., B. & B		*******	*******
18 to 24 in., B. & B	9.00	******	•••••
Everestianum. 5'-6'			
Prettily frilled lilac-pink flowers, compact, rel	iable.		
12 to 15 in., B. & B.		******	******
15 to 18 in., B. & B.		******	******
18 to 24 in., B. & B.		******	*******
G:			
Giganteum. 5'-7'. Light red.			
12 to 15 in., B. & B		******	******
15 to 18 in., B. & B.		*******	******
18 to 24 in., B. & B	9.00	••••••	•••••
F. D. Godman. 5'-7'			
Dark red not very hardy.			
12 to 15 in., B. & B	5.00	******	******
15 to 18 in., B. & B	6.00	•••••	******
18 to 24 in., B. & B	9.00	******	******
Gomer Waterer. 6'-8'. White.			
12 to 15 in., B. & B	4.00		
15 to 18 in., B. & B.	5.00	******	••••••
18 to 24 in., B. & B.	6.00	******	******
10 10 24 m., b. Q b	0.00	******	•••••
Ignatius Sargent. 6'-8'. Red.			
12 to 15 in., B. & B	5.00	******	******
15 to 18 in., B. & B.	7.50	******	•••••
18 to 24 in., B. & B	9.00	******	******
Lady Armstrong. 6'-8'. Light pink.			
12 to 15 in., B. & B	5.00	******	******
15 to 18 in., B. & B		•••••	******
18 to 24 in., B. & B		******	******
roseum elegans. 8'-10'			
The most reliable and vigorous of all hybr	rids R	right ro	go-nink
flowers in great clusters almost hide handsom	e folia	ae.	50-Pittik
15 to 18 in., B. & B	6.00	••••••	******
1½ to 2 ft., B. & B	9.00	******	*****
2 to 2½ ft., B. & B	11.00	******	******
2½ to 3 ft., B. & B	12.50	*****	******
3 to 3½ ft., B. & B	14.50	*****	•••••

		*	
RHODODENDRON		5 to 24	_
NAMED HYBRIDS (Continued)	Each	Each	Each
Dr. V. H. Rutgers. 6'-8'. Red.			
12 to 15 in., B. & B	5.00	*****	*****
15 to 18 in., B. & B	7.50	•••••	******
18 to 24 in., B. & B	9.00	******	******
RHODOTYPOS kerrioides. 5'-6'			Jetbead
A compact well furnished shrub studded in	May	and Jur	e with
four-petal flowers that are as intensely white	as the	shiny be	ead-like
fruits are jet black, persisting all winter.			
2 to 3 ft		.80	******
3 to 4 ft	1.25	******	******
RHUS cotinus. 12'-15'		Smok	e Tree
(cotinus coggygria)			
Until the filmy purplish cloud of fruit cluster h	oecome	es so not	iceable
in July we are apt to overlook the fine quali			
shrub. The clean flat round leaves are stained			
then mature with yellow and purple tones in			
few shrubs can equal its bold rugged outline			
as the thick branches become gnarled with	great	age	******
3 to 4 ft	1.50	******	******
4 to 5 ft		******	******
5 to 6 ft	3.00	******	******
ROSA hugonis. 6'-8'		Hugoni	is Rose
In early May each arching branch becomes	s almo	ost over	night a
beautiful rope of clear yellow single flower	rs. Ai	nd the	fernlike
foliage alone justifies its use in the border.			
18 to 24 in	1.20	1.10	******
2 to 3 ft	1.50	******	******
lucida (virginiana). 2'-6'		Virgini	α Rose
Has large shining leaves and goodly numbers	s of ro	se pink	flowers
lasting into July. A good native to introduce			
1½ to 2 ft	.75	.50	.40
2 to 2½ ft.	.85	.75	
3 to 4 ft	1.00	.85	•••••
rugosa. 5'-6'	Red	Rugoso	Rose
Handsome as a massed shrub with rich gree		_	
surprisingly large single crepe-like pink flo	-	-	-
air with fragrance. The large yellow and red			
too. For seaside exposure.			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
18 to 24 in.	.75	.50	
2 to 3 ft.	.85	.75	******
3 to 4 ft	1.00	.85	*****
setigera. 10'-12'		Proiri	e Rose
-	nd +-		
Long arching branches will cover the ground broad bush. Large single pink flowers in Jul			
wide rocky slopes, where few succeed.	A . TIT		TOLLING
2 to 3 ft	.75		
3 to 4 ft	1.00	*******	*******
4 to 5 ft.	1.25	******	******

	Each	Each	
•			Willow
Long stringy branches droop vertically to the narrow light green leaves create a soft variety especially when close to water.			
6 to 8 ft	3.00 4.00 5.00	2.75 3.75 4.75	2.50 3.50
elegantissima. 60'-70'	Т	hurlow	Willow
More massive than the Babylon Willow but The yellow-green shoots arch down from boughs, creating pictorial effects,—soft text	wides		ful. The gnarled
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	4.00	3.75	3.50
10 to 12 ft	5.00	4.75	******
niobe. Gol	den W	eeping	Willow
Long stringy branches droop vertically to the narrow dark green leaves create a soft verapidly especially when close to water.	elvety		Grows
6 to 8 ft	3.00 4.00	2.75 3.75	2.50 3.50
vitellina. 25'-30'		Golden	*
Young drooping branches are quite brilliant ye subject. Annual pruning increases color. 6 to 8 ft.	3.00	a grand	l winter
8 to 10 ft		•••••	******
SORBUS aucuparia. 25'-30' Eur.			
		Mounta	rin Ach
Ideal for the small lawn, the Rowan tree is		Mounta ely pop	
Ideal for the small lawn, the Rowan tree is Europe, where the great clusters of orange-red	extrem fruits	ely pop figure i	ular in in song
Ideal for the small lawn, the Rowan tree is Europe, where the great clusters of orange-red and story, but here they serve the more prac	extrem fruits	ely pop figure i	ular in in song
Ideal for the small lawn, the Rowan tree is Europe, where the great clusters of orange-red and story, but here they serve the more prac for robins. Good drainage. 10 to 12 ft., 1½ to 1¾ in	extrem fruits tical p	ely pop figure i	ular in in song
Ideal for the small lawn, the Rowan tree is Europe, where the great clusters of orange-red and story, but here they serve the more prac for robins. Good drainage. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in.	extrem fruits tical p 4.80 6.00	ely pop figure i urpose 4.50 5.40	oular in in song of food
Ideal for the small lawn, the Rowan tree is Europe, where the great clusters of orange-red and story, but here they serve the more prac for robins. Good drainage. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in.	extrem l fruits tical p 4.80 6.00 7.50	ely pop figure i urpose 4.50 5.40 6.75	oular in in song of food
Ideal for the small lawn, the Rowan tree is Europe, where the great clusters of orange-red and story, but here they serve the more prace for robins. Good drainage. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in. 13 to 14 ft., 2¼ to 2½ in. 13 to 14 ft., 2¼ to 2½ in.	extrem fruits tical p 4.80 6.00 7.50 8.25	ely pop figure i urpose 4.50 5.40 6.75 8.00	oular in in song of food
Ideal for the small lawn, the Rowan tree is Europe, where the great clusters of orange-red and story, but here they serve the more prac for robins. Good drainage. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in.	extrem l fruits tical p 4.80 6.00 7.50 8.25 9.00	ely pop figure i urpose 4.50 5.40 6.75	oular in in song of food
Ideal for the small lawn, the Rowan tree is Europe, where the great clusters of orange-red and story, but here they serve the more pracfor robins. Good drainage. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in. 13 to 14 ft., 2 to 2½ in. 13 to 14 ft., 2¼ to 2½ in. 14 to 15 ft., 2½ to 3 in. 15 to 16 ft., 3 to 3½ in.	extrem fruits tical p 4.80 6.00 7.50 8.25 9.00 11.00	ely pop figure i urpose 4.50 5.40 6.75 8.00 8.40	oular in in song of food
Ideal for the small lawn, the Rowan tree is Europe, where the great clusters of orange-red and story, but here they serve the more pracefor robins. Good drainage. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in. 13 to 14 ft., 2 to 2½ in. 14 to 15 ft., 2½ to 3 in. 15 to 16 ft., 3 to 3½ in. SPIRAEA Anthony Waterer. 3' Flat topped heads of rose pink flowers are p	extrem l fruits tical p 4.80 6.00 7.50 8.25 9.00 11.00	ely pop figure i urpose 4.50 5.40 6.75 8.00 8.40 	ular in in song of food
Ideal for the small lawn, the Rowan tree is Europe, where the great clusters of orange-red and story, but here they serve the more prace for robins. Good drainage. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in. 13 to 14 ft., 2 to 2½ in. 13 to 14 ft., 2¼ to 2½ in. 14 to 15 ft., 2½ to 3 in. 15 to 16 ft., 3 to 3½ in. SPIRAEA Anthony Waterer. 3' Flat topped heads of rose pink flowers are propagat useful shrub for "facing" tall border.	extrem l fruits tical p 4.80 6.00 7.50 8.25 9.00 11.00	ely pop figure i urpose 4.50 5.40 6.75 8.00 8.40	sular in in song of food Spirea ummer.
Ideal for the small lawn, the Rowan tree is Europe, where the great clusters of orange-red and story, but here they serve the more prace for robins. Good drainage. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in. 13 to 14 ft., 2 to 2½ in. 14 to 15 ft., 2¼ to 2½ in. 15 to 16 ft., 3 to 3½ in. SPIRAEA Anthony Waterer. 3' Flat topped heads of rose pink flowers are processed to 15 in. Compact useful shrub for "facing" tall borde 12 to 15 in.	extrem l fruits tical p 4.80 6.00 7.50 8.25 9.00 11.00 roduce r60	ely pop figure is urpose 4.50 5.40 6.75 8.00 8.40 	sular in in song of food Spirea ummer.
Ideal for the small lawn, the Rowan tree is Europe, where the great clusters of orange-red and story, but here they serve the more prace for robins. Good drainage. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in. 13 to 14 ft., 2 to 2½ in. 13 to 14 ft., 2¼ to 2½ in. 14 to 15 ft., 2½ to 3 in. 15 to 16 ft., 3 to 3½ in. SPIRAEA Anthony Waterer. 3' Flat topped heads of rose pink flowers are propagat useful shrub for "facing" tall border.	extrem fruits tical p 4.80 6.00 7.50 8.25 9.00 11.00 roduce r60 .90	ely pop figure i urpose 4.50 5.40 6.75 8.00 8.40 	sular in in song of food Spirea ummer.
Ideal for the small lawn, the Rowan tree is Europe, where the great clusters of orange-red and story, but here they serve the more prace for robins. Good drainage. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in. 13 to 14 ft., 2 to 2½ in. 14 to 15 ft., 2½ to 3 in. 15 to 16 ft., 3 to 3½ in. SPIRAEA Anthony Waterer. 3' Flat topped heads of rose pink flowers are processed to 15 in. 15 to 18 in. 18 to 24 in.	extrem fruits tical p 4.80 6.00 7.50 8.25 9.00 11.00 oroduce r. .60 .90 1.00	ely pop figure i urpose 4.50 5.40 6.75 8.00 8.40 	sular in in song of food Spirea ummer. .45
Ideal for the small lawn, the Rowan tree is Europe, where the great clusters of orange-red and story, but here they serve the more prace for robins. Good drainage. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in. 13 to 14 ft., 2 to 2½ in. 14 to 15 ft., 2¼ to 2½ in. 15 to 16 ft., 3 to 3½ in. SPIRAEA Anthony Waterer. 3' Flat topped heads of rose pink flowers are processed to 15 in. 15 to 18 in. 18 to 24 in. thunbergi. 4'-5'	extrem fruits tical p 4.80 6.00 7.50 8.25 9.00 11.00 oroduce r. .60 .90 1.00	ely pop figure is urpose 4.50 5.40 6.75 8.00 8.40 	sular in in song of food Spirea ummer. 45 .60
Ideal for the small lawn, the Rowan tree is Europe, where the great clusters of orange-red and story, but here they serve the more pract for robins. Good drainage. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in. 13 to 14 ft., 2 to 2½ in. 14 to 15 ft., 2½ to 3 in. 15 to 16 ft., 3 to 3½ in. SPIRAEA Anthony Waterer. 3' Flat topped heads of rose pink flowers are processed to 15 in. 15 to 18 in. 18 to 24 in. thunbergi. 4'-5' Even finer than "arguta" this feathery light great of snow in April when every twig bears its question.	extrement fruits tical p 4.80 6.00 7.50 8.25 9.00 11.00 roducer60 .90 1.00 Theen sh	ely pop figure i urpose 4.50 5.40 6.75 8.00 8.40	sular in in song of food Spirea ummer. 45 .60 Spirea bank
Ideal for the small lawn, the Rowan tree is Europe, where the great clusters of orange-red and story, but here they serve the more prace for robins. Good drainage. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in. 13 to 14 ft., 2 to 2½ in. 14 to 15 ft., 2½ to 3 in. 15 to 16 ft., 3 to 3½ in. SPIRAEA Anthony Waterer. 3' Flat topped heads of rose pink flowers are processed useful shrub for "facing" tall borde 12 to 15 in. 15 to 18 in. 16 to 24 in. thunbergi. 4'-5' Even finer than "arguta" this feathery light grof snow in April when every twig bears its quelets. Orange and scarlet autumn coloring.	extrem l fruits tical p 4.80 6.00 7.50 8.25 9.00 11.00 broduce r60 .90 1.00 Theen shots of	ely pop figure i urpose 4.50 5.40 6.75 8.00 8.40	sular in in song of food Spirea ummer. 45 .60 Spirea bank
Ideal for the small lawn, the Rowan tree is Europe, where the great clusters of orange-red and story, but here they serve the more prace for robins. Good drainage. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in. 13 to 14 ft., 2 to 2½ in. 14 to 15 ft., 2½ to 3 in. 15 to 16 ft., 3 to 3½ in. SPIRAEA Anthony Waterer. 3' Flat topped heads of rose pink flowers are procompact useful shrub for "facing" tall borde 12 to 15 in. 15 to 18 in. 16 to 18 in. 17 thunbergi. 4'-5' Even finer than "arguta" this feathery light grows of snow in April when every twig bears its quests. Orange and scarlet autumn coloring. 1½ to 2 ft.	extrem l fruits tical p 4.80 6.00 7.50 8.25 9.00 11.00 roduce r60 .90 1.00 Th een sh uota of	ely pop figure i urpose 4.50 5.40 6.75 8.00 8.40	sular in in song of food Spirea ummer. 45 .60 Spirea bank
Ideal for the small lawn, the Rowan tree is Europe, where the great clusters of orange-red and story, but here they serve the more pract for robins. Good drainage. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in. 13 to 14 ft., 2 to 2½ in. 14 to 15 ft., 2½ to 3 in. 15 to 16 ft., 3 to 3½ in. SPIRAEA Anthony Waterer. 3' Flat topped heads of rose pink flowers are proceed useful shrub for "facing" tall borded to 15 to 18 in. 15 to 18 in. 16 to 24 in. thunbergi. 4'-5' Even finer than "arguta" this feathery light grows of snow in April when every twig bears its quality to 2 ft. 2 to 3 ft.	extreme fruits tical p 4.80 6.00 7.50 8.25 9.00 11.00 Froduce r60 .90 1.00 The een shoot a cital of 1.00 1.20	ely pop figure i urpose 4.50 5.40 6.75 8.00 8.40	spirea ummer. Spirea ummer. Spirea ummer. Spirea ummer.
Ideal for the small lawn, the Rowan tree is Europe, where the great clusters of orange-red and story, but here they serve the more pract for robins. Good drainage. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in. 13 to 14 ft., 2 to 2½ in. 14 to 15 ft., 2½ to 3 in. 15 to 16 ft., 3 to 3½ in. SPIRAEA Anthony Waterer. 3' Flat topped heads of rose pink flowers are properly compact useful shrub for "facing" tall borded to 15 in. 15 to 18 in. 16 to 18 in. 17 to 18 in. 18 to 24 in. thunbergi. 4'-5' Even finer than "arguta" this feathery light granger of snow in April when every twig bears its qualities. Orange and scarlet autumn coloring. 1½ to 2 ft. 2 to 3 ft. prunifolia. 7'-8'	extreme fruits tical p 4.80 6.00 7.50 8.25 9.00 11.00 Froduce r60 .90 1.00 The een shoot a citation of the contract of the	ely pop figure i urpose 4.50 5.40 6.75 8.00 8.40	spirea ummer. Spirea ummer. Spirea ummer. Wreath
Ideal for the small lawn, the Rowan tree is Europe, where the great clusters of orange-red and story, but here they serve the more prace for robins. Good drainage. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in. 13 to 14 ft., 2¼ to 2½ in. 14 to 15 ft., 2½ to 3 in. 15 to 16 ft., 3 to 3½ in. SPIRAEA Anthony Waterer. 3' Flat topped heads of rose pink flowers are proceed useful shrub for "facing" tall borde to 12 to 15 in. 15 to 18 in. 16 to 18 in. 17 to 18 in. 18 to 24 in. thunbergi. 4'-5' Even finer than "arguta" this feathery light granger of snow in April when every twig bears its qualities. Orange and scarlet autumn coloring. 1½ to 2 ft. 2 to 3 ft. prunifolia. 7'-8' The erect branches are in May gracefully oprofusion of tiny double white flowers that and started the started and started an	extreme fruits tical p 4.80 6.00 7.50 8.25 9.00 11.00 Froduce r60 .90 1.00 The een should a column of the colu	ely pop figure i urpose 4.50 5.40 6.75 8.00 8.40	spirea ummer. Spirea ummer. Spirea ummer. Wreath by the
Ideal for the small lawn, the Rowan tree is Europe, where the great clusters of orange-red and story, but here they serve the more prace for robins. Good drainage. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in. 13 to 14 ft., 2¼ to 2½ in. 14 to 15 ft., 2½ to 3 in. 15 to 16 ft., 3 to 3½ in. SPIRAEA Anthony Waterer. 3' Flat topped heads of rose pink flowers are properly compact useful shrub for "facing" tall borde to 15 in. 15 to 18 in. 18 to 24 in. thunbergi. 4'-5' Even finer than "arguta" this feathery light grows from the story of snow in April when every twig bears its quality to 2 ft. 2 to 3 ft. prunifolia. 7'-8' The erect branches are in May gracefully of the story in the story of the sto	extreme fruits tical p 4.80 6.00 7.50 8.25 9.00 11.00 Froduce r60 .90 1.00 The een should a column of the colu	ely pop figure i urpose 4.50 5.40 6.75 8.00 8.40	spirea ummer. Spirea ummer. Spirea ummer. Wreath by the

SPIREA van houttei. 6'-8'

Van Houtte Spirea

Generally "overdone" but nevertheless very beautiful in June, when the arching branches are transformed into snowy garlands which defy description. Fortunately no special soil or location is needed but space it must have and please don't prune formally or "bob" its growth.

2	to 3	ft.		.75	.60	•••••
3	to 4	ft.	***************************************	1.00	.90	•••••
4	to 5	ft.	***************************************	1.20	******	•••••

STEPHANANDRA flexuosa. 5'-6'

Cutleaf Stephanandra

(incisa)

Graceful arching branches well clothed with finely cut bright green leaves changing to reddish purple in autumn. Never grows "out of hand," α useful filler.

11/2	to 2	ft.		.60	.50	•••••
2	to 3	ft.	***************************************	.75	.60	******
3	to 4	ft.	***************************************	1.00	.7 5	******
4	to 5	fŧ		1 20	1.00	

STEWARTIA Korean, 40'

Showy Mountain Stewardia

Tree form. Throughout June surprisingly handsome white bowl-shaped flowers three inches across, continue to open on the young branches. The center of each flower is accentuated by a mass of golden yellow anthers. The cinnamon, brown bark and interesting branching habit commend it for winter effect too. A good little known refined plant.

3	to 4	ft., B. & B.	***************************************	4.00	•••••	******
4	to 5	ft., B. & B.	***************************************	6.00	•••••	******
5	to 6	ft., B. & B.	***************************************	7.50	•••••	******

STYRAX japonica. 18'-20'

Japanese Snowbell

To say merely "a beautiful tree" is almost a travesty on this comparatively unknown subject. In July the wide spreading branches are closely strung with nodding pure white bells, an exceedingly handsome picture. Specimens or lawn plants are more effective than in mass.

3	to 4	ft.	***************************************	2.25	•••••	******
4	to 5	ft.	***************************************	3.75	******	******
5	to 6	ft		5.00		

SYMPHORICARPOS chengulti. 3'-4'

Chenault Coralberry

Quite an improvement on the Coralberry of which this a hybrid. Always neat and well furnished in appearance particularly handsome when the slender branches are laden with the bunches of coral red fruits, which persist.

2	to 3	ft.	-	.60	.50	.40
3	to 4	ft.	***************************************	.75	.55	.50
	to 5	ft.		1.00		

racemosus (albus). 4'-5'

Snowberry

Well loved for the large white berries which weigh down the willowy branches in September, widely used for inside decorations. Happiest in half shady spot but adaptable.

2	to 3	ft.	***************************************	.60	.50	•••••
3	to 4	ft.	***************************************	.75	.55	.50
4	to 5	_		1.00	.75	.60

	1 . 4	F . O	25.6
SYMPHORICARPOS		5 to 24 2 Each	
vulgaris (orbiculatus). 4'-5'		Cor	alberry
Like the Snowberry is not fastidious as to soi	l and l	location,	in fact
does well even in a dry shady place whe			
berries remain bright until early Spring. Som	iewhat	straggli	ng but
splendid for naturalizing.			
2 to 3 ft	.60 .75	.50 .55	.50
4 to 5 ft.			.50
		********	*******
SYMPLOCOS paniculata. 20'-25'	7	Turquoise	Berry
Just imagine a well grown Hawthorn heavily	laden	with tur	rquoise
blue berries and you have an idea of what	this r	crily loo	ks like
in autumn, a magnificent sight. In spring woo conspicuous and an intricate arrangement of	oly wh	ite flowe	ers are
winter. Drainage please.	or brai	icnes sn	iow in
3 to 4 ft., B. & B.	4 00		
4 to 5 ft., B. & B.		******	
SYRINGA chinensis rothomagensis. 12'-15'		Chinese	e Lilac
Slender graceful branches terminate in compe	act clu	sters of	purple
lilac flowers. This hybrid form is generally con	aceded	as bette	er than
its parent "persica" for cutting.			
2 to 3 ft	.95	*******	******
4 to 5 ft	1.30	*******	******
saugeana 12'15'	D.,	Chimana	T :1
	-	Chinese	
An even better variety with glowing purple	-red fl	owers a	nd far
-	red flooth are	owers a	nd far
An even better variety with glowing purple better foliage. Grows more vigorously too. B	red flooth are	owers a	nd far
An even better variety with glowing purple better foliage. Grows more vigorously too. B in May and develop into handsome specime 2 to 3 ft.	red flooth are	owers as	nd far ir best
An even better variety with glowing purple better foliage. Grows more vigorously too. B in May and develop into handsome specime 2 to 3 ft	-red flooth are ns. .95	owers and their	nd far ir best
An even better variety with glowing purple better foliage. Grows more vigorously too. B in May and develop into handsome specime 2 to 3 ft	-red flooth are ns95	owers and their	nd far ir best
An even better variety with glowing purple better foliage. Grows more vigorously too. B in May and develop into handsome specime 2 to 3 ft. persica. 8'-10' Doubtless will always be popular for its fragrewhich are loosely arranged on thin branche	-red flooth are ns95 ant pais.	e at their	nd far ir best Lilac lowers
An even better variety with glowing purple better foliage. Grows more vigorously too. B in May and develop into handsome specime 2 to 3 ft. persica. 8'-10' Doubtless will always be popular for its fragrewhich are loosely arranged on thin branche 1½ to 2 ft.	-red flooth are ns95 ant pais75	Persiande le lilac f	nd far ir best Lilac lowers .60
An even better variety with glowing purple better foliage. Grows more vigorously too. B in May and develop into handsome specime 2 to 3 ft. persica. 8'-10' Doubtless will always be popular for its fragrewhich are loosely arranged on thin branche 1½ to 2 ft.	-red flooth are ns95 ant pais.	e at their	nd far ir best a Lilac lowers .60 .85
An even better variety with glowing purple better foliage. Grows more vigorously too. B in May and develop into handsome specime 2 to 3 ft. persica. 8'-10' Doubtless will always be popular for its fragrewhich are loosely arranged on thin branche 1½ to 2 ft. 2 to 3 ft.	-red flooth are ns95 ant pars75	Persiandle lilac for	nd far ir best Lilac lowers .60
An even better variety with glowing purple better foliage. Grows more vigorously too. B in May and develop into handsome specime 2 to 3 ft. persica. 8'-10' Doubtless will always be popular for its fragrewhich are loosely arranged on thin branche 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft.	-red flooth are ns95 ant pars75 1.00 1.25	Persiande lilac for	Lilac lowers
An even better variety with glowing purple better foliage. Grows more vigorously too. B in May and develop into handsome specime 2 to 3 ft. persica. 8'-10' Doubtless will always be popular for its fragrewhich are loosely arranged on thin branche 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. vulgaris. 12'-15'	-red flooth are ns95 ant pais75 1.00 1.25	Persiandle lilac for	Lilac .85
An even better variety with glowing purple better foliage. Grows more vigorously too. B in May and develop into handsome specime 2 to 3 ft. persica. 8'-10' Doubtless will always be popular for its fragrewhich are loosely arranged on thin branche 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. vulgaris. 12'-15' A great old commoner, the mere mention of recall the delicious fragrance of May. By cl	-red flooth are ns95 ant pars75 1.00 1.25 Commonwhich ose as	Persiandle lilac for sociation	Lilac lowers Lilac Lilac store Lilac with
An even better variety with glowing purple better foliage. Grows more vigorously too. B in May and develop into handsome specime 2 to 3 ft. persica. 8'-10' Doubtless will always be popular for its fragrewhich are loosely arranged on thin branche 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. vulgaris. 12'-15' A great old commoner, the mere mention of recall the delicious fragrance of May. By cleman from early days, has become an institution.	-red flooth are ns95 ant pars75 1.00 1.25 Commonwhich ose as n. The	Persiant le lilac for sociation lovely fi	Lilac Lilac Stilac Lilac Stilac Lilac Stilac St
An even better variety with glowing purple better foliage. Grows more vigorously too. B in May and develop into handsome specime 2 to 3 ft. persica. 8'-10' Doubtless will always be popular for its fragrewhich are loosely arranged on thin branche 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. vulgaris. 12'-15' A great old commoner, the mere mention of recall the delicious fragrance of May. By clean from early days, has become an institutio will smile at you every year, given a sunny	-red flooth are ns95 ant pars75 1.00 1.25 Commonwhich ose as n. The	Persiant le lilac for sociation lovely fi	Lilac Lilac Stilac Lilac Stilac Lilac Stilac St
An even better variety with glowing purple better foliage. Grows more vigorously too. B in May and develop into handsome specime 2 to 3 ft. persica. 8'-10' Doubtless will always be popular for its fragrewhich are loosely arranged on thin branche 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. vulgaris. 12'-15' A great old commoner, the mere mention of recall the delicious fragrance of May. By cleman from early days, has become an institution will smile at you every year, given a sunny Prune only old wood.	red flooth are ns95 ant pars75 1.00 1.25 Commonwhich ose as n. The spot w	Persiant le lilac for sociation lovely fi	Lilac Lilac Stilac Lilac Stilac Lilac Stilac St
An even better variety with glowing purple better foliage. Grows more vigorously too. B in May and develop into handsome specime 2 to 3 ft. persica. 8'-10' Doubtless will always be popular for its fragrewhich are loosely arranged on thin branche 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. vulgaris. 12'-15' A great old commoner, the mere mention of recall the delicious fragrance of May. By cleman from early days, has become an institution will smile at you every year, given a sunny Prune only old wood. 2 to 3 ft.	-red flooth are ns95 ant pars75 1.00 1.25 Commonwhich ose as n. The	Persiant le lilac for sociation lovely fi	Lilac Lilac Stilac Lilac Stilac Lilac Stilac St
An even better variety with glowing purple better foliage. Grows more vigorously too. B in May and develop into handsome specime 2 to 3 ft. persica. 8'-10' Doubtless will always be popular for its fragrewhich are loosely arranged on thin branche 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. vulgaris. 12'-15' A great old commoner, the mere mention of recall the delicious fragrance of May. By cleman from early days, has become an institution will smile at you every year, given a sunny Prune only old wood. 2 to 3 ft.	red flooth are ns95 ant pass75 1.00 1.25 Commonwhich ose as n. The spot w	Persiant le lilac for sociation lovely fi	Lilac Lilac Stilac Lilac Stilac Lilac Stilac St
An even better variety with glowing purple better foliage. Grows more vigorously too. B in May and develop into handsome specime 2 to 3 ft. persica. 8'-10' Doubtless will always be popular for its fragrewhich are loosely arranged on thin branche 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. vulgaris. 12'-15' A great old commoner, the mere mention of recall the delicious fragrance of May. By clean from early days, has become an institutio will smile at you every year, given a sunny Prune only old wood. 2 to 3 ft. 3 to 4 ft.	red flooth are ns95 ant pars75 1.00 1.25 Common which ose as n. The spot w .75 1.00	Persiant le lilac finance never for sociation lovely flith sweet	Lilac lowers Lilac state with lowers to soil.
An even better variety with glowing purple better foliage. Grows more vigorously too. B in May and develop into handsome specime 2 to 3 ft. persica. 8'-10' Doubtless will always be popular for its fragrowhich are loosely arranged on thin branche 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. vulgaris. 12'-15' A great old commoner, the mere mention of recall the delicious fragrance of May. By claman from early days, has become an institution will smile at you every year, given a sunny Prune only old wood. 2 to 3 ft. 3 to 4 ft. —alba. 12'-15'	red flooth are ns95 ant pars75 1.00 1.25 Common which ose as n. The spot w .75 1.00 Common com	Persiantle lilac for the sociation lovely flith sweeth	Lilac
An even better variety with glowing purple better foliage. Grows more vigorously too. B in May and develop into handsome specime 2 to 3 ft. persica. 8'-10' Doubtless will always be popular for its fragrowhich are loosely arranged on thin branche 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. vulgaris. 12'-15' A great old commoner, the mere mention of recall the delicious fragrance of May. By alman from early days, has become an institution will smile at you every year, given a sunny Prune only old wood. 2 to 3 ft. 3 to 4 ft. —alba. 12'-15' Is the white form more fragrant? Just try the	red flooth are ns95 ant pars75 1.00 1.25 Common which ose as n. The spot w .75 1.00 Common side	Persiant le lilac for sociation lovely flaith sweet son White e by side	Lilac
An even better variety with glowing purple better foliage. Grows more vigorously too. B in May and develop into handsome specime 2 to 3 ft. persica. 8'-10' Doubtless will always be popular for its fragrowhich are loosely arranged on thin branche 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. vulgaris. 12'-15' A great old commoner, the mere mention of recall the delicious fragrance of May. By clean from early days, has become an institutio will smile at you every year, given a sunny Prune only old wood. 2 to 3 ft. 3 to 4 ft. —alba. 12'-15' Is the white form more fragrant? Just try the	red flooth are ns95 ant pars75 1.00 1.25 Common which ose as n. The spot w .75 1.00 Common com	Persiantle lilac for the sociation lovely flith sweeth	Lilac
An even better variety with glowing purple better foliage. Grows more vigorously too. B in May and develop into handsome specime 2 to 3 ft. persica. 8'-10' Doubtless will always be popular for its fragrowhich are loosely arranged on thin branche 1½ to 2 ft. 2 to 3 ft. 3 to 4 ft. vulgaris. 12'-15' A great old commoner, the mere mention of recall the delicious fragrance of May. By cloman from early days, has become an institution will smile at you every year, given a sunny Prune only old wood. 2 to 3 ft. 3 to 4 ft. —alba. 12'-15' Is the white form more fragrant? Just try the 2 to 3 ft.	red flooth are ns95 ant pars75 1.00 1.25 Common which ose as n. The spot w .75 1.00 Common side .75	Persiandle lilac for the sociation lovely flight the sweet sociation lovely flight sweet som White by side .65	Lilac a Lilac a Lilac a So a Lilac a with a

		5 to 24 2	
	Each	Each	Each
HYBRID LILACS on Own Root. 9'-15'			D 67 D
De Mirable. Single violet Edith Cavell. Double white			
Edouard Andre. Double pink			
Ellen Willmott. Double white	•••••		A.B.
Emil Gentil. Double cobalt blue			
Jean Mace. Double purple blue			
Katherine Havemeyer. Double Mauve			
Lucie Baltet. Single pink	••••••	•••••	A. B.
Marechal Lannes. Double violet			
Massena. Single purple red			
Mont Blanc. Single white			
Paul Thirion. Double Magenta			
President Fallieres. Double lilac			
President Grevy. Double lilac blue			
Reamur. Single carmine			
A. 1½ to 2 ft			******
C. 3 to 4 ft		•••••	*******
D. 4 to 5 ft.		•••••	******
E. 5 to 6 ft.		•••••	•••••
		English	Vor
Winter coloring is particularly rich when the	-	-	
constitute the darkest green spot in the landso			
zontal branches form a most useful bush for lo			
rock work; makes handsome edging.			
12 to 15 in., B. & B.		2.50	•••••
15 to 18 in., B. & B.	2 50		
10 10 11, D. Q.D	3.30	******	******
canadensis. 3'-4'		Canada	Yew
canadensis. 3'-4' Under the dense shade of Pines and Hemloo	cks on	Canada a mois	Yew t cool
canadensis. 3'-4' Under the dense shade of Pines and Hemloc slope, this "ground Hemlock" is the ideal gro	cks on und c	Canada a mois	Yew t cool
canadensis. 3'-4' Under the dense shade of Pines and Hemloc slope, this "ground Hemlock" is the ideal groextremely hardy must not be exposed to winter	cks on und c er sun	Canada a mois over. Alt	Yew to cool hough
canadensis. 3'-4' Under the dense shade of Pines and Hemloc slope, this "ground Hemlock" is the ideal groextremely hardy must not be exposed to winte 15 to 18 in. spread, B. & B.	cks on und c er sun 3.75	Canado a a mois over. Alt	Yew to cool hough
canadensis. 3'-4' Under the dense shade of Pines and Hemlod slope, this "ground Hemlock" is the ideal groextremely hardy must not be exposed to winte 15 to 18 in. spread, B. & B	cks on und c er sun 3.75 4.50	Canada a mois over. Alt	Yew to cool hough
canadensis. 3'-4' Under the dense shade of Pines and Hemlod slope, this "ground Hemlock" is the ideal groextremely hardy must not be exposed to winte 15 to 18 in. spread, B. & B	cks on und c er sun 3.75 4.50 6.75	Canada a mois over. Alt	Yew to cool hough
canadensis. 3'-4' Under the dense shade of Pines and Hemlod slope, this "ground Hemlock" is the ideal groextremely hardy must not be exposed to winte 15 to 18 in. spread, B. & B	cks on und co er sun 3.75 4.50 6.75 8.25	Canada a a mois over. Alt	Yew to cool hough
Canadensis. 3'-4' Under the dense shade of Pines and Hemlod slope, this "ground Hemlock" is the ideal groextremely hardy must not be exposed to winte 15 to 18 in. spread, B. & B	cks on und c er sun 3.75 4.50 6.75 8.25	Canada a mois over. Alt	Yew st cool hough
Canadensis. 3'-4' Under the dense shade of Pines and Hemlod slope, this "ground Hemlock" is the ideal groextremely hardy must not be exposed to winte 15 to 18 in. spread, B. & B	cks on und co er sun 3.75 4.50 6.75 8.25 10.50	Canada a mois over. Alt	Yew it cool hough
canadensis. 3'-4' Under the dense shade of Pines and Hemlock slope, this "ground Hemlock" is the ideal groextremely hardy must not be exposed to winte 15 to 18 in. spread, B. & B	cks on und co er sun 3.75 4.50 6.75 8.25 10.50 Dwo	Canada a mois over. Alt	Yew it cool hough Yew it cool was a second of the cool was a second of
Canadensis. 3'-4' Under the dense shade of Pines and Hemlod slope, this "ground Hemlock" is the ideal grown extremely hardy must not be exposed to winter 15 to 18 in. spread, B. & B	cks on und copr sun 3.75 4.50 6.75 8.25 10.50 Dwo bush;	Canada a mois over. Alt arf Hedge y charactergreen	Yew the cool hough Yew the Yew ther of hedge
Canadensis. 3'-4' Under the dense shade of Pines and Hemlod slope, this "ground Hemlock" is the ideal grown extremely hardy must not be exposed to winter 15 to 18 in. spread, B. & B	cks on und co er sun 3.75 4.50 6.75 8.25 10.50 Dwo bushi	Canada a mois over. Alt arf Hedge y charactergreen	Yew the cool hough Yew the Yew ther of hedge
canadensis. 3'-4' Under the dense shade of Pines and Hemlod slope, this "ground Hemlock" is the ideal grown extremely hardy must not be exposed to winter 15 to 18 in. spread, B. & B	cks on und copr sun 3.75 4.50 6.75 8.25 10.50 Dwo bush; ble eva darl	Canada a mois over. Alt arf Hedge y charactergreen c green	Yew at cool hough
Canadensis. 3'-4' Under the dense shade of Pines and Hemlod slope, this "ground Hemlock" is the ideal grown extremely hardy must not be exposed to winter 15 to 18 in. spread, B. & B	cks on und copr sun 3.75 4.50 6.75 8.25 10.50 Dwo bush; ble ev a darl 3.00 3.75	Canada a mois over. Alt arf Hedge y charact ergreen c green	Yew the cool hough Yew the Yew ther of hedge
canadensis. 3'-4' Under the dense shade of Pines and Hemlod slope, this "ground Hemlock" is the ideal grown extremely hardy must not be exposed to winter 15 to 18 in. spread, B. & B	cks on und copr sun 3.75 4.50 6.75 8.25 10.50 Dwo bush; ble ev a darl 3.00 3.75	Canada a mois over. Alt arf Hedge y charactergreen c green	Yew at cool hough
Canadensis. 3'-4' Under the dense shade of Pines and Hemlod slope, this "ground Hemlock" is the ideal grow extremely hardy must not be exposed to winter 15 to 18 in. spread, B. & B	cks on und copr sun 3.75 4.50 6.75 8.25 10.50 Dwo bush; ble ev a darl 3.00 3.75 .4.00	Canada a mois over. Alt arf Hedge y charactergreen c green	Yew at cool hough hough with the color color with the color with t
Canadensis. 3'-4' Under the dense shade of Pines and Hemlod slope, this "ground Hemlock" is the ideal groextremely hardy must not be exposed to winter 15 to 18 in. spread, B. & B	cks on und cor sund 3.75 4.50 6.75 8.25 10.50 Dwo bush; ble even darl 3.00 3.75 .4.00	Canado a a mois over. Alt arf Hedge y charac ergreen c green Japanese ly natur	Yew the cool hough Yew there of hedge color Yew ralized
Canadensis. 3'-4' Under the dense shade of Pines and Hemlod slope, this "ground Hemlock" is the ideal grown extremely hardy must not be exposed to winter the state of the spread, B. & B	cks on und cor sund cor sund 6.75 4.50 6.75 8.25 10.50 Dwo bush ble even dark 3.00 3.75 4.00	Canada a mois over. Alt arf Hedge y charace ergreen c green Japanese ly natur e English	Yew it cool hough Yew it cool hough Yew iter of hedge color Yew ralized Yew
Canadensis. 3'-4' Under the dense shade of Pines and Hemlod slope, this "ground Hemlock" is the ideal groextremely hardy must not be exposed to winter 15 to 18 in. spread, B. & B. 18 to 24 in. spread, B. & B. 2 to 2½ ft. spread, B. & B. 2½ to 3 ft. spread, B. & B. 3 to 3½ ft. spread, B. & B. —stricta. 2'-2½' Added to its inherent hardiness the compact this newcomer makes it a thoroughly dependent plant. Withstands severe clipping, retains a throughout the year. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. Cuspidata. 12'-15' Vigorous, hardy, most dependable and progives promise of becoming as venerable here in its homeland. Unless pruned occasionally we	cks on und cor sund 3.75 4.50 6.75 8.25 10.50 Dwo bush ble ever darl 3.00 3.75 4.00 actical as the ill atta	Canado a a mois over. Alt	Yew it cool hough Yew it cool hough Yew iter of hedge color Yew ralized Yew indous
Canadensis. 3'-4' Under the dense shade of Pines and Hemlod slope, this "ground Hemlock" is the ideal groextremely hardy must not be exposed to winter 15 to 18 in. spread, B. & B. 18 to 24 in. spread, B. & B. 2 to 2½ ft. spread, B. & B. 2½ to 3 ft. spread, B. & B. 3 to 3½ ft. spread, B. & B. —stricta. 2'-2½' Added to its inherent hardiness the compact this newcomer makes it a thoroughly depended plant. Withstands severe clipping, retains of throughout the year. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. Cuspidata. 12'-15' Vigorous, hardy, most dependable and pregives promise of becoming as venerable here in its homeland. Unless pruned occasionally we spread with an open centre. Splendid dark green.	cks on und cor sun 3.75 4.50 6.75 8.25 10.50 Dwo bush; ble ever darl 3.00 3.75 .4.00 actical as the ill attagen level and actical as the ever level and actical as the even level and actical actical as the even level and actical ac	Canada a mois over. Alt urf Hedge y charac ergreen c green Japanese ly natur English nin treme aves are	Yew the cool hough Yew there of hedge color Yew trailized Yew
Canadensis. 3'-4' Under the dense shade of Pines and Hemlod slope, this "ground Hemlock" is the ideal groextremely hardy must not be exposed to winter 15 to 18 in. spread, B. & B. 18 to 24 in. spread, B. & B. 2 to 2½ ft. spread, B. & B. 2½ to 3 ft. spread, B. & B. 3 to 3½ ft. spread, B. & B. —stricta. 2'-2½' Added to its inherent hardiness the compact this newcomer makes it a thoroughly dependent plant. Withstands severe clipping, retains a throughout the year. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. Cuspidata. 12'-15' Vigorous, hardy, most dependable and progives promise of becoming as venerable here in its homeland. Unless pruned occasionally we	cks on und cor sund 3.75 4.50 6.75 8.25 10.50 Dwo bush ble ever darl 3.00 3.75 .4.00 actical as the ill attoment learns, on the sun, on	Canada a mois over. Alt arf Hedge y charac ergreen c green Japanese ly natur English ain treme aves are a "christi	Yew the cool hough Yew there of hedge color Yew trailized Yew
Under the dense shade of Pines and Hemlod slope, this "ground Hemlock" is the ideal groextremely hardy must not be exposed to winted to 18 in. spread, B. & B	cks on und cor sund 3.75 4.50 6.75 8.25 10.50 Dwo bush; ble ev a darl 3.00 3.75 4.00 actical as the ill atto een legumn, a y plant 3.75	Canada a mois over. Alt cover. Alt cover. Alt cover. Alt arf Hedge y charact ergreen correct green Japanese ly natur e English min treme aves are a "christi ats. 3.50	Yew of cool hough with cool of the color with color wit
Under the dense shade of Pines and Hemlod slope, this "ground Hemlock" is the ideal groextremely hardy must not be exposed to winter 15 to 18 in. spread, B. & B. 18 to 24 in. spread, B. & B. 2 to 2½ ft. spread, B. & B. 2½ to 3 ft. spread, B. & B. 3 to 3½ ft. spread, B. & B.	cks on und corrections of the co	Canada a mois over. Alt cover. Alt cover. Alt cover. Alt drf Hedge y charact ergreen correct green Japanese ly natur e English ain treme aves are a "christi tts. 3.50 4.50	Yew the cool hough Yew there of hedge color Yew trailized Yew
Under the dense shade of Pines and Hemlod slope, this "ground Hemlock" is the ideal groextremely hardy must not be exposed to winted to 18 in. spread, B. & B	cks on und corrections of the co	Canada a mois over. Alt cover. Alt cover. Alt cover. Alt arf Hedge y charact ergreen correct green Japanese ly natur e English min treme aves are a "christi ats. 3.50	Yew of cool hough with cool of the color with color wit

TAXUS Cuspidata

---capitata. 20'-25'

l to 4 5 to 24 25 & up Each Each Each

Tree Form Japan Yew

This is really the typical Japanese Yew from which the spreading bush form has sprung. Handsome indeed are the broad well filled pyramids so effectively used in formal gardens or a lawn specimen, and even as tub plants. Perfectly adapted for the taller hedge. Very striking with young growth in spring. Sheared or natural.

]	1/2	to	2	ft.,	B.	&	В.	**********	5.00	4.75	4.50
2	2	to	$2\frac{1}{2}$	ft.,	В.	&	B.	******************************	6.75	6.50	6.25
2	21/2	to	3	ft.,	B.	&	В.	************	9.00	*****	******
3	3	to	4	ft	B.	\mathcal{S}	B.		12.00		

-compact form, 6'-8'

Compact Japanese Yew

Because of its distinct very compact habit we selected this variety and have propagated only the best. Grows slowly and without any pruning remains a well filled bush of rich dark green. Will eventually be demanded.

12	to	15	in.	spread,	В.	&	B.	***************************************	4.00	3.75	******
15	to	18	in.	spread,	B.	&	B.	*******************************	5.50	5.25	*******
1 1/2	to	2	ft.	spread,	B.	δ	B.	***************************************	7.00	6.75	
2	to	$2\frac{1}{2}$	ft.	spread,	B.	&	B.	***************************************	9.00	******	
21/2	to	3	ft.	spread,	B.	&	B.	*****************	15.00	******	******

-densα. 4'-5'

Dense Japanese Yew

From the Arnold Arboretum—a dwarf very compact type with many ascending branches forming a rounded bush.

9	to 12	in.,	В.	& B.	***************************************	3.00	******	*******
					• • • • • • • • • • • • • • • • • • • •			

—nana (brevifolia). 5'-6'

Dwarf Japanese Yew

Conservative and careful, it takes time for this member to assume proportions becoming the dignity of such an aristocrat. Irregularly spreading in growth it will merge with rock garden planting or is excellent for permanent low effects. Intense blackish green leaves are enhanced by the coldest winter. Various shapes available.

9	to 12	in. spre	ead, B.	&	В.	*****************	3.00	2.75	******
12	to 15	in. spre	ead, B.	δ	B.	***************************************	4.50	******	
15	to 18	in. spre	ead, B.	&	В.	•••••	6.00	******	*****
18	to 24	in. spre	ead, B.	&	B.	******************	7.50		*****

media. 12'-15'

Hybrid Yew

Quite similar but more vigorous and bushy than "nana." Doubtless one of the handsomest evergreen shrubs for supplying the deep green note. Forms a characterful hedge.

12	to 15	in. spread,	B.	&	B.	•••••	4.00	******	******
15	to 18	in. spread,	B.	&	В.	***************	5.50	******	******
18	to 24	in. spread,	B.	&	B.	****************	7.00		******

-browni. 5'-6'

Browns Yew

The broad upright bushy character is first class for hedging—needs but little pruning to keep it in shape—good color all winter. A favorite of the connoisseur.

12	to 15	in.,	В.	&	B.	***************************************	3.75	3.50	3.25
15	to 18	in.,	В.	δ	В.	***************************************	5.25	******	******
18	to 24	in.,	В.	δ	В.	**********	7.00	******	******

TAXUS Cuspidata

l to 4 5 to 24 25 & up Each Each Each

-hatfieldi. 12'-15'

Hatfield Yew

Forms a compact perfectly furnished cone shaped bush that offers many possibilities especially in the small garden. Probably the most desirable upright form introduced.

12	to	15	in.,	В.	&	B.	***************************************	3.00	2.80	2.75
			-				*******************************		4.25	4.00
11/2	to	2	ft.,	B.	&	В.		6.00	5.75	******
2	to	$2\frac{1}{2}$	ft.,	В.	&	B.	•••••	7.50	••••	******
21/2	to	3	ft.,	В.	&	В.	***************************************	10.00	•••••	******
3	to	31/2	ft	B.	&	B.		15.00		*****

hicksi. 10'-12'

Hicks Yew

A hardy substitute for the columnar Irish Yew. Upright branches are clothed with typical dark green leaves. Planted closely you have a ready made hedge.

12	to	15	in.,	В.	&	В.	***************************************	3.00	2.80	2.75
15	to	18	in.,	В.	&	B.	***************************************	4.50	4.25	******
11/	2 to	2	ft.,	B.	&	B.	***************************************	6.00	5.75	******
2	to	$2\frac{1}{2}$	ft.,	В.	&	B.	***************************************	7.50	******	•••••
21/	2 to	3	ft.,	В.	δ	B.	•••••	10.00	******	•••••
3	to	31/2	ft.,	В.	&	B.	***************************************	15.00	•••••	******

---ovata. 12'-15'

Oval Yew

Comparatively new and a worthwhile kind. Quite upright and narrow in youth but develops into a narrow compact oval shaped column of deep green. A splendid form.

15	to	18	in.,	В.	δ	В.	***************************************	4.00	•••••	******
1 1/2	to	2	ft.,	B.	&	B.	*******************************	5.00	4.75	•••••
2	to	$2\frac{1}{2}$	ft.,	В.	&	B.	*************************	7.50	7.25	7.00
21/2	to	3	ft.,	В.	δ	B.	***************************************	9.00	8.50	******
3	to	31/2	ft.,	В.	δŧ	B.	***************************************	12.00	******	•••••

-wellesleyana. 8'-10'

Wellesley Yew

Another child of Hatfield's that promises to be outstanding as a real hardy substitute for Irish Yew. The closely packed branches all grow upward to make, in youth at least, a well shaped fat column well furnished with thick rich green leaves. This will surely remain popular.

12	to	15	in.,	B.	δ	В.	***************************************	3.00	2.80	2.75
15	to	18	in.,	В.	&	В.	***************************************	4.50	4.25	******
1 1/2	to	2	ft.,	B.	&	В.	******************************	6.00	5.75	•••••

THUYA occidentalis, 30'-35'

American Arborvitae

Certainly a most prolific species giving rise to many handsome widely differing forms. Too often is this "Tree of Life" prejudged in its infancy, for surely does it assume its natural place among the patriarchs of the tree world. Generally useful for hedging or formal work, its well clothed pyramidal outline can be sheared severely without hurt. Brown inside foliage can be vigorously shaken out in early spring. Most Arborvitaes prefer a moist place.

11/2	to 2	ft., B.	હ	В.		2.00	1.80	1.65
2	to 2½	ft., B.	&	B.	***************************************	3.00	2.80	2.65
$2\frac{1}{2}$	to 3	ft., B.	δ	B.	****	3.75	3.50	3.25
3	to 4	ft., B.	&	В.	***************************************	4.50	4.25	4.00
4	to 5	ft., B.	&	B.	*********	6.00	5.75	5.50
5	to 6	ft., B.	&	B.		7.50	7.25	******
6	to 8	ft., B.	&	B.	*******************************	9.00	*****	******

THUYA occidentalis		5 to 24 2 Each	25 & up Each
		den Arb	
Bronzy yellow foliage clothes the well shaped			
and quick growing. Quite attractive in spring		na. Very	naray
2 to 2½ ft., B. & B	3.00	2,75	******
2½ to 3 ft., B. & B	3.75	******	*******
3 to 4 ft., B. & B	4.00	******	******
4 to 5 ft., B. & B	6.00	*******	******
-elegantissima. 15'-20'	Gold	dtip Arb	orvitae
Fleshy lustrous green leaf-branches are in		_	
tipped with gold but retain their vivid green t	hrough	out the	winter.
A well formed broad based pyramid. This of the varieties.	is one	e of the	finest
1½ to 2 ft., B. & B	2.00	1.80	1.65
2 to 2½ ft., B. & B	3.00	2.80	2.65
2½ to 3 ft., B. & B	4.50	4.25	4.00
3 to 4 ft., B. & B	6.00	5.75 7.25	5.50
5 to 6 ft., B. & B.	7.50 9.00	7,43	*******
0 10 0 10, D. Q. D	5.00	******	******
—globosa. 3'-4'	Gl	obe Arb	orvitae
A little ball of light green just made for for	mal de	esigns.	
12 to 15 in., B. & B.	2.00	1.80	1.65
15 to 18 in., B. & B	2.50	2.25	2.00
1½ to 2 ft., B. & B	3.00	2.75	2.50
2 to 2½ ft., B. & B		3.25	******
272 to 0 It., D. & B	4.50	******	******
—nigra. 30' Dark	Americ	can Arb	orvitae
Selected for its remarkably dark green folia	ge wh		
Selected for its remarkably dark green folia color far better than the type. Typical growth	ge wh		
Selected for its remarkably dark green folia color far better than the type. Typical growth 2 to 2½ ft., B. & B.	ge wh 3.00		
Selected for its remarkably dark green folia color far better than the type. Typical growth 2 to 2½ ft., B. & B	ge wh 3.00 4.50	ich reta 2.80 4.25	ins its 4.00
Selected for its remarkably dark green folia color far better than the type. Typical growth 2 to 2½ ft., B. & B	ge wh 3.00 4.50 6.00	2.80 4.25 5.75	4.00 5.50
Selected for its remarkably dark green folia color far better than the type. Typical growth 2 to 2½ ft., B. & B	ge wh 3.00 4.50 6.00 7.50	2.80 4.25 5.75 7.25	ins its 4.00
Selected for its remarkably dark green folia color far better than the type. Typical growth 2 to 2½ ft., B. & B	3.00 4.50 6.00 7.50 9.00	2.80 4.25 5.75 7.25	4.00 5.50
Selected for its remarkably dark green folia color far better than the type. Typical growth 2 to 2½ ft., B. & B	3.00 4.50 6.00 7.50 9.00	2.80 4.25 5.75 7.25	4.00 5.59
Selected for its remarkably dark green folial color far better than the type. Typical growth 2 to 2½ ft., B. & B	3.00 4.50 6.00 7.50 9.00 11.00	2.80 4.25 5.75 7.25	4.00 5.59
Selected for its remarkably dark green folial color far better than the type. Typical growth 2 to 2½ ft., B. & B	3.00 4.50 6.00 7.50 9.00 11.00 Dw	2.80 4.25 5.75 7.25	4.00 5.59
Selected for its remarkably dark green folial color far better than the type. Typical growth 2 to 2½ ft., B. & B	3.00 4.50 6.00 7.50 9.00 11.00 Dw	2.80 4.25 5.75 7.25	4.00 5.59
Selected for its remarkably dark green folial color far better than the type. Typical growth 2 to 2½ ft., B. & B	3.00 4.50 6.00 7.50 9.00 11.00 Dw ventual	2.80 4.25 5.75 7.25	4.00 5.59 corvitae
Selected for its remarkably dark green folial color far better than the type. Typical growth 2 to 2½ ft., B. & B	3.00 4.50 6.00 7.50 9.00 11.00 Dw ventual 2.00 2.50 3.00	2.80 4.25 5.75 7.25 	4.00 5.59
Selected for its remarkably dark green folial color far better than the type. Typical growth 2 to 2½ ft., B. & B	3.00 4.50 6.00 7.50 9.00 11.00 Dw ventual 2.00 2.50 3.00 4.50	2.80 4.25 5.75 7.25 	4.00 5.59
Selected for its remarkably dark green folial color far better than the type. Typical growth 2 to 2½ ft., B. & B	3.00 4.50 6.00 7.50 9.00 11.00 Dw ventual 2.00 2.50 3.00 4.50	2.80 4.25 5.75 7.25 	4.00 5.59
Selected for its remarkably dark green folial color far better than the type. Typical growth 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. —pumila. 3'-4' In juvenile stage practically a globe but exported by round topped bush. Very dependable. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3½ to 4 ft., B. & B. 3½ to 4 ft., B. & B.	3.00 4.50 6.00 7.50 9.00 11.00 Dw ventual 2.00 2.50 3.00 4.50 5.25 6.25	2.80 4.25 5.75 7.25 	4.00 5.59
Selected for its remarkably dark green folial color far better than the type. Typical growth 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. —pumila. 3'-4' In juvenile stage practically a globe but exported by round topped bush. Very dependable. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3½ to 3 ft., B. & B. 3½ to 4 ft., B. & B. —pyramidalis. 25'-30'	3.00 4.50 6.00 7.50 9.00 11.00 Dw ventual 2.00 2.50 3.00 4.50 5.25 6.25	2.80 4.25 5.75 7.25	4.00 5.59 corvitae mes a 1.65 corvitae corvitae
Selected for its remarkably dark green folial color far better than the type. Typical growth 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. —pumila. 3'-4' In juvenile stage practically a globe but exportably round topped bush. Very dependable. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3½ to 3 ft., B. & B. 3½ to 4 ft., B. & B. —pyramidalis. 25'-30' In a narrow column clothed with lively green	3.00 4.50 6.00 7.50 9.00 11.00 Dw ventual 2.00 2.50 3.00 4.50 5.25 6.25	2.80 4.25 5.75 7.25	4.00 5.59 orvitae mes a 1.65 orvitae
Selected for its remarkably dark green folial color far better than the type. Typical growth 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. —pumila. 3'-4' In juvenile stage practically a globe but exportably round topped bush. Very dependable. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. —pyramidalis. 25'-30' In a narrow column clothed with lively green its color throughout winter. Useful alike in	3.00 4.50 6.00 7.50 9.00 11.00 Dw ventual 2.00 2.50 3.00 4.50 5.25 6.25	2.80 4.25 5.75 7.25	4.00 5.59 orvitae mes a 1.65 orvitae
Selected for its remarkably dark green folial color far better than the type. Typical growth 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. —pumila. 3'-4' In juvenile stage practically a globe but exportably round topped bush. Very dependable. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B. —pyramidalis. 25'-30' In a narrow column clothed with lively green its color throughout winter. Useful alike in planting for the spire-like shafts or as a hedge	3.00 4.50 6.00 7.50 9.00 11.00 Dw ventual 2.00 2.50 3.00 4.50 5.25 6.25	2.80 4.25 5.75 7.25	4.00 5.59 orvitae mes a 1.65 orvitae retains formal
Selected for its remarkably dark green folial color far better than the type. Typical growth 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. —pumila. 3'-4' In juvenile stage practically a globe but exportably round topped bush. Very dependable. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3½ to 4 ft., B. & B. —pyramidalis. 25'-30' In a narrow column clothed with lively green its color throughout winter. Useful alike in planting for the spire-like shafts or as a hedge 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	3.00 4.50 6.00 7.50 9.00 11.00 Dw ventual 2.00 2.50 3.00 4.50 5.25 6.25	2.80 4.25 5.75 7.25	4.00 5.59 orvitae mes a 1.65 orvitae retains formal
Selected for its remarkably dark green folial color far better than the type. Typical growth 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 18 in., B. & B. 2½ to 3 ft., B. & B. 2½ to 3 ft., B. & B. 18 to 24 in., B. & B. 2½ to 3 ft., B. & B. 2½ to 3 ft., B. & B. 3½ ft., B. & B. 3½ to 4 ft., B. & B. 2½ to 4 ft., B. & B. 2½ to 3 ft., B. & B. 3½ to 4 ft., B. & B. 2½ to 4 ft., B. & B. 2½ to 3 ft., B. & B. 2½ to 4 ft., B. & B. 2½ to 4 ft., B. & B. 2½ to 3 ft., B. & B. 3½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B.	3.00 4.50 6.00 7.50 9.00 11.00 Dw ventual 2.00 2.50 3.00 4.50 5.25 6.25 Pyramic formo	2.80 4.25 5.75 7.25	4.00 5.59 orvitae mes a 1.65 orvitae retains formal
Selected for its remarkably dark green folial color far better than the type. Typical growth 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 18 to 24 in., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 2 to 2½ ft., B. & B. 3½ to 4 ft., B. & B. 2 to 2½ ft., B. & B. 3½ to 4 ft., B. & B. 2 to 2½ ft., B. & B. 3½ to 4 ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 3 to 3½ ft., B. & B. 3 to 5½ ft., B. & B.	3.00 4.50 6.00 7.50 9.00 11.00 Dw ventual 2.00 2.50 3.00 4.50 5.25 6.25 Pyramic formose. 3.00 4.50 6.00 7.50	2.80 4.25 5.75 7.25	4.00 5.59 orvitae mes a 1.65 orvitae retains formal 2.65 4.00
Selected for its remarkably dark green folial color far better than the type. Typical growth 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 18 to 24 in., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 2 to 2½ ft., B. & B. 3½ to 4 ft., B. & B. 2 to 2½ ft., B. & B. 3½ to 4 ft., B. & B. 2½ to 3 ft., B. & B. 3½ to 4 ft., B. & B. 2½ to 3 ft., B. & B. 3½ to 4 ft., B. & B. 2½ to 3 ft., B. & B. 3½ to 4 ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 3 to 3½ ft., B. & B. 3 to 3½ ft., B. & B. 3 to 5 ft., B. & B. 4 to 5 ft., B. & B.	3.00 4.50 6.00 7.50 9.00 11.00 Dw ventual 2.00 2.50 3.00 4.50 5.25 6.25 Pyramic formore. 3.00 4.50 6.00	2.80 4.25 5.75 7.25	4.00 5.59 crvitae mes a 1.65 crvitae retains formal 2.65 4.00 5.50

THUYA occidentalis

l to 4 5 to 24 25 & up Each Each Each

-wareana. 12'-15'

Siberian Arborvitae

Exceedingly hardy, this dense growing form makes a splendid hedge although as a spot plant its rugged broad pyramid is worthy of consideration. Improves with age.

15	to	18	in.,	B.	&	В.	***************************************	2.50	2.25	2.00
11/2	to	2	ft.,	B.	δ	B.		3.00	2.75	2.50
2	to	21/2	ft.,	В.	&	B.	***************************************	3.50	3.25	3.00
21/2	to	3	ft.,	В.	&	B.	***************************************	4.50	4.25	•••••
3	to	31/2	ft.,	B.	&	В.	*************************	5.25	4.80	******
4	to	5	ft	B.	8	B.		6.50	*****	*****

orientalis (BIOTA). 25'-30'

Oriental Arborvitae

Flat fan like branches pressed together "on end" form at first an oval shape column brilliantly clothed in emerald green foliage. Develops into a bushy pyramidal tree.

3	to 4	ft., B. & B.	•••••	4.50	******	******
4	to 5	ft., B. & B.	***************************************	6.00	•••••	•••••
5	to 6	ft., B. & B.	************************	7.50	•••••	******
6	to 7	ft., B. & B.		9.00		

-aurea nana. 4'-5'

Berckman Golden Arborvitae

Faom the "bed plant" to old age the same compact neat egg-shape mass is retained, changing from the brilliant yellow high lights of spring to warm reddish brown tones, topped with gold in winter. Popular for edging.

9	to	12	in.,	B.	&	B.	***************************************	1.75	1.50	•••••
12	to	15	in.,	B.	&	В.	***************************************	2.25	2.00	******
15	to	18	in.,	B.	&	B.	*******************************	2.50	******	•••••
11/2	to	2	ft.,	B.	δŧ	B.	***************************************	3.00	*****	•••••
2	to	$2\frac{1}{2}$	ft.,	B.	&	B.	***************************************	4.50	******	•••••
21/2	to	3	ft.,	B.	&	B.	***************************************	6.00	******	******
3	to	31/2	ft.,	B.	&	B.	***************************************	7.50	******	******

-elegantissima (BIOTA), 10'-12'

Yellow Column Arborvitae

In outline a broad swelling column, quite compact and well furnished. Few if any conifers can compare favorably to this handsome bush for warm rich coloring throughout the year. Spring covers the surface with sparkling yellow tips ripened by the summer sun to golden brown, and winter brings out the rich reddish bronze coat flecked with yellow brilliants, with vivid green inside.

18	to	24	in.,	B.	હ	B.	***************************************	3.00	******	******
2	to	21/2	ft.,	B.	&	B.	***************************************	4.00	******	•••••

plicata atrovirens (lobbi). 35'-40'

Giant Arborvitae

Lustrous green fleshy leaves clothe the branchlets assuming warm bronze in winter. Given a sunny reasonably moist spot will quickly dvelop into a splendid dignified irregular tree. Quite unlike any other Arborvitae.

21/2	to 3	ft., B. & B.	***************************************	3.75	3.50	3.25
3	to 4	ft., B. & B.	86044404404400	4.50	4.25	4.00
4	to 5	ft., B. & B.	***************************************	6.00	5.50	******
5	to 6	ft., B. & B.	*********	7.50	7.25	******
6	to 7	ft, B. & B.	***************************************	9.00	******	******

TSUGA canadensis. 70'-80'

Canada Hemlock

EVERGREEN. Grace, dignity and beauty have conspired successfully to make this American a living example of magnificent stateliness. With plenty of space the tree claims right to its noble forest statute, but is willing to be clipped into hedges—splendid walls of close textured green. Half shade or a north slope is preferred but sun is alright too.

11/2	to 2	ft., B. & I	B	3.50	3.25	3.00
2	to 2½	ft., B. & I	B	4.50	4.25	4.00
$2\frac{1}{2}$	to 3	ft., B. & I	B	6.00	5.50	5.25
3	to 4	ft., B. & I	B	7.50	7.25	7.00
4	to 5	ft., B. & I	B	10.00	******	*******
5	to 6	ft, B. & H	B	12.00	******	******

diversifolia. 40'-50'

Japanese Hemlock

With us a very slow grower with short blunt yew-like leaves evenly dispersed on reddish branchlets. Side branches are short and horizontal forming a graceful pyramid of rich dark glossy green foliage. Quite hardy.

$2\frac{1}{2}$	to	3	ft.,	B.	&	B.	***************************************	7.50	******	******
3	to	31/2	ft.,	В.	&	В.	***************************************	10.00	******	******

ULMUS americana molini. 80'-100'

Moline Elm

Unexpected in the Elm family, nevertheless a most useful and handsome member is this vigorous youngster of broad conical outline clad in splendid large leaves. Ideal for narrow streets, or even for fall screening purposes.

8	to 10	ft	4.00	•••••	******
9	to 10	ft., 11/4 to 11/2 in	5.00	******	******
10	to 12	ft., 1½ to 1¾ in	6.50	*******	******

-vase shaped. 80'-100'

Vase Elm

Selected to emphasize the graceful lines of the vase shape top, and it has handsome foliage to boot. Where uniform shape is desired these budded trees must be used.

8	to 10	ft	4.00	******	******
9	to 10	ft., 11/4 to 11/2 in	5.00	******	******
10	to 12	ft., 1½ to 1¾ in	6.50	******	******

-Princeton. 80'-100'

Princeton Elm

Pyramidal in shape with somewhat more of a central leader than any of the other elms grown, with the acception of the moline which is a little broader in habit than the Princeton.

8	to 10	ft	4.00	******	*****
9	to 10	ft., 11/4 to 11/2 in	5.00	******	•••••
10	to 12	ft., 1½ to 1¾ in.	6.50		

VACCINUM corymbosum. 6'-8'

Highbush Blueberry

Apart from the delicious "huckleberries," here is a handsome shrub of many uses. In sour swampy places brilliant coloring of the foliage is an annual pageant and even the clusters of waxy white bell flowers are remarkable.

2	to 3	ft., B.	&	В.	******************************	3.00	*****	******
3	to 4	ft., B.	δ	B.	************************	4.50	******	******

VIBURNUM acerifolium. 5'-6'

Mapleleaf Viburnum

Although not striking, the heads of white May flowers result in bunches of glittering black berries that in autumn stand out against the gorgeous pink to purple foliage. Naturally a shade lover, even in dense woods great masses abound.

11/2	to 2	ft.	•••••	.75	.65	.60
2	to 3	ft.		1.00	.90	.85
3	to 4	ft.		1.25	1.10	•••••

americanum (Trilobum). 10'-12' Americ

American Cranberry Bush

Bright, scarlet berries persist nearly all winter, handsome.

2	to 3	ft.	***************************************	1.00	.90	.80
3	to 4	ft.	***************************************	1.25	1.00	*****
	to 5			1 50	1.25	

carlesi. 4'-5'

Fragrant Viburnum

Waxy pink, deliciously fragrant flowers appear in little round clusters as the leaves are unfolding. Not easily grown it is wise to select well drained sunny spot where you can keep it moist in the summer. Broader than tall.

15	to 18	in.,	В.	& E	 4.00	******	******
18	to 24	in.,	В.	& E	 5.00	•••••	******

cassinoides, 6'-8'

Witherod

Color starts in June with the large clusters of white flowers preceding green berries which in turn change to pink and finally blue black. Leathery leaves add their touch of crimson and purple in autumn. Prefers a moist spot.

11/2	to 2	ft.	***************************************	.80	.65	.55
2	to 3	ft.	***************************************	1.00	******	******
3	to A	f+		1 25		

dentatum, 10'-12'

Arrow Wood

Has creamy white flowers in May and black berries later. Purple and red shades are typical for autumn dress, seen to best advantage when massed in half shady moist spot.

11/2	to 2	ft.	***************************************	.80	.65	.55
2	to 3	ft.		1.00	.90	.80
3	to 4	ft.	***************************************	1.25	1.00	

dilatatum. 8'-10'

Linden Viburnum

Here again time is needed to bring out the real fine character of this shrub. Handsome rough foliage, six inch clusters of creamy flowers and glittering scarlet berries all winter are a few of its assets. No pruning necessary.

18	to	24	in.	***************************************	.80	.65	.55
2	to	3	ft.	***************************************	1.00	.90	******
3	to	4	fŧ		1 25	1 10	

lantana. 12'-15'

Wayfaring Tree

Becomes most attractive when the handsome foliage turns red and the fruits change from crimson to black in autumn. Apparently at home in a lime soil. Useful for bold accents.

2	to 3	ft.	***************************************	1.00	.75	.65
3	to 4	ft.	***************************************	1.25	1.00	******
4	to 5	ft.	***************************************	1.50	••••	******

	F. & F	. NURS	ERIES
		5 to 24 2 Each Nann	5 & up
ı lool ack l aptal	perries	oliage the	at be- orative
••••••		.75 1.00	••••••
June		i cky Vib lue blact	
•••••	1.00 1.25 1.50	.75 1.00	******
		Cranberr nd foliac	_
••••••	.75 1.00 1.35	.65 .75	.55
		Black	Haw
Ma blac	y flowers. Dec	and a me ers give cidedly b clump b Effective	place est in
	1.50 2.00 2.50	1.25 1.50	••••••
	Sieł	oold Vibu	ırnum
		green lu reen cha	
•••••	.90 1.20 1.50	.80 1.00	********
		file Vibu	
neatr	ness is	of little	note

		5 to 24 Each	Z5 & up Each
VIBURNUM Lentago. 20'-25'		Nan	nyberry
Almost a tree eventually, having clean lood comes rich purple and crimson in fall. Black I all winter too. Extremely hardy and adaptat	perries		
2 to 3 ft	1.00 1.25 1.50	.75 1.00	••••••
molle. 8'-12'	Kent	ucky Vil	ournum
This shrub has large white flowers in June in autumn.	and b	olue bla	ck fruit
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25 1.50	1.00	******
•			
opulus nanum. 1'-2' Form a dense globular affair packed with sh		Cranber	-
rarely blooms, a stunning plant for edging.	loois c	ina iona	ge bui
9 to 12 in	.75	.65	.55
18 to 24 in	1.00 1.35	.75	*******
prunifolium. 12'-15'			k Haw
A sturdy clean cut shrub with few stiff upright horizontal branches. Attractive pure white Ma to large bunches of pink fruits turning to blace masses when the intricate branches form one fully softened with smallish leaves, purple in cedars.	y flow ck. Dec vast	ers give cidedly l clump	place best in beauti-
1½ to 2 ft	1.50	1.25	******
2 to 3 ft		1.50	******
3 to 4 ft	2.50	******	*******
sieboldi. 8'-10'		bold Vib	
Tree-like, new stemmed shrub with handsome foliage, creamy flowers and berries that start to pink to black. Certainly a "dominant."	dark out g	green lu reen cho	ustrous anging
2 to 3 ft	.90	.80	******
3 to 4 ft	1.20 1.50	1.00	******
		efile Vib	urnum
The Beau-Brummel of the family whose neatr	ness is	of little	o note
beside the handsome spectacle afforded by a vin full bloom. The flat topped clusters of pur thickly strung along the top of the horizontal	e whi	te flowe	rs are
resemble a fall of snow. The purple foliage co	lor is	distinctiv	re too.
By all means indispensable. Red berries occurred to 3 ft.		ally proc . 75	
3 to 4 ft.	1.00	7.5	
***************************************	1.25	1.00	.65

—plico													owball
In Ju stude	une ded	the ov	er a	niliar well	white clothe	three	incl	n ''Si	nowb fruits.	alls"	are	gene	erously
2	to	3	ft.	********	• • • • • • • • • • • • •		******		*****	1.00	••	.75	*******

	Each	Each 1	
VINCA minor. 4"-6"		Periv	vinkle
EVERGREEN. Accepted as THE ground cover dark green foliage is well known. Shade is is alright too, if not too dry and hot. Well es 3 in Pots. \$160. per M	est but stablish	t a sunny	
VITEX macrophylla. 5'-6'	Bigle	af Chaste	Tree
A dainty shrub with branching spikes of ve blue flowers in September beautifully offset by green leavs. Must have sun.	ry attro	active lav ar shaped	ender gray
2 to 3 ft	.75 1.00 1.25	.65 .80	.50
WEIGELA Eva Rathke, 4'-5' Re	d Flow	vering W	eigelg
Almost continuously throughout the summer the		_	_
covered with reddish carmine blossoms.	io sitoi	i bidiiche	s uie
1½ to 2 ft	.90	.80	.75
2 to 3 ft	1.00	.90	
3 to 4 ft	1.25	1.10	******
Feerie. 6'-8'	1	eerie W	oicolc
			_
If you plant only one take this which open Venusta, even more profuse, and a shade li		ie earnei	mon
2 to 3 ft	1.00	.80	•••••
3 to 4 ft	1.25	1.00	******
rosea. 6'-8'		Pink W	eigela
After the long term of admirable service show of its lovely daughters. Just as vigorous as a		retired in	favor
-	2 -		
2 to 3 ft	1.00	.90	
2 to 3 ft		.90 1.10	•••••
	1.25		•••••
3 to 4 ft	1.25	1.10 Venus W	eigela
3 to 4 ft venusta. 5'-6' This hardy and graceful species is distinguished.	1.25 Shed by	1.10 Venus W	eigela
3 to 4 ft. venusta. 5'-6' This hardy and graceful species is distinguis purple flowers. 2 to 3 ft.	1.25 shed by	1.10 Venus W y its rich	eigela rose-
3 to 4 ft. venusta. 5'-6' This hardy and graceful species is distinguis purple flowers. 2 to 3 ft. WISTERIA multijuga. 25'-30'	1.25 shed by	1.10 Venus W	eigela rose-
3 to 4 ft. venusta. 5'-6' This hardy and graceful species is distinguis purple flowers. 2 to 3 ft.	1.25 shed by 1.00 Longo	1.10 Venus W y its rich cluster W wers can	eigela rose isteria
3 to 4 ft. venusta. 5'-6' This hardy and graceful species is distinguist purple flowers. 2 to 3 ft. WISTERIA multijuga. 25'-30' (Floribunda macrobotrys) Properly trained the three foot sprays of pur be forgotten. Even in May the fragrance is not	1.25 shed by 1.00 Longo ple flove	1.10 Venus W y its rich cluster W wers can	eigela rose isteria
venusta. 5'-6' This hardy and graceful species is distinguis purple flowers. 2 to 3 ft. WISTERIA multijuga. 25'-30' (Floribunda macrobotrys) Properly trained the three foot sprays of pur be forgotten. Even in May the fragrance is not need support for climbing. Pot grown grafts	1.25 shed by 1.00 Longo ple flov eworth 1.50	1.10 Venus W y its rich cluster W wers can y. All wis Yellow	eigela rose- isteria never sterias Root
venusta. 5'-6' This hardy and graceful species is distinguis purple flowers. 2 to 3 ft. WISTERIA multijuga. 25'-30' (Floribunda macrobotrys) Properly trained the three foot sprays of pur be forgotten. Even in May the fragrance is not need support for climbing. Pot grown grafts ZANTHORHIZA apiifolia. (simplicissima). 2'-2½' For under planting with leggy shrubs no be made. Either in sun or shade, moist or dry spread to form a light ground cover and open flowers. Dislikes lime.	1.25 shed by 1.00 Longo ple flov eworth 1.50 tter seleplaces n its b	Venus W y its rich cluster W wers can y. All wis Yellow ection cou it will q	eigela rose- isteria never sterias Root uld be uickly purple
venusta. 5'-6' This hardy and graceful species is distinguis purple flowers. 2 to 3 ft. WISTERIA multijuga. 25'-30' (Floribunda macrobotrys) Properly trained the three foot sprays of pur be forgotten. Even in May the fragrance is not need support for climbing. Pot grown grafts ZANTHORHIZA apiifolia. (simplicissima). 2'-2½' For under planting with leggy shrubs no be made. Either in sun or shade, moist or dry spread to form a light ground cover and ope flowers. Dislikes lime. 12 to 15 in.	1.25 shed by 1.00 Longo ple flov eworth 1.50 tter sele places n its b	Venus W y its rich cluster W wers can y. All wis Yellow ection cou it will q brownish p	eigela rose- isteria never sterias Root uld be uickly purple
venusta. 5'-6' This hardy and graceful species is distinguis purple flowers. 2 to 3 ft. WISTERIA multijuga. 25'-30' (Floribunda macrobotrys) Properly trained the three foot sprays of pur be forgotten. Even in May the fragrance is not need support for climbing. Pot grown grafts ZANTHORHIZA apiifolia. (simplicissima). 2'-2½' For under planting with leggy shrubs no be made. Either in sun or shade, moist or dry spread to form a light ground cover and open flowers. Dislikes lime.	1.25 shed by 1.00 Longo ple flov eworth 1.50 tter seleplaces n its b	Venus W y its rich cluster W wers can y. All wis Yellow ection cou it will q	eigela rose- isteria never sterias Root uld be uickly purple



Hardy Herbaceous Perennials

For many years we have carefully developed a real Perennial department, testing not only novelties, but old varieties, to be sure they will do well with us. Some things prefer cerain conditions not possible here, so we contract with specialists who produce the best in those few items, enabling us to offer a collection that, for most garden purposes, is complete.

Quality is not always indicated by size—some perennials naturally produce small crowns but quality plants must have **good roots.** No storage or pre-wrapped plants here—every order is freshly dug to insure continuous and vigorous growth.

Our guarantee insures against any error—your stock will be true-to-name.

To fully describe each plant in this limited space was impractical, so this reference chart was designed to help you determine—what, where and how to use perennials. The chart itself is self-explanatory, and intermediate colors and shades are signified in the color columns.

A separate listing of **Ferns** (page 126) and **Herbs** (page 127) seemed more convenient, and to conserve space the quantity prices are computed on a percentage basis as specified in the chart heading.



S
~
•
0
\odot
1
(3
\sim
RIN
~
~
SP
S
6
E
RI
R
E
S
R
IU
\geq
Ŀ
o é
Car.
4

Type of Soil and Location Soil: Location:	If less than The 16-rate	than thr	three plants of	any on allowed	e var	If less than three plants of any one variety is desired add 5 cents each to the 3-rate. The 16-rate and 100-rate is allowed respectively on purchases of 5 or 25 plants of the same variety	rte. he sa	me v	riety.
ZZ C	* Indicates	ates pla	plants suitable	for Re	Rock G	Garden.	+ Me	+ Means	herbs.
NAME	COLOR	Height	Time of bloom	Loca- tion	Soil	REMARKS	<u>ရ</u>	Each per 10 10	er 160
ACHILLEA tagettae. Varrow	Bright Yellow	18 in.	July-Sept.	20	A	Silver-green foliage; cut flower	.45	.40	.35
*tomentosum, dwarf varrow	Yellow	6 in.	May-June	Z	A	Choice rock plant	45	.40	.35
ACONITUM fischeri, monkhood	Azure Blue	3 ft.	Sept.	•	A	The hardiest and most useful of Aconites	.45	.40	:33
*AETHEONEMA coridifolium Lebanon candatuft	Pink	8 in.	May-June	202	A	A lovely little plant for the rockery	.45	.40	.35
*AIIIGA rentans, carpet bugle	Blue	6 in.	May-June	•	Ą	Dense spikes of blue flowers, Grd. cover	.35	.30	55.
+ALLIUM schoenoprasum, chive	Redish Pink	10 in.	June	Z	A	Chop leaves to flavor omelets salads	.40	.35	.30
*senescens glaucum,	Pink	12 in.	AugSept.	Z	¥	The globular pink flowers bring welcome color to rockery	.45	.40	.35
ALTHAEA rosea, hollyhock dbl.	6 Separate	6-10 ft.	June-Aug.	Z	A	Lilac, Maroon, Pink, Scarlet, White, Yellow	.35	30	.25
*ALYSSUM saxatile citrinum, golden-tuft	Lemon-Yellow	12 in.	AprMay	202	Q	An old-time favorite in border or rockery	. 4 .	.40	.35
ANCHUSA italica, Bugloss Feltham Pride	Gentian Blue	3.ft.	June	z	A	Tail spikes of beautiful blue flowers in June. Splendid border plant	.45	.40	.35
*myosotidiflora, siberian Bugloss	Brillian Blue	18 in.	May-June	6	A	Clusters of charming blue flowers com- bine with narcissus	.45	.40	.35
ANEMONE japonica —Oneen Charlotte	"La France" Pink	3 ft.	Oct.	Z	A	Perfectly formed semi-double flowers on long stems	55	.50	1
-September Charm	Pink	2 ft.	SeptOct.	Z	A	Single, silvery pink, sharming	.G	.50	1
*pulsatilla, pascue fiwer	Purplish Blue	12 in.	AprMay	80	Q	An interesting plant for the rockery	03.	.45	.40
ANTHEMIS tinctoria camomile	Yellow	2 ft.	June-Sept.	Z	Y	Ψ	.45	.40	.35
AQUILEGIA, hybrid Columbine							1	,	1
-Chrysantha	Golden Yellow	3 ft.	June-July	Z	A		.45	.40	.33
Crimson Star	Red-White	2 ft.	June-July	Z	A	Spurs, Sepals Crimson-petals White	.45	04.	66.
-Dobbies Strain	Mixed	3 ft.	May-July	z	A		.45	.40	.35
Rose Queen	Rose Pink	2 ft.	June-July	Z	A	nust" in any garden	.45	.40	35
-Silver Queen	White	2 ft.	June-July	Z	A	A top notch variety. Pure white	.45	.40	68.

\geq
~
D,
7
7
\mathcal{E}
F
RINGFIEL
5
~
7.7
7
SPI
S
10
[+]
RSERIES,
2
4
E
5
\varkappa
-
~
NUI
E
_
જ
~0
E
7

The of Soil and Location The following plants of any one variety is Located						
-Normal -Full Shade COLOR a, spur-less Mixed Spur-less Blue Cress White Sandwort White Sandwort White Sandwort White Standwort White Standwort White Sandwort White Sandwort White Sandwort White Sandwort White Sandwort White Standword White Aster Blue Staefa Blue China Blue China Blue Staefa Blue China Blue China Blue Staefa Blue China Blue Light Pin	If less than three plants of a The 10-rate and 100-rate is al	any one villowed res	desired add 5 cents each to the on purchases of 5 or 25 plants	3-rate. of the san	ne var	lety.
COLOR Height of bloom Loca-so a, Spur-less Mixed 3 ft. June-July N Spur-less Mixed 3 ft. June-July N Spur-less White 6 in. AprMay N Cress White 8 in. AprMay N ubbe White 8 in. AprMay N sandwort White 8 in. AprMay N char Pink 6 in. May-June S N sardword Yellow 3 ft. N N agon Yellow 3 ft. AugSept. S blant White 10 in. May-June N A dinger 6 in. May-Sept. S A dinger 10 in. May-June S A dinger 10 in. May-Sept. S A	* Indicates plants suitable	for Rock	Garden,	† Me	Means h	herba.
a, spur-less Mixed #eight of bloom Loca- so a, spur-less Mixed 3 ft. June-July N cress White 6 in. AprMay N uble White 8 in. AprMay N sandwort White 8 in. AprMay N sandwort White 8 in. AprMay N sland, thrift Clear Pink 6 in. AprMay N sland, thrift Clear Pink 6 in. AprMay N sland, thrift Clear Pink 6 in. AprMay N specton Sept. Oct. N N specton Sept. Not. N N sgon Yellow 3 ft. AugSept. S 1 sycrmwood Yellow 3 ft. AugSept. S 1 weet Woodruff White 3 ft. AugSept. N A Aster Blue 2 ft. Aug. N A mas Daisy Blue 2 ft. Sept. Nov. N A	Time Height of bloom	-	1 REMARKS	3 E	Each per	100
a, spur-less Mixed 3ft. June-July N Spur-less Blue 10 in. May-July N Cress White 6 in. AprMay N sandwort White 8 in. May-June S Slandwort White 8 in. May-June S Slandwort White 6 in. May-June S Slandwort White 8 in. May-June S SpetOct. N SeptOct. S SeptOct. S SeptOct. S SeptOct. S SeptOct. S SeptOct. N Sept N Uhite 8ft. Sept. N Uhite 8ft.	Time Height of bloom		PEMABUS	11' '	Dog	1.8
Spur-less Blue 10 in. May-July N Cress White 6 in. AprMay N uble White 8 in. AprMay N sandwort White 8 in. May-June S sland, thrift Clear Pink 6 in. May-June S sland, thrift Light Pink 5 in. May & Sept. S thrift Light Pink 5 in. May & Sept. S thrift Light Pink 3 ft. AugSept. S In ernwood Yellow 3 ft. AugSept. S In wormwood White 6 in. In N In wormwood White 2 ft. AugSept. S In wormwood White 10 in. MayJune N In wormwood White 10 in. MayJune N In weet Woodruff White 10 in. MayJune <td< td=""><td>3 ft. June-July</td><td>-</td><td>Flowers rese</td><td>o 45</td><td>2 9</td><td>3</td></td<>	3 ft. June-July	-	Flowers rese	o 45	2 9	3
Cress White 6 in. AprMay N uble White 8 in. AprMay N sandwort White 8 in. AprMay N sland, thrift Clear Pink 6 in. May-June S sland, thrift Light Pink 5 in. May & Sept. S thrift Light Pink 5 in. May & Sept. S ernwood Yellow 3 ft. AugSept. S I magon Yellow 2 ft. AugSept. S I ginger 6 in. 4 mayJune M A ginger 6 in. 4 mayJune M A weet Woodruff White 10 in. MayJune M Aster Blue 2 ft. AugSept. N Aster Blue 2 ft. SeptOct. N f Staefa Blue 2 ft. SeptNov. N f Staefa Blue 2 ft.	10 in.	\perp	A top notch Rock	54 74	6 6	35
uble White Sin. May-June SeptOct. SeptOct. SeptOct. SeptOct. SeptOct. SeptOct. SeptOct. N SeptOct. SeptOct. N SeptOct. N SeptOct. N SeptOct. SeptOct. N SeptOct. N SeptOct. N SeptOct. N SeptOct. N SeptOct. Sept. SeptOct. N SeptOct.	6 in.		Dense masses of white fl	40	200	3
sandwort White 8 in. May-June S olland, thrift Clear Pink 6 in. May-June S nk Rose-Pink 6 in. May-Sept. S thrift Light Pink 5 in. May & Sept. S thrift Light Pink 5 in. May & Sept. S ernwood Yellow 2 ft. N N wormwood White 2 ft. AugSept. S Ginger 2 ft. AugSept. S N weet Woodruff White 10 in. May-June N keet Blue 2 ft. SeptOct. N keet Blue 2 ft. SeptNov. N f Staefa Blue 2 ft. SeptNov.	8 in.		Same as above but double	45	40	5 6.
nlk Rose-Pink 6 in. June-Oct. N nk Rose-Pink 6 in. May-June S thrift Light Pink 5 in. May & Sept. S ernwood Yellow 3 ft. N N agon 2 ft. N N plant White 2 ft. AugSept. S Ginger 6 in. AugSept. S In Ginger 6 in. AugSept. S In weet Woodruff White 10 in. June In Aster Blue 2 ft. SeptOct. N aster Blue 2 ft. SeptOct. N f Staefa Blue 2 ft. SeptNov. N f Staefa Blue 2 ft. SeptNov. N White 3 ft. Sept. N White 3 ft. Sept. N Main 3 ft. Sept. N <td>8 in.</td> <td></td> <td>Flowers</td> <td>.45</td> <td>9</td> <td>5</td>	8 in.		Flowers	.45	9	5
nk Rose-Pink 6 in. May-June Sept. Oct. S thrift Light Pink 5 in. May & Sept. S ernwood Yellow 3 ft. N N agon 2 ft. N N wormwood White 2 ft. Aug. Sept. S Ginger 6 in. Aug. Sept. S N Ginger 6 in. Aug. Sept. S N utterfly Weed Orange 2 ft. Aug. Sept. S weet Woodruff White 10 in. May-June N N Aster Blue 2 ft. SeptOct. N N iger Blue 2 ft. Sept. Nov. N f Staefa Blue 2½ ft. Sept. Nov. N f Staefa Blue 2½ ft. Sept. Nov. N f Staefa Blue 2½ ft. Sept. N f Staefa Blue 2½ ft. Sept. N	18 in.		Fine for cutting	.45	40	35.
thrift Light Pink 5in May & Sept. Sernwood Yellow 3ft. N N Sept. N N Sernwood White 2ft. N N N Sept. Sept. Sept. N N Sept. N Sept. N Sept. N N N Set N Ster Blue 2ft. Sept. N N N N N N N N N N N N N N N N N N N	6 in.		Delightfu	.45	.40	35
ernwood Yellow 3 ft. N agon 2 ft. N wormwood 2 ft. N plant White 3 ft. AugSept. S Ginger 6 in. 4 ft. AugSept. S autterfly Weed Orange 2 ft. AugSept. S aveet Woodruff White 10 in. MayJune N Aster Blue 2 ft. SeptOct. N Aster Blue 2 ft. SeptNov. N f Staefa Blue 2 ft. SeptNov. N f Staefa Blue 2 ft. SeptNov. N White 3 ft. Sept. N White 3 ft. Sept. N Light Pink 6 in. Sept. N Light Blue 4 ft. Sept. N	5 in.	\vdash	Neat, tufty habit, Evergreen	7.4	04	3.5
agon 2 ft. N vormwood 2 ft. N plant White 3 ft. AugSept. S Ginger 6 in. 6 in. © N utterfly Weed Orange 2 ft. AugSept. S N weet Woodruff White 10 in. May-June N N Aster Blue 3 ft. SeptOct. N N nas Daisy Blue 2 ft. Sept. N N f Staefa Blue 2 ft. SeptNov. N N f Staefa Blue 2 ft. Sept. N N white 3 ft. Sept. N N N Light Pink 6 in. Sept. N N N Light Blue 4 ft. Sept. N N N N			See list of herbs nage	45	r.	2
vormwood 2ft. AugSept. N plant White 3ft. AugSept. S Ginger 6in. 4t. AugSept. S utterfly Weed Orange 2ft. AugSept. S weet Woodruff White 10 in. May-June N Aster Red 3ft. SeptOct. N nas Daisy Blue 2ft. SeptNov. N f Staefa Blue 2½ ft. July-Nov. N f Staefa Pink 3ft. SeptNov. N White 3ft. Sept. N Udight Pink 6in. Sept. N Purplish Blue 4ft. SeptOct. N	2 ft.		For vinegar and	02	3 4	3 5
plant White 3 ft. AugSept. S Ginger 6 in. ⊕ □ utterfly Weed Orange 2 ft. Aug. S weet Woodruff White 10 in. June ⊕ Aster Blue 10 in. May-June N iker Red 3 ft. SeptOct. N nas Dalsy Blue 2 ft. Sept. N f Staefa Blue 2½ ft. July-Nov. N f Staefa Blue 3 ft. Sept. N White 3 ft. Sept. N Light Pink 6 in. Sept. N Purplish Blue 4 ft. Sept. N			Attractive foliage. Suitable	40	25	30
Ginger 6 in. 4 utterfly Weed Orange 2 ft. Aug. S weet Woodruff White 10 in. June Image Image <t< td=""><td>3 ft.</td><td></td><td>Graceful plant with silvery foliag</td><td>.45</td><td>3</td><td>35</td></t<>	3 ft.		Graceful plant with silvery foliag	.45	3	35
weet Woodruff White 10 in. June S Aster Blue 10 in. May-June N Aster Blue 3 ft. SeptOct. N nas Daisy Blue 2 ft. Sept. N f Staefa Blue 4 ft. Sept. N f Staefa Blue 2½ ft. July-Nov. N f Staefa Pink 3 ft. Sept. N White 3 ft. Sept. N Light Pink 6 in. Sept. N Purplish Blue 4 ft. SeptOct. N	6 in.		Evergreen ground cover	.45	40	35
Aster Blue 10 in. June N Aster Blue 10 in. May-June N Aster Blue 2 ft. SeptOct. N China Blue 2 ft. Sept. N China Blue 4 ft. SeptNov. N Fasefa Blue 2½ ft. July-Nov. N White 3 ft. Sept. N Light Pink 6 in. Sept. N Purplish Blue 4 ft. SeptOct. N	2 ft.	-	-	.45	40	35
Aster Blue 10 in. May-June N ngs Daisy Red 3 ft. SeptOct. N nas Daisy Blue 2 ft. Sept. N f Staefa Blue 4 ft. SeptNov. N f Staefa Blue 2½ ft. July-Nov. N Pink 3 ft. Sept. N Uklite 3 ft. Sept. N Light Pink 6 in. Sept. N Purplish Blue 4 ft. SeptOct. N	.e 10 in.	•	Unusual ground cover. Also to flavor wine	.45	40	33
Blue 2ft. SeptOct. N	10 in.		For rockery or edge of border	.45	\vdash	.35
China Blue	3 ft.	-	The finest of Red Asters	.45	.40	35
conna Blue 4 ft. SeptNov. N nk Pink 2½ ft. July-Nov. N nk Pink 3 ft. Sept. N White 3 ft. Sept. N Light Pink 6 in. Sept. N Purplish Blue 4 ft. SeptOct. N	2 ft.	-	A delightful free-flowering plant	.45	.40	35
of States Dine 2½ ft. July-Nov. N nk Pink 3 ft. Sept. N White 3 ft. Sept. N Light Pink 6 in. Sept. N Purplish Blue 4 ft. SeptOct. N	a Blue 4 ft.		Of strong, stately growth	.45	.40	.35
N	2½ ft.		Flowers 2 inches across. Cutting	.50	.45	.40
Walte 3 ft, Sept. N Light Pink 6 in. Sept. N Purplish Blue 4 ft. SeptOct. N	3 ft.		Clear soft pink. One of the best	.50	.45	.40
Purplish Blue 4ft. Sept. N	3 It.	+	Beautiful in garden or when cut	.45	.40	.35
Furphish Blue 4 It. SeptOct.	o in.	-	Bushy and free-flowering	.45	.40	.35
	4 It.	4	Tall shaggy	.45	.40	35

2
_ ~
P
ELD
\mathcal{F}
E
0
2
K
SPRINGFII
-1
S
E
RSERIES
13
S
×
5
\geq
NUI
FNI
Ľ,

					,				
f Soil Prefe	If less than The 10-rate	than thre	te plants of	any on allowed	e var	If less than three plants of any one variety is desired add 5 cents each to the 3-rate. The 10-rate and 100-rate is allowed respectively on purchases of 5 or 25 plants of the same variety	ate. the sa	me ve	riety.
A—Average S—Full Sun D—Dry N—Normal	* Indicates	ates plar	plants suitable for	for Re	ek G	Rock Garden.	+ MG	Means	herbs.
			10.	Toon			1	Each per	er
STANK	COLOR	Haight	of bloom	tion.	Soil	REMARKS	တ	10	100
	Purplish Rine	10 in	Sent	Z	A	Very showy. Dwarf	.45	.40	.35
ANTER VICTOR	White	9 64	Tune-Inly	•	M	Perennial spirea	.75	<u> </u>	.55
ASTILBE, Deutschland	Dod	9 64	Tune-July		Y	Perennial spirea	.75	.65	.55
Fanai	Dinb	9 6	Tune June	•	M		.75	.65	.55
Feach Dissoli	Durnle	5 in	AnrMay	Z	A	Lovely rich shades of purple	.45	.40	.35
TAUDINIELIA, Fulpie mornicas	Rine	4 ft.	Mav-June	7/2	A	Lupine-like spikes of Indigo blue	.45	.	.35
CAMBANITA & Blue Cornet	Rlue		July-Sept.	Z	A	Unsurpassed as a rockery subject	.45	.40	.35
*Came an other blue carper	Light Ring	6 in	Mav-June	Z	A	A gem for the rock garden	.45	.40	.35
Modium conterhiny hall	and well		June	Z	A	In Blue, Rose, White. All double fis.	.45	.40	.35
Welhom beauty	Віле	3 ft.	June-Aug.	Z	A	Huge open Chalices	Ŗ.	1	١
CENTRALIBER Montana cornflower	Blue	2 ft.	June-Sept	Z	A	Showy and easy of culture	.45	.40	.35
tompono+	White	12 in.	Mav-June	20	A	Appropriately named "Snow in Summer"	.45	.40	.35
CHENTS I LOTE, COLICE COLICE						You'll love them in your fall garden			
CHRISANIHEMOMS:	Bronze	18 in.	Aug. on	z	A	A popular Azaleamum	.45	.40	.35
Amelia Dinke	Pink	18 in.	Aug. on	Z	A	Azaleamum. A profusion of flowers	.45	.40	.35
Amelia Red	Red	18 in.	Aug. on	Z	A	Azaleamum. Bright red flowers	.45	4.	.35
	Yellow	18 in.	Aug. on	Z	A	Azaleamum. Mounds of flowers	.45	9.	.35
- 1	Coppery Red	2½ ft.	Oct. on	z	A	Double medium-sized flowers, New	.45	.40	.35
Chinnews	Purnle	2 ft.	Sept. on	z	A	The new Aster—purple color is striking	.45	.40	.35
Clarier	White	18 in.	Sept. on	z	A	Extra large double blooms. Exquisite	.45	송.	.35
Granny Scovill	Coral-Bronze	2 ft.	Oct. on	z	A	One of the loveliest of Garden Mums	.45	.40	1
	Yellow-White	21% ft.	ft. Oct. on	Z	A	A blending of soft yellow and creamy white	.45	.40	.35
Taron Lights									

-
Š
_
1-1
_
GFIELD
1
13
\sim
>
\sim
\mathcal{Z}
SPRINC
~
5
Š
ES.
IES.
RIES.
RIES.
ERIES.
SERIES.
SERIES.
RSERI
RSERI
URSERI
URSERI
RSERI
NURSERI
NURSERI
URSERI
F NURSERI
NURSERI
F NURSERI
F NURSERI

4 9
2 4 .
Ball-shaped flowers. Fine for cutting
A Ball-shaped flowers. Fine for cuttin
z z 2
OctNov.
2 II.
Coluen
Orchid Jewel

_
>
7
-
SPRINGFIELD
3
7
7
3
7
9
2
1
PR
0
2
-2
S
1
2
Ч
Ξ
S
\approx
-
2
NURSERIES,
F
, ,
-8
-
Sr.

variety.	herbs.	per 100	per 100	H	.35	-	.35	20 .50	. 50	-	.50	H	0+.	.35	.35	Н	.35		.35		.35	.35	.35	.35	1
same	Means	Each 10	Each per	6 .40	5 .40	5 .40	5 .40	.55	.55	.55	.55	55.	.45	.40	0+. 9	.40	0+.	.40	.40	.50	.40	.40	.40	.40	.65
rate.	+	က	80	.45	.45	.45	.45	.60	.60	09.	09.	.60	.50	.45	.45	.45	.45	.45	.45	.60	.45	.45	.45	.45	.75
If less than three plants of any one variety is desired add 5 cents each to the 3-rate. The 10-rate and 100-rate is allowed respectively on purchases of 5 or 25 plants of the same variety	Rock Garden.	REMARKS	REMARKS	A fine form for garden and cutting	An improvement over the common var.	Feathery foliage, gentian blue flowers	Pure white variety of the above. Dandy	For the background of your border The darkest of them all	Brilliant medium blue. Dark bee	True lavender with white bee	Enormous flowers, glistening texture	Sky-blue with white bee	Plant in groups of three for best effect	Ideal border or rockery plants Everblooming clusters of pink	Compact growing gem for rockery	Bouble and exquisitely fragrant	Fine feathery foliage. Ground cover	Delightful plant for rockery or edging	A top-notch white carnation	Highly scented carnation-like flowers	\sim	Giant-flowered carnation. Wide color range	"Dutchman's breeches". Dainty wood lander	Easily at home in full sun or shade	An old-fashioned favorite
ne var	ock 6	Soil	Sofi	A	A	¥	A	Ą	A	A	A	A		A	A	A	A	A	¥	A	V	A	M	A	A
any or		Loca- tion	Loca- tion	z	Z	Z	z	z	Z	Z	Z	Z		Ø	S.	S	Ø	S	2 /2	Ø	Ø	Ø	•	•	Z
ee plants of 100-rate is	plants suitable for	Time of bloom	Time of bloom	June-Oct.	June-Oct.	June-Sept.	June-Sept.	June-Oct.	June-Oct.	June-Oct.	June-Oct.	June-Oct.		June-Oct.	June-Oct.	May-June	May-June	June-Oct.	May-June	June-Oct.	June-Oct.	May-June	April	May on	May-June
s than thr 0-rate and	• Indicates plan	Height	Height	3 ft.	3 ft.	2 ft.	2 ft.	5 ft.	5 ft.	5 ft.	5 ft.	5 it.		8 in.	8 in.	10 in.	S in.	6 in.	8 in.	12 in.	14 in.	10 in.	5 in.	18 in.	28 in.
If les The 1	* Ind	COLOR	COLOR	Dark Blue	Light Blue	Blue	White	Dark Violet	Blue	Lavender	White	Light Blue		Pink	Deep Pink	White	Rose-Pink	Crimson	White	Salmon-Pink	Assorted	Assorted	White	Pink	Pink
of Soil Prefe	A—Average S—Full Sun D—Dry N—Normal M—Moist —Full Shade	NAME	NAME	ι н	Clivedon beauty	Chinese	-Chinense album	Pacific Giant Hybrid:——Black Knight, clumps	-Blue Jay, clumps	—Cameliard, clumps	-Galahad, clumps	-Summer Skies, clumps	The above Pacific varieties in 3" pots	DIANTHUS Garden pink *Beatrix	*Bobby	*Bristol Purity	*deltoides Brilliant	*Little Joe	•Mrs. Sinkins	- 1	*Plumarius, Highland hybrid	*Spring Beauty	DICENTRA cucullaria	eart	spectabilis, Bleeding Heart

-	•
	7
2	>
	4
	•
2	٥
_	ì
FI	7
	4
FI	3
C	ì
2	2
N	4
PI	٠
Ø	4
CD	
V	5
50	•
S.Z	ĭ
7	4
2	3
F	۲
1	4
ä	3
Н	٩
N)
5	>
_	4
1-	
k	4
9	ď
K	4

of Soil Prefe	If less than The 10-rate		ee plants o	any or	e var	three plants of any one variety is desired add 5 cents each to the 3-rate. and 100-rate is allowed respectively on purchases of 5 or 25 plants of the same variety.	rte. he sa	me va	riety.
A—Average S—ruil Sun D—Dry N—Normal M—Moist —Full Shade	* Indicates		ats suitable	suitable for Rock	ock G	Garden.	† Means	ans	herbs.
NAME	COLOR	Height	Time of bloom	Loca- tion	Soll	REMARKS	80	Each p	per 100
DIGITALIS, foxglove Giant Shirley	Assorted	4½ ft.	May-July	z	A	Crowded with blossoms in many colors	.40	355	.30
Gloxiniaeflora rosea.	Rose-Pink	3½ ft.	June-July	z	A		04.	.35	
DORONICUM excessum, Leopardbane	Yellow	2 ft.	AprMay	Z	A	effective in broad masses	.45	97.	1
ECHINACEA see Rudbeckia								L	
EUPATORIUM coelestinum	Blue	2 ft.	AugSept.	Z	Ą	Hardy ageratum. Good cut flower	.45	.40	.35
EUPHORBIA epithymoides	Golden	12 in.	May-June	z	₽	Cushion Spurge. Attractive formal plant	.45	07.	.35
FERNS see list page 67									
GAILLARDIA Blanket flower Burgundy	Wine-Red	2½ ft.	June on	z	A	Large flowers good for cutting	.45	.40	.35
Goblin	Bicolor	18 in.	June on	Z	A	Compact globular plants. Red, Orange, Yellow	.45	9.	337
Mr. Sherbrooke	Yellow	2 ft.	June on	N	A	Golden yellow unstained by any other color	.45	.40	.35
GALAX aphylla, ground cover	White	10 in.	June	•	A	Evergreen foliage heart-shaped, flowers on spikes	٠ ت	.45	.40
GAULTHERIA procumbens, winter- green	White or Pink	5 in.	July	•	A	Ground cover with shiny leaves—red berries	.50	.45	.40
GYPSOPHILA Baby's Breath paniculata flora plena	White	2 ft.	June-Aug.	202	A	Double Baby's breath. Fine for bouquets	.50	.45	.40
-Flamingo.	Pink	2 ft.	July-Sept.	32	Ą	-	.50	.45	.40
Repens Rosy Veil	Pink to White	12 in.	May-Sept.	∞	A	A creeping type for wall or rockery	.45	.40	.35
HELENIUM Riverton Gem. sneezewort	Orange	3 ft.	AugOct.	Z	A	Warm, glowing orang-red flowers	0	.45	.40
*HELIANTHEMUM sunrose mutabile	Assorted	8 in.	July-Aug.	202	Q	A blaze of color in season, Evergreen	.45	.40	86 70
HELIOPSIS, Summer Gold, sunflower	Orange	3 ft.	July-Oct.	S	Y		.45	.40	35

-	
-	-
	٠
2	>
•	4
	٩
•	٦
EI	_]
1	7
×	u
-	-
b	٠.
-	7
	כ
-	Ξ
1	_
-	Z
•	3
a	ζ
0	1
2	٦
4	2
4	3
3 32	
LEC	.07
SILC	.0771
SILC	.0771
EDIEC	.0771
LEC	.0771
EDIEC	.0771
EDIEC	.0771
EDIEC	.0771
STIGESGI	Charles.
STIGESGI	Charles.
STIGESGI	Charles.
MILIDSEDIES	いっといっていたい
MILIDSEDIES	いっといっていたい
STIGESGI	いっといっていたい
MILIDSEDIES	いっといっていたい
E MILIDEEDIEC	r NONSEALES.
E MILIDEEDIEC	いっといっていたい

Type of Soil and Location Soil.	if less The 10-	than thr	ee plants of	allowed	e vari	If less than three plants of any one variety is desired add 5 cents each to the 3-rate. The 10-rate and 100-rate is allowed respectively on purchases of 5 or 25 plants of the same variety	game	variet
NZ O	* Indic	* Indicates plants	its suitable	for Re	Rock G	Garden.	Means	herbs
NAME	COLOR	Height	Time of bloom	Loca- tion	Soil	REMARKS 3	Each per	per 100
HEMEROCALLIS, Daylily Dr. Regel	Orange	18 in.	May	z	A	Handsome rich orange-yellow. Fragrant .45	- 5	.85
Gypsy	Urange	2½ ft.	July-Aug.	z	A	Large Howers rich in color .75	.65 5	1
Hyperion	Canary-Yellow	3½ ft.	July-Aug.	Z	A	Most popular and beautiful of Daylilles .75	5 .65	1
Mikado	Orange	3 ft.	June-July	Z	Y	Orange with mahogany-red spots on 75 petals	5 .65	10
Modesty	Pale Yellow	4 ft.	June	z	A	The flowers are unusually large .75	39.	1
Ophir	Orange	4 ft.	July	Z	Y	The rich coloring has made this a favorite	5 .65	- 1
HEPATICA triloba, round-lobed	White	8 in.	April	•	M	Ground cover. Fine for massing in shade .45	5 .40	.35
*HEUCHERA coral bells *sanguinea	Red	15 in.	June-Sept.	Z	Ą	A popular red-flowering variety .45	5 .40	33
Rosmondi	Pink	15 in.	May-July	Z	A	Blight-free producing an abundance of John bloom	5 .40	
HIBISCUS moscheutos-rosemallow	Mixed	5 ft.	Aug.	z	M	Spectacular with masses of 4 in. flowers .45	04.	.35
HOSTA plantainlily	Purplish Blue	3 ft.	July-Aug.	•	A	Huge glaucus teaves .60	.55	
fortunei Subcordata grandiflora	White	2 ft.	Aug.	•	A	Large lily-shaped flowers60	.55	- 1
plantaginea Minor	White	18 in.	July-Aug.	•	A	Rare low form .45	6 .40	
Sieboldiana	White	2 ft.	July-Aug.	•	A	Foliage a bluish green. Free flowering .50	.45	.40
+HYSSOPUS officinalis, hyssop	Bluish Purple	2 ft.	June-Aug.	82	D	See list of herbs page 65	.35	.30
*IBERIS dwarf candytuft	White	15 in.	AprMay	Z	A	Neat habit makes this a fine edging .40 plant	.35	.30
Little gem *Sempervirens	White	15 in.	AprMay	Z	A	Excellent in front of shrubs: do well in shade	.35	.30
*Snowflake	White	6 in.	AprJune	z	A	More compact. Flowers much larger .40	.35	.30

>
~
_•
Q
EL
IE
\mathbf{E}
GE
ž
. "
RI
Ω.
S
S
S
ES. S
ES. S
ES. S
SERIES, S
ES. S
SERIES, S
URSERIES, S
NURSERIES, S
URSERIES, S
NURSERIES, S

	- 1								
	If less than The 10-rate		e plants of 100-rate is	any on allowed	e vari respe	three plants of any one variety is desired add 5 cents each to the 3-rate. and 100-rate is allowed respectively on purchases of 5 or 25 plants of the same variety	e sam	e var	iet
	* Indicates		plants suitable for	for R	Rock G	Garden.	† Means		herbs
	COLOR	Height	Time of bloom	Loca- tion	Soil	REMARKS	3 Ea	Each per 10	er 100
An	Amethyst Blue	3 in.	May	•	M	Will form a solid carpet in any shady spot	.45	.40	35
Ora	Orange	3 ft.	June	202	Ą	Giant flowered Iris, each a distinct beauty:— Presents a burnt orange effect	99.	.50	1
Red	-	3 ft.	June	Ø	A	Dykes Medal winner. Sparking combination of color	8.	تو	1
Gol	Golden Brown	3 ft.	Early June	20	Ą	One of the best of this blend. Beard deep orange	89.	.50	1
Pur	Purplish Red	3 ft.	Early June	Ø	A	An old fashioned popular Iris	09:	.50	۱
Red	Redish Purple	3 ft.	June	S	\mathbf{A}	Giant flowered	.60	.50	ı
Dep	Dep Yellow	3 ft.	June-July	S	A	Fine, large flowers. Very late	.60	.50	١
Pink	k	3 ft.	June	S	A	An exquisite blend of pink shades	.60	.50	1
Yellow	low	3 ft.	June	\mathbf{s}	A	A Dykes medal winner. Excellent	.60	.50	1
White	ite	3½ ft.	June	Ø	A	Pure white, extra large flowers	.60	.50	ı
Purple	ple	3 ft.	June	SZ.	A	oky mulberry blend. Beautiful	09.	.50	1
White	ite	3 ft.	June	S	A	Falls pure white, center golden yellow	09:	.50	١
						A valuable addition in your border. Rich soil			
White	ite		July	S	M	rosy plum. Striking		.65	1
White	ite	3½ ft.	July	σΩ	M	Double pure white, gold-banded center		.65	1
Mal	Mahogany-Red		July	σΩ	M	Large double flowers. Late bloomer	.75	.65	1
Red		3½ ft.	July	SS	M	Amaranth. veined white, Unusual	.75	.65	1
SKy	Sky-Blue	4 ft.	May-June	Z	M		.45	.40	.35
Ors	Orange Red	3½ ft.	AugSept.	x	Q	Highlight your garden with this novelty	.45	.40	.35
Blı	Bluish Purple	10 in.		S	D			35	.30
Pu	Purple	4 ft.	July-Aug.	22	D	Outstanding in the summer garden	.45	.40	.35

~
Z
-
0
ų
\sim
ELD
FIL
12
RINGI
\sim
2
=
~
<u></u>
Ь
S
-
ES,
1
RII
\approx
C+7
E
SE
RSE
JRSE
URSE
URSE
NURSE
NURSE
URSE
F NURSE
NURSE
F NURSE

Т	ety.	bs.	0	.35	.35	135	.75	35	20	.35	5	35	6	20	10	10	50	0	1010	10		
	varie	s herbs	per 100	-		-			.35	\vdash	.35		.30	335	.35	.35	.35	우.	8.89	.35	.20	Ц
	ame	Means	Each 10	.40	.40	64.	06.	4.	.40	.40	.40	.40	.35	.40	.40	.40	.40	33.	.45 745	.45	.22	1.35
	rate.	+	က	.45	.45	.45	1.00	.45	.45	.45	.45	. 4 5	.40	.45	.45	.45	.45	50	4. 04.	.40	.25	1.50
	If less than three plants of any one variety is desired add 5 cents each to the 3-rate. The 10-rate and 100-rate is allowed respectively on purchases of 5 or 25 plants of the same variety.	ock Garden.	Soil REMARKS	A Fne variety, transparent yellow flowers	A Clouds of flowers. Spreading foliage	A A tender herb with lemon-scented leaves	A Large, well rooted plants.	Rich, fiery cardinal flowers on long M spikes	A A sensation in the horticultural world	A Scarlet malteese cross. Delightful	A Excellent forborder. Cutflowers	M A shrubby plant covered with florets	A A lemon-scented herb. See Page 65	The most interesting of our spring A flowers	Evergreen. Ground cover with red M berries	M An herb, but showy in the garden	D Excellent for walls and banks	A The flowers resemble forget-me-nots	A tender herb. In 3 in. pots. See Page 65 A pots	A A hardy type used for seasoning	M Evergreen ground cover. \$165.00 per 1000	A Distinct in color and form, desirable
	any on	for Ro	Loca- tion	20	Ø	Ø	S	Z	Z	Z	S	Z	Z	•	•	S	S	•	S	5 22	•	Z
	ee plants of 100-rate is	plants suitable for Rock Garden.	Time of bloom	July-Sept.	May-June AugSept.	June-July	June-July	AugSept.	June-July	July-Oct.	May-July	July-Aug.	July-Aug.	AprMay	May-June	June-Ang.	May-Oct.	AprMay	June-July	July-Aug.		t. May-June
	than thr- rate and		Height	18 in.	30 in.	2½ ft.	21/2 ft.	2 ft.	3 ft.	3 ft.	18 in.	3 ft.	18 in.	18 in.	5 ft.	3 ft.	18 in.	10 in.	10 in.	12 in.	8 in.	3 ft.
	If less than The 10-rate	* Indicates	COLOR	Yellow	Blue	Pink	Pink	Red	Mixed	Scarlet	Rose-Pink	Rose	Yellow	Blue	White or Pink	${f R}{f e}{f d}$	Lavender	Blue	White	Purple		Deep Garnet
Gott ond	Prefer	A—Average S—Full Sun D—Dry N—Normal M—Moist ——Full Shade	NAME	LINUM flavum flax	perenne	+LIPPIA citriodora, lemon verbena	5 in. pots	LOBELIA cardinalis Indian Paint Brush	LUPINUS, Lupin. Russell hybrid	LYCHNIS chalcedonica, catchfly	viscaria splendens	LYTHRUM salicaria, loose-strife	+MELISSA officinalis, balm	MERTENSIA virginica Virginia Blue Bells	*MITCHELLA repens, partridgeberry	MONARDA didyma. Bee-balm	*NEPETA mussini, catnip	*OMPHALODES verna, Navelwort	+ORIGANUM marjorana, sweet marj.	tonites, pot marj.	PACHYSANDRA terminalis 21/2" pots	PAEONIA Adolph Rousseau

~
7
, .
Z
7
_
D
ч
N
Ei
GFIEL
5
r h
S
>
SPRINC
7
D.
5
RIES
M
1
2
E
Ξ
RSI
\approx
5
NUI
2
4
í.
my
98

ariety.	herbs.	per 100												33.7	.35	8. 7.	35	10	85 70	.35	35
me v	Means	Each 1	1.35	1.35	1.35		1.35		1	n n	3, 15	45	45	40	4.	40	9.	4.0	.40	.40	97.
ate. he sa	+ We	8	1.50	1.50	1.50	1.50	1.50	1.75	2.00	8	3 5	12.	35	45	č4.	7.4	45	55	45	.45	.4 <u>5</u>
three plants of any one variety is desired add 5 cents each to the 3-rate. and 100-rate is allowed respectively on purchases of 5 or 25 plants of the same variety	Garden.	REMARKS	Perfectly formed flowers freely produced	Immense nowers, long-lasting, fragrant	Large, loose crown, upright growth, fragrant	An outstanding variety. Very showy	Apple-blossom pink. Ideal cutflower	The rose type. One of the most beautiful	Truly charming. One of the best	Strong grower, Flower crinkly, Scarlet Red	Flaming orange, Double, Strong		Lower half of petal white upper orange	A lovely plant and cut flower par excellence	Lovely clean shell-pink. Charming	Satiny amaranth. Combines with vellow	Most attractive. Large flowers	A lovely pink shade without a trace of magenta	Trusses of bright salmon-rose. White eye	One of the best pure white, strong grower	A flery orange-red. Very striking
ю var гевре		Soil	A	A	Ą	A	A	A	Ą	A	A	A	A	A	A	Ą	A	Ą	A	A	A
any on allowed	for Bock	Loca- tion	z	Z	Z	Z	Z	Z	Z	Ż	Z	Z	Z	Z	Z	Z	Z	Z	N	Z	z
ce plants of 100-rate is	nts suitable	Time of bloom	May-June	June	May-June	June	Late June	Late June	June	June	June	June	June	July-Nov.	July-Sept.	June-Sept.	July-Sept.	July-Sept.	July-Sept.	July-Sept.	July-Sept.
than thr -rate and	ates plants	Height	3 ft.	3½ ft.	3½ ft.	4 ft.	4 ft.	4 ft.	4 ft.	21% ft.	2½ ft.	21/2 ft.	2½ ft.	18 in.	3 ft.	3 ft.	2 ft.	2 ft.	2 ft.	ft.	2½ ft.
If less than The 10-rate	* Indicates	COLOR	Red	Flesh White	Dark Pink	Blush Pink	Pink	Dark Cream	Soft Pink	Red	Orange	Salmon Pink	Bicolor	Ruby-Crimson	Pink	Deep Red	Lavender-Blue	Pink	Rose	White	Red
Location Freferred A-Average Soll: Soll: A-Average S-Full Sun	D-Dry N-Normal M-Moist O-Full Shade	NAME	PAEONIA Augustine D'Hour	Baroness Schroeder		Lady Alexandra Duff	Sarah Bernhardt	Solange	Therese	PAPAVER orientale, oriental poppy Cavaller	-Jean Priscilla	-Mrs. Perry	-Snowflame	PENSTEMON barbatus, Beard-tongue —Firebird	-Pink beauty	FHLOX Garden phlox decussata B. Comte	-Caroline Vandenberg	-Enchantress	-Eva Foerster	-Flanders	Karl Foerster

Š
7
D,
. 1
Œ
Ξ
NG
SPRI
SF
RIES,
7
ΣR
RSEI
-
NU
ij
.54

Type of Soil and Location Preferred Soil: A Average	If less The 10-	than thr	If less than three plants of The 10-rate and 100-rate is	f any or	ne var	If less than three plants of any one variety is desired add 5 cents each to the 3-rate. The 10-rate and 100-rate is allowed respectively on purchases of 5 or 25 plants of the same variety	ne vs	riety.
M—Moist — Full Shade	* Indicates p		ants suitable	for	Rock 6	Garden. † Means		herbs.
NAME	COLOR	Height	Time of bloom	Loca- tion	Soil	REMARKS 3 10	tch p	per 100
PHLOX decussataLeo Schlageter	Red	2½ ft.	July-Sept.	z	A	A gorgeous variety. Scarlet-red. Strong .45 .40	.40	35.
Knein,ander	Salmon Pink	2½ ft.	July-Sept.	Z	A	.45	.40	.85
*divaricata, blue phlox	Blue	10 in.	AprMay	Z	A	Star-shaped lavender-blue flowers .45 .40	.40	.35
*Subulata, Mountain pink						Lovely plants for the rock garden Compact plant producing masses of fig45 .40	.40	35
*Alba	White	6 in.	May	Z	A	.45	.40	.35
-Crimson beauty	Red	6 in.	May	Z	A	Best early White Phlox known. 3" pots .45 .40	.40	.35
suffruticosa, Miss Lingard	White	2½ ft.	June-Aug.	Z	A	Showy spikes of rose-crimson bloom .45 .40	.40	.35
PHYSOSTEGIA false dragonhead rosy spire	Rose	3½ ft.	Sept.	N	A	New, charming, non-spreading .45 .40	.40	.35
summer snow	White	3 ft.	July-Aug.	Z	V	vy plant for the border .45	07:	.35
PLATYCODON Baloon-flower grandiflorum	Blue	3 ft.	June-Aug.	z	¥	Rich foliage. Useful as ground cover, .45 .40	.40	.35
*PLUMBAGO larpentae, Leadwort	Blue	12 in.	July-Sept.	202	Q	A new type Jacob's Ladder, very .45 .40	.40	335
*POLEMONIUM, Blue Pearl	Blue	12 in.	May	Z	A	04, 34,	.40	35
POLYGONUM reynoutria	Pink		Sept.	Z	A	Fragrant, airy pink sprays. Light green .55 .45	.45	1
*POTENTILLA cinquefoil toungue!	Orange-Yellow	10 in.	June-Aug.	Ø	Y	Trailing type excellent for wall or rockery .45 .40	.40	.35
*verna nana	Yellow	5 in.	May-June	ß	Y	Completely covered tiny yellow flowers .45 .40	.40	.35
*PRIMULA, Hardy primrose; Cowslip Polyanthus Colossea	Mixed	10 in.	May-June	6	M	A magnificent new strain .45 .40	.40	35
—Giant Yellow	Yellow	10 in.	May-June	•	M	A fine strain, large flower .45 .40	.40	.35
-Monaret Strain	Mixed	10 in.	May-June	•	M	Strong, vivid colors predominate .45 .40	.40	.35
veris lutea	Yellow	10 in.	May-June	•	M	Bold yellow flowers on numerous stems .45 .40	.40	.35
*PULMONARIA azurea, lungwort	Blue	10 in.	AprMay	Z	M	Dowell in any part of garden not too dry	.40	.35
						1		

	ariety	per	3	35) jo	ن ان	2	135	.35		.85	35	35	98	.30	.35	.30	.40	.35	.35	.50	1	6	04.	00. 75.	33.
	te. le same v † Means	Each per		9.	કું ફ	P. 9	8	40	.40	04.	96.	.40	97	.35	.35	.40	.33	.45	.40	.40	.55	9	3	C. 1.	9 Q	40
	ate. the sa † Mc		; اه	.43	0±.	34.	1.00	.45	.45	.45	1.00	.45	.45	.40	.40	.45	.40	.50	.45	.45	09.	N.	3 2	35	45	45
	If less than three plants of any one variety is desired add 5 cents each to the 3-rate. The 10-rate and 100-rate is allowed respectively on purchases of 5 or 25 plants of the same variety Indicates plants suitable for Rock Garden.	REMARKS	Large Howe	+-	E	A tender herb. See Page 66	An herb. See Page 66	In	old reliable. Easy to g	A beautiful stately plant	A tender herb. See Page 66	A most admired plant in early autumn	Bloodroot, Charming in the rockery	Should be kept trimmed for best result	Like the one above excellent for edging	Valuable for walls and rockery	Herb used for seasoning. See Page 66	flowers in soft char	Tight green carpeter tiny flowers	novelty f	Kare evergreen ground cover	New, superior. "Resembling Goddess of Venus"	A decorative plant of superior monit	ferny herb. See Page	bling	Graceful plants resembling columbine
	one va ed resp Rock (Soil			A	O	0	Q	A	A	A	V	A				₹		2	V.	Z	¥	A	Y	A	M
	f any or allowed	Loca-	V.	Z	z	w	Z	x	x 2	S	x	x	•	S2	x	χ.	7, 8	x c	2	4	•	7.	S	202	S	Z
	three plants of and 100-rate is: plants suitable	Time of bloom	Mav-July	May-July	May-July	\rightarrow	May-June	June-Oct.	June-Sept.	June-Sept.	June	AugOct.	June-July			May-June	May-June	A nume-Oct.	AprMay	Mor.	May	Aug.	June-Nov.	June	June-July	June-July
	than the	Height	18 in.	18 in.	18 in.	3 ft.	3 ft.	2½ tt.	3 ft.	2. IT	20 in.	3½ ft.	10 in.	18 in.	18 in.	12 m.	10 III.	7 in	g in	G in	0 1111.	3 ft.	18 in.	2 ft.		2½ ft.
	If less tha The 10-rat Indicates	COLOR	Rose-Pink	Mixed	Red	Blue	Blue	Mixed	Furple	w nite	Furplish Bine	Gentian Bine	White	rellow	rellow	White	Mixad	Vellow	Red	White	11110	Deep-Rose	Light Blue	Yellow	Purple	Rosy Purple
See Roll and	A—Average N—Normal M—Moist — Freferred Location: A—Average N—Full Sun N—Normal N—Moist — Full Shade	NAME	PYRETHRUM, Buckeye, Painted lady	Robinson's hybrid		ficinalis 3" pots	t _S	Dunnings	Turpurea	SAI VIA tofficinalia coco	Difeberi Blue mooderr com	*CANCITANDIA consideration	4 00	Lavender cotton	*SAPANARIA covmoides seemusit	+SATUREIA montana savory	rid	00	000	+	nusta Martha Washing-	a washing-	. Stoke's aster		ander	THALICTRUM aguilegifolium

1									
of Soil Prefe	If less than The 10-rate		ee plants of 100-rate is	any or	ne vari respe	three plants of any one variety is desired add 5 cents each to the 3-rate. and 100-rate is allowed respectively on purchases of 5 or 25 plants of the same variety	rate.	ame	ariet
D-Dry M-Moist M-Koist	* Indicates	ates plants	nts suitable	for	Rock G	Garden.	+	Means	herbs
NAME	COLOR	Height	Time of bloom	Loca- tion	Soil	REMARKS	က	Each 10	per 100
THALICTRUM Lavendermist	Lavender	3 ft.	June-July	Z	N.	Fascinating, beautifully delicate	09.	.55	50
THERMOPSIS caroliniana	Yellow	2% ft.	June-July	7.	Y	A vigorous Lupin-like plant	.45	.40	.35
THYMUS argenteus	Pink	6 in.	May-June	w	Q	Silver thyme, an herb	.40	.35	.30
citriodorous aurea	Pink	6 in.	May-June	S	a	Golden thyme, an herb	.40	.35	
serpyllum albus	White	4 in.	May	S	a	White creeping thyme, For walks	.45	.40	.35
-•coccineus	Scarlet	4 in.	May	S	a	Excellent for edge of walks, rockery	.45	.40	.35
lanuginosus	Pink	4 in.	May	20	O	Gray-green foliage. Rock garden	.45	.40	.35
vulgaris, common thyme	Pink	10 in.	May-June	S	D	A culinary herb of many uses	.40	.35	.30
TRILLIUM grandiflorum, wood-lily	White	12 in.	AprMay	•	M	A lovely little harbinger of Spring	.45	.40	.35
TROLLIUS ledebouri, globe flower	Deep Orange	2 ft.	June-Sept.	N	M	Magnificent, long flowering	.65	09.	
TUNICA saxifraga flore pleno	Pink	6 in.	July-Sept.	Z	¥	Lovely plant resembling small Baby's breath	54.	.40	.35
VERONICA speedwell						Handsome blue-flowering plants		L	
'incana, wooly speedwell	Blue	10 in.	June-July	X	Q	Silver-gray foliage, numerous flowers	.45	.40	.35
longifolia subsessilis	Blue	2 ft.	July-Sept.	Z	Y	Charming when planted in groups	00.	.45	
*rupestris, hungarian spw.	Blue	6 in.	June	x	Ω	Fine ground cover	.45	.40	.35
spicata	Violet-Blue	18 in.	n June	Z	Y	A good medium tall plant for the border	45	.40	.35
VINCA minor, periwinkle	Blue	6 in.	May-July	•	W	Glossy green foliage. Fine ground cover \$165.00 per M	.25	.22	.20
*VIOLA cornuta Arkwright ruby	Crimson	6 in.	May-Sept.	Z	A	Rich crimson with center marking	.45	.40	.30
-chantreyland	Apricot	6 in.	May-Sept.	z	Ą	Masses of flowers	.45	.40	.30
-Jersey gem	Rich Violet	6 in.	May-Oct.	Z	Y	The popular old standby	.45	.40	.35
-odorate Royal Robe	Deep Violet	8 in.	AprMay	N	Y	A distrinct addition to the violet family	.45	.40	.35
-Rosina	Pink	6 in.	May	•	A	Also flowering SeptOct.	.45	.40	.35
-semperflorense	Blue	6 in.	May-Nov.	6	A	Very fragrant	.45	.40	.35
-white perfection	Wnite	6 in.	May-Sept.	Z	A	ure white l	.45	.40	.30
YUCCA filamentosa	Creamy-White	3 ft.	July	Z	A	Bell-shaped blooms on 5 ft. spikes	.75	.65	-

HERB GARDENS

The rapidly growing interest in Herbs is more than a fad, it is a return to substantial appreciation of original rather than synthetic fragrance and flavor. While many items such as Sage, are used in vast quantities, other lesser kinds are eagerly sought by the connoisseur and epicure.

Apart from the medicinal or household uses of these old fashioned plants there is an undeniable attraction in growing your own Herb collection. A little Herb Garden can and should be a most practical and interesting section of your grounds.

Our plants are easily grown and once established last many years. The few annual herbs are omitted from this list. If you are not an enthusiast now you will be after trying some of the subtle flavoring suggested.

HERB PLANTS—Perennial Each Each per 3 per 10 per 100 APPLE MINT -Mentha rotundifolia. If this delightful Mint had no culinary use its ornamental value alone would make it worthwhile. The leaves impart a subtle apple flavor to summer drinks and sauces. Mild and fragrant. BALM35 -30 -Melissa officinalis. Delightfully lemon scented and excellent for cooling drinks or for flavoring soups, sauces and stews. Balm tea is an old fashioned remedy for colds. Can be used fresh or dried. CHIVES -Allium schoenoprasum. The popular cut and come again salad plant. The fresh leaves can be used all year, chopped in cream cheese, wherever a mild onion flavor is wanted. A good edging plant. HYSSOP -Hyssopus officinalis. A beautiful aromatic plant worthy of a place in any garden. Blue flowers on erect little bushes. Can be trimmed as a hedge or for knot gardens. LEMON MINT .35 .30 -Mentha citrata. A variation of mint which may be used in the same ways as other mints. MARJORAM POT35 .30 -Origanum onites. A more rugged plant than Sweet Marjoram, green in leaf with pretty pink flowers. Used a lot in seasoning. Very easy in rather poor soil. MARJORAM SWEET40 -Origanum marjorana. For seasoning soups, sausages and stuffing poultry, this is superb. The neat little grayish plants are very ornamental in the herb garden, and the herbage is easily dried for winter use. ORANGE MINT30 -Mentha rotundifolia. Another variation with distinct orange flavor. -Mentha piperita. A well known Mint useful in flavoring. Leaves and tender tops are grand infused in cool drinks. Peppermint oil and menthol are obtained from the plant.

		Each per 10	
PINEAPPLE MINT —Mentha rotundifolia variegata. A variegate flecked leaves are subtly fragrant.			
ROSEMARY 3" pots	d used for col remem ants. R	to seaso d fish o bered.	on Duck or with Ours is
SAGE 3" pots	g for p	oultry, s Sage tec	sausage a is an
SAVORY (Winter) —Satureia montana. A useful plant for edging but more useful as a seasoning in meats, soup	ng in th	ne herb	garden
SOUTHERNWOOD 3" pots	natic bu	u sh, bol	d with
SPEARMINT —Mentha spicata. The fresh green leaves of Juleps and cool drinks, also for certain me Lamb. Try a few sprigs when cooking green	are use eat sauc	d for flees, part	avoring icularly
SWEET WOODRUFF —Asperula odorata. Waldmeister. A pretty where the full as a ground cover in shade. Has a free hy and is delightful in punch.	nite flow	rered pla	ant use-
TANSY —Tanacetum crispum. A particularly beautifu Tansy with emerald green fern-like foliage. old-fashioned remedy for purifying the blood	l form (Tansy	tea is u	ommon ised as
TARRAGON —Artemisia dracunculus. The base for all Estron lobster, roast chicken, broiled mackerel, for making Tarragon vinegar. Finely chopped sauce. Fresh shoots can be cooked with standards.	agon so for bast ed it is	ing roas added to	t lamb, o tartar
THYME (Citron)	40 lemon T	.35 hyme d	
THYME (Common) English	the Thy Used	either fr	esh or

THYME various

—We carry a number of varieties which are both useful in the kitchen or garden. Please see Perenniol Chart.

HARDY FERNS

	Each per 3	Each per 10	Each per 100
ADIANTUM pedatum— Maidenhair Fern—Potgrown	•••••	.50 .	45 .40
ASPLENIUM platyneuron— Ebony Spleenwart—Potgrown	.50	.45	.40
ATHYRIUM felix famina— Lady Fern—Potgrown —Crested Lady Fern—Potgrown	.50 .65	.45 .60	.40
DENNSTAEDTIA punctiloba— Hay-scented Fern—Potgrown	.50	.45	.40
DRYOPTERIS marginalis— Leather Marginalfern—Potgrown	.50	.45	.40
OSMUNDA Cinnamomea—Cinnamon Fern—Potgrown —Regalis Royal Fern	.50 .60	.45 .55	.40 .50
POLYPODIUM vulgare— Common Polypody—Potgrown	.50	.45	.40
POLYSTICHUM acrostichoides— Christmas Fern—Potgrown	.50	.45	.40
WOODSIA virginica— Virginia Chain Fern—Potgrown	.50	.45	.40



HUMUS

Bushel	\$ 1.00
Bag about 2½ bushels	2.25
l cu. yd. (approx. 21 bushels);	12.00
1 cu. yd. (in 9 bags—2½ bushels each)	18.00

GENERAL SOIL IMPROVEMENT

To increase the organic content of average soil by 1% which is the minimum amount recommended, apply 40 yards of cultivated humus to one acre and thoroughly mix with the top 6 inches of soil. Such an application is approximately 1/3 of an inch thick using one bushel of humus to fifty square feet. Naturally a clay soil will need a heavier application.

Cultivated and Prepared

Invariably the addition of humus or similar organic material will improve the physical condition of soil. Careful tests of many products resulted in the selection of this cultivated humus. Its advantages are many—it binds sandy soils—loosens clay soils and is extremely useful as a mulch or top dressing. Furthermore it increases soil bacteria and releases the necessary nitrogen essential to plant growth—stimulates root growth—provides drainage and prevents water logging, but conserves moisture. Being well seasoned and correctly prepared it is ready for immediate use.

New Lawns

Prepare the land carefully by thorough drainage and deep cultivation. Break up all lumps, remove all sticks, stones and other foreign matter. Broadcast humus over the entire area to a depth of one-half inch. Slightly heavier application for poor land. Add Turf Builder as directed. Work the humus thoroughly into the top 3 inches of cultivated soil, rake smooth, and your soil is then ready for seeding.

Established Lawns

Mow entire lawn fairly close. Rake both ways vigorously with bamboo or fine steel rake to remove all dead grass and foreign matter. Loosen surface with a heavy spike tooth roller. Spread humus to a depth of ½ inch, mix Turf Builder, and brush into the soil so that it penetrates down to the roots. Where the spots are very barren replace poor soil with equal amounts of humus and topsoil, add the proper quantity of Scotts grass seed, roll and water.

Shrub and Flower Borders

Apply humus 1 to 2 inches thick depending on soil conditions, and work thoroughly into the soil immediately surrounding the plants, to a depth of 4 to 6 inches. For new plantings several shovelsfull thoroughly incorporated with the soil in each hole will prove very beneficial.

SCOTTS LAWN SEED

All purpose blend of deep-rooting permanent grasses for open lawns in full sun or light shade. Triple cleaned by Scotts special process to remove chaff and assure 99.91% weed freedom. Rate: Sow 3 to 5 lbs. to 1000 sq. ft. (area $50 \times 20 \text{ ft.}$).

1	lb.	box \$.95	10 lb. bag\$	8.95
3	lb.	box 2.85	25 lb. bag 2	21.25
5	lb.	box4.65	50 lb bgg 4	12 50

Scotts for Dense Shade

The best selection of perennial grasses for areas receiving practically no sunlight. Harmonizes in color and quality with turf produced by other Scotts Seed.

1	lb.	box	.95	10	lb.	bag	8.95
3	lb.	box	2.85	25	lb.	bag	21.25
5	lb.	box	4.65	50	lb.	bag	42.50

Scotts Bentgrass

For over 25 years this aristocrat of lawn grasses has been making prize winning home lawns and championship golf putting greens. Will help established lawns if sown in them or mixed with other seed. Rate: 2 or 3 lbs. per 1000 sq. ft.

1	lb.	jar	\$1.95	5	lb.	bag\$	9.35
		25 lb.	baa		- -	\$44.85	

Scotts Clover Seed

Finest quality high germinating seed. Not included in Scotts mixtures because it is better to sow alone. Rate: Sparingly a $\frac{1}{4}$ to $\frac{1}{2}$ lb. per 1000 sq. ft.

10 oz. box	20 oz. box	5
------------	------------	---

Scotts Turf Builder

Proper feeding each spring and fall with this enriched grassfood keeps lawns healthy and sparkling green. Supplies all vital nutrients in correct proportion and goes twice as far—10 lbs. feeds 1000 sq. ft. of lawn.

10	lb.	sack\$1.35	50 1	b.	sack\$3.95
25	lb.	sack 2.50			(two 50-lb. sacks) 7.50

Index

A	Blackhaw	50
Abelia 2	Blanket Flower	57
Acanthopanax 2	Bleeding Heart	56
Acer	Bloodroot	63
Aesculus	Bluebell	60
Allium	Blueberry	48
	Boston Ivy	4
Almond, Flowering 35	Bottlebush Buckeye	
Alyssum 52	Boxwood	
Amelanchier 4	Bridal Wreath	
Ampelopis 4	Buckthorn	
Amygdalus4	Buddleia	
Andromeda 33	Bugle	
Anemone 52	Bugloss	
Āralia 2	Butterfly Bush	
Arbor-Vitae45-46-47	Butterfly Weed	
Arctic Daisy 55		
Aronia 4	Buxus	5
Ash, Mountain 40		
Arrowwood 49	C	
Aster 53	Callianna a	0
Astilbe 54	Callicarpa	
Aubretia 54	Calycanthus	
Azaleamums 54	Camomile	
Azaleas4-5-6-7	Candytuft	
	Canterberry Bells	
В	Carpinus	
D.1 / D 1	Catchfly	
Baby's Breath 57	Catnip	
Balloon Flower 62	Cedar10-	
Balm60-65	Cedrus	
Barberry7-8	Celastrust	
Bayberry 31	Centaurea	
Beard Tongue 61	Cercis	
Beauty Berry 9	Chamaecyparis10-11-	
Beauty Bush25	Chaste Tree	
Beebalm60	Cherries, Flowering	
Beech 17	Cherry Laurel	35
Bellflower 54	Chinese Fleece Vine	34
Benzoin 7	Chinese Winterhazel	18
Berberis	Chionanthus	12
Betula 8	Chive	65
Bignonia9	Chokeberry	4
Birch 8	Christmas Berry	32
Bittersweet 10	Chrysanthemum	54
Blackeyed Susan 63	Cinquefoil	62

Clematis12	Ghost Plant53
Clethra 12	Ginger 53
Clintonia 55	Ginkgo 18
Columbine 52	Gleditsia
Coral Bells 58	Globe Flower
Coralberry 41	Goldraintree
Coreopsis 41	Golden Bell
Cornelian Cerry 13	Golden Star 55
Cornflower 54	Goldmoss
Cornus12-13	Gypsophila57
Cotoneaster14	- 11 - 11
Crab Apples28-29-30	н
Cranberry 49	Hammamelis 18
Crataegus 14	Hawthorn
Cydonia 15	Hedera
Cypress10-11-12	Heliopsis
	Hemlock
D	Hepatica
Daphne 15	Hibiscus
	Holly
Day Lily 58 Delphinium 56	_
Deutzia	Hollyhock
	Honeysuckle26-27
Dogwood12-13	Hornbeam
Dragonhead	Horsechestnut
Dragonsblood	Hydrangea19-20
Dutchman's Breeches 56	Hypericum
E	Helenium 57
-	I
Elm 48	
Enkianthus16	Ilex20-21-22
Erica 16	Indigo22-54
Euonymus16-17	Indigofera
Eupatorium 57	Inkberry 21
Exochorda 17	Iris 59
	Ivy4-19
F	_
Fagus 17	1
Ferns 67	Japanese Maple2
Firethorn36	Jasmine 22
Flax 60	Jetbear 29
Forsythia18	Juniper22-23-24-29
Foxglove 57	
	K
G	Kalmia 25
Gas Plant90	Kerria
Gayfeather59	Kniphofia
Galax 57	Koelreuteria
Geranium Creeper4	Kolkwitzia25

L	0
Laburnum 25	Oaks36
Lady Slipper 55	Oconee-Bells 63
Laurel	Oregongrape28
Lavender	Oxydendrum 31
Lavender Cotton	P
Lead Plant 5	Pachistima43
Leadwart 62	Pachysandra31-60
Leopardbone 57	Painted Lady
Leucothoe	Partridge Berry
Ligustrum	Peach, Flowering 4
Lilac42-43	Pearl Bush 17
Lily of the Valley 55	Pasque Flower 52
Lobelia 60	Pentstemon
Locust	Peony 60
Lonicera26-27	Periwinkle51-64
Loose Strife 60	Philadelphus31-32
Lupine 60	Phlox
Lungwort	Phontinia
Lychinis 60	Physocarpus 32
	Picea32-33
	Pieris
M	Pinus34
Mahonia	Pine
Magnolia27-28	Pink Bells 58
Maidenhair Tree 18	Pinks 56
Malus28-29-30	Plane Tree34
Maple2-3	Plantain Lily 58
Marjoram60-65	Platanus34
Meadowrue 63	Plum, Double Flowering 35
Michaelmas Daisy 53	Plum, Purple Leaf 35
Mint 65	Polemonium
Mistflower 57	Polygonum34-62
Mitchella 60	Poppies
Mock range31-32	Potentilla62
Monkshood	Primrose62
Moss Pink	Privet
Mountain Ash	Prunus
Mountain Laurel	Pyracantha36
Myrica 31	-
7	Q
	Quince, Flowering 15
N	Quercus 36
Nannyberry50	R
Navelwort	Red Bud 10
Neillia	Red Hot Poker 59
Northland Daisy 55	Rhamnus
Nyssa	Rhododendron36-37-383-9

Phodotypos	T
Rhus 39	Tansy63-66
Rock Cress53-54	Tarragon53-66
Rosa 39	Taxus43-44-45
Rosemallow 58	Teucrium63
Rosemary63-66	Thalictrum63-64
Rose of Sharon 19	Thrift 53
Roses	Thuya45-46-47
	Thyme64-66
S	Torchlily 59
Sage 66	Trillium
Salix 40	Trumpet Vine 9
Salvia 63	Tsuga 48
Sandwort 53	Tunic Flower
Santolina 63	Tupelo
Savin23-24	Turquoise Berry 42
Savory63-66	rangaoise Derry 42
Scabiosa 63	U
Shadblow 4	Ulmus 48
Shasta Daisy55	
Smoke Tree 39	V
Snowball 50	Vaccinium49
Snowbell 41	Verbena60
Snowberry 41	Biburnum49-50
Snow in Summer 54	Vinca 51
Sneezeweed 57	Viola 64
Soapwort 63	Violet 64
Sorbus 40	Vitex 51
Sour Gum 31	
Sourwood 31	w
Southernwood66	Weigela 51
Speedwell 64	White Fringe 12
Spicebush7	Willow 40
Spirea40-41-63	Winterberry 22
Spruce32-33	Wintercreeper 17
Spurge31-57	Wisteria 51
Stephandra41	Witchhazel
St. Johnswort 20	Witherod49
Stewartia 41	Wormwood 53
Stokesia63	Woodruff53-66
Styrax41	
Syramore 34	Y
Symphocarpos41-42	Yarrow 52
Symplocos 42	Yellow Root 51
Syringa42-43	Yew43-44-45
Summer Swet12	Yucca64
Sunrose 57	
Sweetbay 27	z
Sweet Shrub9	Zanthorhiza51

MEMORANDA

MEMORANDA



